	· · · · · · · · · · · · · · · · · · ·		
著者名(タイトル	維誌名	年
Sugie K,	Characterization of Dannon disease in a man and his affected mother	Neuromusci Disord	2003
Sugimot	Drug-selected co-expression of P-glycoprotein and gp91 in vivo from an MDR1- bicistropic retrovirus vector	J Gene Med.	2003
Suzawa,	Cytokines suppress adipogenesis and PPAR-gamma function through the TAK1/TAB1/NIK cascade	Nature Cell Biol.	2003
Suzuki, I	Neutrophil functions of patients with MPO-ANCA-related vasculitis	Internal Med.	2003
T Furub	Remote effects of self-paced teeth clenching on the excitability of hand motor area	Exp Brain Res	2003
Takagi T	Contrasting action of IL-12 and IL-18 in the development of dextran sodium sulfate colitis in mice.	Scand J Gastroenterol	2003
Takahas	Histopathological features of murine systemic vasculitis caused by Candida albicans	Inflamm res.	2003
Takahas	A novel strategy for in vivo expansion of transplanted hepatocytes using preparative hepatic irradiation and East—induced hepatocelluair apoptosis.	Gene Therap	2003
Takahas	Bcl-2 prvents doxorubicin-induced apoptosis of huma liver cancer cells.	Hepatol Res	2003
Takahas	In vitro differentiation from naive to mature e-selectin binding CD4 T cells: acquisition of skin-homing properties occurs independently of cutaneous lymphocyte autizen	J Immunol.	2003
Takahas	Anterior thoracic spinal fusion in dogs by injection of recombinant human bone	Journal of Spinal Disorders &	2003
Takaura	morphogenetic protein=2 and a synthetic nolymer. Attenuation of ganglioside G _{M1} accumulation in the brain of G _{M1} gangliosidosis mice by neonatal intravenous gene transfer	Gene Ther	2003
Taketan	Increase in IP3 and intracellular Ca2+ induced by phosphate depletion in LLC-PK1	Biochem, Biophys.	2003
Takeya	cells Novel human homologues of p47phox and p67phox participate in activation of	Res Commun J Biol Chem.	2003
Tamai K	superoxide—n67phox participate in activation of superoxide—producing NADPH Japanese guidelines for diagnosis and treatment of junctional and dystrophic	Arch Dermatol	2003
Tamaki 1	aoidarmolysis hullasa. Growth and differentiation ability of main- and side-population cells derived from skeletal muscle CD341/45- fraction	Res Exp Cell Res	2003
Tanaka .	skeptar muscie 10.347(3) - reaction Different attenuated phenotypes of GM2 gangliosoidosis variant B in Japanese natients with HEXA mutations at codon 499, and five novel mutations responsible for	J Hum Genet	2003
Tanaka	Proliferation and differentiation of Xenopus A6 cells under hypergravity as revealed why time-lanse imaging	In Vitro Cell Dev Biol Animal	2003
Tanaka	Migration of EGFP expressing bone marrow- derived microglia/macrophage into the mice brain following permanent focal ischemia	Neuroscience	2003
Tanaka	Inter and intra-cellular signaling in secondary osteoporosis.	J Bone Miner Metab	2003
Tanaka,	Latent HIV-1 reactivation in transgenic mice requires cell cycle-dependent demathylation of CREB/ATF sites in the LTR	AIDS	2003
Tani, S.,	Preferential detection of procarboxypeptidase R by enzyme-lined immunosorbent	Microbiol. Immunol	2003
Taniguel	Changes of serum levels of osteocalcin, alkaline phosphatase, IGF-I and IGF-binding protein-3 during fracture healing	Injury	2003
Teraki Y	IFN-gamma-producing effector CD8+ T cells and IL-10-producing regulatory CD4+ T cells in fixed drug equation	J Alfergy Clin Immunol	2003
1 1	Decreased AP-1 activity and interleukin-11 expression by bone marrow stromal cells	J Bone Miner Res	2003
Tomatsu	N-acetylgalactosamine-6-sulfate sulfatase difficiency (Galns-/-) produced by targeted discussion of the gene defective in Morguio A disease	Hum Mol Genet	2003
Tomatsu	Production of MPS VII mouse (Gus(tm(hE540AXmE536A)Sly)) doubly tolerant to human and mouse beta-glucuronidase	Hum Mol Genet	2003
Tomita `	Simultaneous occurrence of three squamous cell carcinomas in a recessive dystrophic epidermolysis bullosa patient	Acta Derm Vanareol	2003
	Increased proliferation of neural progenitors and neurogenesis in the postischemic brain of young adult primates	Mol Cell Neurosci	2003
1	Differential proliferative response in the postischemic hippocampus, temporal cortex and olfactory bulb of adult primates.	Glia	2003
(Ameliorating effect of anti-inducible co-stimulator monoclonal antibody in a murine model of observing colitis	Gastroenterology	2003
Totsuka	Therapeutic effect of anti-OX40L and anti-TNF- α MAbs in a murine model of chronic colitis	Am J Physiol	2003
	Lack of evidence for TARC/CCL17 production by normal human keratinocytes in vitro	J Dermatol Sci	2003
Tsuji K,	Evaluation of femoral perfusion in a non-traumatic rabbit osteonecrosis model with T2*-weighted dynamic MRI	Journal of Orthonaedic	2003
Tsuji S,	Does transcranial magnetic stimulation improve the motor symptoms of Parkinson disease	J Neurol	2003
	Digara of the control		

	XE/G 12		
著者名(タイトル	雑誌名	年
Tsuji Y,	Changing pattern of deiminated proteins in developing human epidermis.	J Invest Dermatol	200
Tsunem	Psoriasis guttata in association with hepatocellular carcinoma.	Acta Derm Venereol	200
Uchida I	Critical regions for activation gating of thee inositol 1,4,5-trisphosphate receptor.	J Biol Chem	200
Uchida (Factors secreted by human amniotic epithelial cells promote the survival of rat retinal	Neurosci Lett	200
Uehara I	Serum Alanine aminotransferase concentrations in patients with Kawasaki disease.	Pediatr Infect Dis	200
Uehara I	Kawasaki disease in parents and children.	Acta Paediatr	200
Uetani N	Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology	J Comput Assist	200
Ugawa Y	Exaggerated 16-20 Hz motor cortical oscillation in patients with positive or negative myoclonus	Clin Neurophysiol	200
Uraushil	Regulation of murine inflammatory bowel disease by CD25* and CD25-CD4* glucocorticoid-induced TNF receptor family-related gene+ regulatory T cells.	J Immunol	200
Voronov	Interleukin 1 is required for tumor invasiveness and angiogenesis.	Proc. Natl. Acad. Sci. USA	200
Wada T,	A Japanese Case of Segmental Darier's Disease Caused by Mosaicism for the ATP2A2 Mutation	Br J Dermatol	200
Wakitani	Embryonic stem cells injected into the mouse knee joint form teratoma and subsequently destroy the knee joint.	Rheumatology	200
Watanab	Synsandamin diastrix in the limit Comparative Effects of Angiotensin II Receptor Blockade (Candesartan) with Angiotensin Converting Enzyme Inhibitor (Quinapril) in Rats with Dilated	Journal of Cardiovascular	200
Watanab	Betaxolol Improves the Survival Rate and Changes Natriuretic Peptide Expression in Rats with Heart Failure	Journal of Cardiovascular	200
Wheeler	Interleukin-18 induces expression and release of cytokines from murine glial cells: interactions with interleukin-1?	J. Neurochem.	200
Y Mano	Cortical reorganization in training	J Flectromyography	200
Yabe S,	FRL-1, a member of the EGF-CFC family, is essential for neural differentation in Xenousus early development	Development	200
Yahata `	Nuclear translocation of phosphorylated STAT3 is essential for VEGF-induced human dermal microvascular endothelial cell migration and tube formation.	J Biol Chem	200
Yamada.	High serum @level of menatetrenone in male patients with ossification of posterior	Spine	200
Yamanal	The Trend of NTDs in Japan and the Efficacy of Folic Acid Campaign.	Reprod Toxcol	200
Yamasal	SOCS1/JAB and SOCS3/CIS3 negatively regulate the STATs signaling pathway in normal human enidermal keratingcytes	J Invest Dermatol	200
Yamasal	Keratinocyte growth inhibition by high-dose epidermal growth factor is mediated by transforming growth factor b··· autoinduction: A negative feedback mechanism for keratinocyte growth	J Invest Dermatol	200
Yamazal	Mucosal T cells expressing high levels of IL-7 receptor are potential targets for treatment of chronic colitis.	J Immunol	200
Yanai F,	treatment of chronic course. Essential roles of perform in antigen-specific cytotoxicity mediated by human CD4+ T llymphocytes: analysis using the combination of hereditary perform-deficient effector.	J Immunol	200
Yano S,	Interleukin 15 induces the signals of epidermal proliferation through ERK and PI 3- kinase io a human enidermal keratinocyte, cell line. HaCaT	Biochem Biophys Res Commun	200
razawa .	CD19 regulates innate immunity by the toll-like receptor RP105 signaling in B	Blood	2003
Yokoyan	Methylation of ASC/TMS1, a proapoptotic gene responsible for activating	Cancer Letters	200
Yoshida	Expression of a splicing isoform of mNumb is downregulated during endocrine differentiation in panereas	Differentiation	200
Yoshino	A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-	Journal of Chromatography	2003
	Pedicle bone grafting versus transtrochanteric rotational osteotomy for avascular necrosis of the femoral head.	J Bone Joint Surg Br	2003
Zhang S	Protein C.1N is required for translocation of inositol 1.4,5-trisphosphate receptor type		2003
Zhang Y	Common cytological and cytogenetic features of Epstein-Barr virus (EBV)-positive	Br. J. Haematology	2003
Zoroofi l	Automated segmentation of acetabulum and femoral head from 3D CT images.	IEEE Trans. Inf. Technol BioMed	2003
			2004

著者名(タイトル	雑誌名	年
Akiko Is	Neutrophil contribution to the crescentic glomerulonephritis in SCG/Kj mice.	Nephrology, Dialysis and	2004
Arita K,	Gap junction development inthe human fetal hair follicle and bulge region.	Br J Dermatol	2004
Fujii, Y.,	A potential live vector, foamy virus, directed intra-cellular expression of ovine interferon-t exhibited the resistance to HIV infefction	J. Vet. Med. Sci.	2004
H Mochi	EFFECTS OF MOTOR CORTICAL STIMULATION ON THE EXCITABILITY OF CONTRAL ATERAL MOTOR AND SENSORY CORTICES	Exp Brain Res	2004
Hanawa	A novel method to assay proteins in blood plasma after intravenous injection of plasmid DNA	Tohoku J Exp Med	2004
Hoshino	Applications of T-lymphoma labeled with fluorescent quantum dots to cell tracing	Biochem, Biophys. Res. Comm.	2004
lshida, Y	The essential involvement of cross-talk between IFN-? and TGF-? in the skin wound- healing process	J. Immunol.	2004
lshida, Y	Essential involvement of IFN-? in Clostridium difficile toxin A-induced enteritis.	J. Immunol	2004
lshihara,	The point mutation of tyrosine 759 of the IL-6 family cytokine receptor gp130 synergizes with HTLV-1 pX in promoting rheumatoid arthritis-like arthritis.	Int. Immunol.	2004
Itoh H, 1	A pilot randomized trial of a human anti-interleukin-6 recotor monoclonal antibody in active Cron's disease.	Gastroenterology	2004
ltoh K,	Expression of lysosomal protective protein/cathepsin A in a stably transformed human neuroplastoma, cell during bi-directional differentiation, into neuropal, and	Neurochem. Int	2004
Jingushi	Slipped capital femoral epiphysis: etiology and treatment.	J Orthop Sci.	2004
K Deguc	Abnormal baroreceptor-mediated vasopressin release as possible marker in early diagnosis of multiple system atrophy.	J Neurol Neurosura	2004
Kanno M	Effects of acute repetitive transcranial magnetic stimulation on dopamine release in the rat dorsolateral striatum	J Neurol Sci.	2004
Kobari, `	T cells accumulating in the inflamed joints of a spontaneous murine model of theumatoid arthritis become restricted to common clonotypes during disease	Int. Immunol.	2004
Kondo M	Transforming growth factor—• signaling is differentially inhibited by Smad2D450E and Smad3D407F	Cancer Sci	2004
Kotani N	Cytochemical and biochemical detection of intracellularly accumulated sialyl	Clin Chim Acta	2004
M lkegu	Effects of successive repetitive transcranial magnetic stimulation on motor performances and brain perfusion in idionathic Parkinson's disease	Journal of the	2004
Masuna	Pyloric atresia-junctional epidermolysis bullosa syndrome showing novel	Exp Darmatol	2004
Murayar	Ligand-induced transrepression by a nuclear receptor mediated by a bHLH-type activator through co-regulator switching	EMBO J.	2004
Nakamu	Laboratory data as risk factors of giant coronary aneurysms due to Kawasaki disease	Pediatr Int	2004
Nasuno	Expression of coxsackievirus and adenovirus receptor in neointima of the rat carotid	Cardiovasc Pathol	2004
Ohashi,	Novel missense mutation found in Japanese patient with myeloperoxidase deficiency.	Gene	2004
Okazaw	Human intestinal epithelial cell-derived interleukin (IL)-18, along with IL-2, IL-7 and IL-15, is a potent synergistic factor for the proliferation of intragnithelial lymphocytes.	Clin Exp Immunol	2004
Sakano	Curved intertrochanteric varus esteotomy for esteonecrosis of the femoral head.	J Bone Joint Surg Br	2004
Sakurab	Structural and immunocytochemical studies on α-N-acetlygalacto- saminidase deficiency (Schindler/ Kaazaki diseasa).	J Hum Genet	2004
Sakurag	Human amnion mesenchyme cells express phenotype of neuroglial progenitor cells.	J Neurosci Res	2004
Sato T,	Hyperexpression of Inducible Costimulator and Its Contribution on Lamina Propria T	Gastroenterology	2004
Sato Y,	Microbial serine carboxypeptidase inhibitiors-comparative analysis of actions on homologous enzumes derived from man, yeast and wheat	J Antibiot	2004
Sato, T.	Brain masculinization requires androgen receptor function	Proc. Natl. Acad. Sci. USA	2004
T Hayas	Motor Cortical Repetitive Transcranial Magnetic Stimulation Induce Long-Term	Ann Neurol	2004
Takahar	Asting Effects in Autocrine/paracrine role of the angiopoletin-1 and -2/Tie2 system in cell	Hum Pathol	2004
Takahas	proliferation and chemotaxis of cultured fibroblastic synovicovtes in rheumatoid Production of virus-specific antiserum corresponding to sequences in the lactate	Comp Immunol	2004
Takahas	debydrogenase-elevating virus (t DV) ORF6 protein Analysis of protein expression by mammalian cell lines stably expressing lactate	Microbiol Infect Comp Immunoi	2004
Takamo	debydrogenase-elevating virus ORF 5 and ORF 6 proteins. High plasma heparin cofactor II activity is associated with reduced incidence of in-	Microbiol Infect Circulation,	2004
	stent restanosis after percutaneous coronary intervension	l	L

タイトル	雑誌名	年
Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex: An [110] raclopride PET study in anesthetized	Biol Psychiat	2004
Leukocyte derived IL- B interact with renal IL-I receptor I to promote renal TNF and	Am. J. Physiol.	2004
Contributions of IL-1 eta and IL-1 $lpha$ to crescentic glomerulonephritis in mice.	Am. J. Physiol.	2004
Subchondral insufficiency fracture of the humeral head and glenoid resulting in rapidly destructive arthrosis: A case report		2004
Development and Testing of New Screening Method for Keratan Sulfate in	Pediatric	2004
Ultraviolet A -induced production of Matrix Metalloproteinase-1 Is Mediated by	J Biol Chem	2004
Histamince production via mast cell-independent induction of histidine decarboxylase		2004
Protein kinase A potentiates Ad4BP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor. DAX-1: a laser confocal imaging study in living KGN	Mol. Endocrinol.	2004
stimulation	Neurology	2004
cansaicin Pain		200
Analysis of recombinant human saposin A expressed by Pichia pastoris	Biochem Biophy Res Commun	200
Photodynamic therapy may be useful to debulk cutaneous lymphoma proir to radiotherapy.	British J Dermatol	in pre
Novel collagen sponge reinforced with polyglycolic acid fiber produces robust, normal hair in murine hair reconstitution model	Tissue Engineering	in oress
sohere colony formation	Exp Cell Res	in oress
TPA responsive elements	J Invest Dermatol	in oress
Cytochemical and biochemical detection of intracellularly accumulated sialyl	Clin. Chim. Acta	in oress
The G2028R glycine substitution mutation in COL7A1 leads to marked inter-familiar clinical heterogeity in dominant dystrophic epidermolysis bullosa	J Dermaol Sci	in oress
Expression of maf in the skin during rat embryonic development.	Acta Histochem	in oress
Blockade of Interleukin-6 receptor ameliorates functional recovery in spinal cord	J Neurosci Res	in oress
Mutations analysis of ATP2A2 gene in two Darier's disease pedigrees with marked different clinical severity within affected family members	Br J Dermatol	in oress
Vascular adventitia generates neuronal progenitors in monkey hippocampus after ischemia	Hippocampus	in press
Mechanical stretching in vitro regulates signal transduction pathways and cellular		
	Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex: An [11C] raclopride PET study in anesthetized Leukocyte derived IL-β interact with renal IL-I receptor I to promote renal TNF and slomerular injury in murine crescentic slomerulanenhritis. Contributions of IL-I β and IL-1 α to crescentic glomerulonephritis in mice. Subchondral insufficiency fracture of the humeral head and glenoid resulting in rapidly destructive arthrosis: A case renort. Development and Testing of New Screening Method for Keratan Sulfate in Muconolysaccharidosis IVA Ultraviolet A -induced production of Matrix Metalloproteinase-1 Is Mediated by Macronhage Migration Inhibitory Factor (MIF) in Human Dermal. Histamince production via mast cell-independent induction of histidine decarboxylase in reasonase to linocolysaccharida and interleukin-1. Protein kinase A potentiates AdBP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor, DAX-1: a laser confocal imaging study in living KGN Facilitation of A δ -fiber-mediated acute pain by repetitive transcranial magnetic stimulation. Effects of I-Hz repetitive transcranial magnetic stimulation on acute pain induced by cansainin Pain Analysis of recombinant human saposin A expressed by Pichia pastoris Photodynamic therapy may be useful to debulk cutaneous lymphoma proir to radiotharaov. Novel collagen sponge reinforced with polyglycolic acid fiber produces robust, normal hair in murine hair reconstitution model. Characterization of multipotent stem cell in the skin-positive effect of TGF-beta on sohera colony formation. Matrix metalloproteinase-9 expression iscoordinately modulated by the KRE-M9 and TPA resonasiva elamants. Cytochemical and biochemical detection of intracellularly accumulated sialyl strocconiurates in sialidosis and galactor-sialidosis fibroblasts with Macckia. The Q2028R glycine substitution mutation in COL.741 leads t	Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex: An [11C] raclopride PET study in anesthetized Leukocyte derived IL-β interact with renal IL-I receptor I to promote renal TNF and alongerular injury in murine crascentic glomerulaneshritis. Contributions of IL-Iβ and IL-Iα to crescentic glomerulaneshritis in mice. Am. J. Physiol. Subchondral insufficiency fracture of the humeral head and glenoid resulting in rapidly destructive arthrosis: A case renort. Development and Testing of New Screening Method for Keratan Sulfate in Muronohysacnharidosis IVA Ultraviolet A -induced production of Matrix Metalloproteinase-I Is Mediated by Macronhage Migration Inhibitary Factor (MIF) in Human Dermal Histamince production via mast cell-independent induction of histidine decarboxylase in response to linopolysaccharide and interleukin-I Protein kinase A potentiates Ad4BP/SF-I transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, QCNS/TRRAP, and suppressor. DAX-1: a laser confocal imaging study in living KGN Facilitation of A δ-fiber-mediated acute pain by repetitive transcranial magnetic stimulation on acute pain induced by pain: Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by Pain: Photodynamic therapy may be useful to debuik cutaneous lymphoma proir to radiotherany. Novel collagen sponge reinforced with polyglycolic acid fiber produces robust, normal hair in murine hair reconstitution modal. Characterization of multipotent stem cell in the skin-positive effect of TGF-beta on sohera colony formation. Matrix metalloproteinase-9 expression iscoordinately modulated by the KRE-M9 and IPA responsive elements. Cytochemical and blochemical detection of intracellularly accumulated sialyl shronhasts with Macckia. The Q2028R glycine substitution muriation in CDL/A1 leads to marked inter-familiar clinical haterogaity in dominant dystrophic aprices is sialido

*** ** **	無行性	雑誌名	年
	タイトル	7200 14	
	ANCA production	Inflammation	2001
Abe, M.,	Contribution of apnaphylatoxin C5a to late airway responses after repeated exposure of atnizen to allergic rats	J. Immunol.	2001
Aihara \	Movement of endoplasmin reticulum in the living axon is distinct from other membranous vesicles in its rate, form, and sensitivity to microtubule inhibitors	J Neurosci Res	2001
Ara, Y.,	Zymosan enhances the immune response to DNA vaccine for human immunodeficiency virus type-1 through the activation of complement system	Immunology	2001
Arai T, I	8-Formylpterin, a xanthine oxidase inhibitor, intracellularly generates reactive oxygen species involved in apontosis and cell proliferation.	Free Rad Biol. Med	2001
Ariizumi	In vitro induction systems for analyses of ampnibian organogenesis and body	Int J Dev Biol	2001
Asakura	Efficacy of treatment with chimeric monoclonal antibody (Infliximab) to tumor necrosis factor-alpha for Crohn's disease in Japan:evaluation by rapid turnover proteins, and radiologic and endoscopic findings.	J Gastroenterol Hepatol	2001
Azuma	Low-intensity pulsed ultrasound accelerates rat femoral fracture healing by acting on the various cellular reactions in the fracture callus.	J Bone Miner Res	2001
Campbe	Carboxypeptidase R (CPR) is an inactivator of complement derived inflammatory	Immunol. Rev	2001
Cui SH,	nentides and an inhibitor, of fibrinolysis. A thiol proteinase inhibitor, E-64-d, corrects the abnormalities in concanavalin A cap formation and the lysosomal enzyme activity in leucocytes from patients with Chediak-Higashi syndrome by reversing the down-regulated protein kinase C activity.	Clin Exp Immunol.	2001
Fujino N	In vitro prevention of cell-mediated xeno-graft rejection via the Fas/FasL-pathway in	Xenotransplant	2001
Fujioka	CrmA-transducted norcine kidney cells Initial changes of non-traumatic osteonecrosis of femoral head in fat suppression	Magnetic Resonance	2001
Fukami	images: hone marrow edema was not found before the appearance of band natterns. Requirement of phospholipase C ô 4 for the Zona pellucida-induced acrosome	Science	2001
Fuse K	reaction. Enhanced expression and production of monocyte chemoattractant protein-1 in	Clin Exp Immunol	2001
Hakuno	myocarditis Upregulation of P-cadherin expression in the lesional skin of pemphigus, Hailey-Hailey	J Cutan Pathol	2001
Hamada	disease and Darier's disease Gene expression of human squamous cell carcinoma antigens 1 and 2 in human cell	Oncol Rep	2001
Hamada	Molecular cloning of human squamous cell carcinoma antigen I gene and	Biochem Biophys Acta	2001
Higaki I	characterization of its gromoter Isolation of NPC1 deficient Chinese hamster ovary cell mutants by gene trap	J Biochem (Tokyo)	2001
Hirai, H	Mutagenesis A novel activating mutation (C129S) in the calcium-sensing receptor gene in a	J Hum Genet	200
Hiraoka	Jananese family with autosomal dominant hypocalcamia Nutritional status of vitamin A, E, C, B ₁ , B ₂ , B ₆ , nicotinio acid, B ₁₂ , folate, and β -	J. Nutr Sci Vitaminol	2001
Hirata :	caratege in young women. Incidence rate of recurrent Kawasaki disease and related risk factors: from the results	Acta Paediatrica	200
Horiuch	of nationwide surveys of Kawasaki disease in Japan Enhancement of bone morphogenetic protein-2-induced new bone formation in mice	Bone	2001
lda H, F	by ohosohodiesterase inhibitor Pentoxifylline. Effects of enzyme replacement therapy in thirteen Japanese paediatric patients with	Eur J Pediatr	2001
Inoue N	Gaucher disease Restricted VH gene usage in lamina propria B cells that produced anticolon antibody	Gastroenterology	200
Inoue S	from patients with ulcerative colitis Minimun ten-year follow-up clinical and radiographic results of Mark I and Mark II	Journal of	200
lnui K,	i ord type femoral component in total hip arthroplasty. A new variant neuropathic type of Gaucher's disease characterized by hydrocephalus,	Orthogaedic J Pediatr	200
lnui, N.	corneal opacities, deformed toes, and fibrous thickening of soleen and liver cansules. Correlation between 25-hydroxyvitamin D3 1a-hydroxylase gene expression in	Am. J. Med.	200
Irisa T,		Bone	200
Ishibas	rabbits Improved superoxide generating ability by interferon-gamma due to splicing pattern	Blood	200
Ishii E,	change of transcripts in neutrophils from natients with a solice site mutation in CYBB 0 ligoclonal α β =T cells in Epstein-Bar virus associated hemophagocytic	Cancer Genet	200
(shiko	lymphohisticcytosis with abnormal karyotyne(s). A novel leucine to valine mutation in residue 7 of the helix initiation motif of keratin10	J Invest Dermatol	200
Itai K,	leads to bullous congenital ichthyosiform erythroderma. Keratinocyte gene therapy: inducible promoters and in vivo control of transgene	Clin Exp Dermatol	200
itoh M.	axorassion. Development of lysosomal storage in mice with targeted disruption of the eta -	Brain Dev	200
Iwasak	galactosidase gene: a model of human G., -gangliosidosis 2-Aminoethoxydiphenyl borat (2-APB) inhibits capacitateve calcium entry	Receptors	200
	independently of the function of inesital 1.4.5-trsphosphate recentors	Chanoeis	—-

	難冶性		
著者名(タイトル	雑誌名	年
K Okada	Cyclooxygenase-2 expression in the hippocampus of genetically epilepsy susceptible	Brain Research	200
	r: mice was increased after seizure. RNaseA treatment of Tag and Tth DNA polymerases eliminatesprimer/template independent poly (rA-dT) synthesis	BioTechniques	200
	Neutrophil functions of patients with vasculitis related to MPO-ANCA.	International	200
K. Tsuka	Direct Measurement of Erythrocyte Deformability in Diabetes Mellitus with A Transparent Microchannel Capillary Model and High-Spead Vidao Camera System	Microvascular Research	200
Kakuta,	Inhibition of B16 melanoma experimental metastasis by interferon-? through direct inhibition of call proliferation and activation of anti-tumor host mechanisms	lmmunology,	200
Kallay, E	Characterization of a vitamin D receptor knockout mouse as a model of colorectal hyperproliferation and DNA damage	Carcinogenesis	200
Kanagav	Molecular mechanism of type I congenital heparin cofactor (HC) II deficiency caused	Thromb Haemost	200
	hy a missense mutation at reactive P2 site: HC II Tokushima Macrophage-derived IL−18-mediated intestinal inflammation in the murine model of Croho's disease	Gastroenterology	200
	Estrogen receptor-mediated cross-talk with growth factor signaling pathways	Breast Cancer	200
	Effect of chemo therapy and stem cell transplantation in familial hemophagocytic lymphobisticcytosis analyzed by T-cell repertoire.	BrJHaem atology	200
	The molecular basis of vitamin D-dependent rickets type I	Endocrine J.	200
	Primary Charnley total hip arthroplasty: a comparison of American and Japanese cohorts followed for 10 to 20 years	J Arthroplasty	200
	Comparison of friction and frictional torque among various hip prostheses.	Transactions of the 47th Annual	200
	Primary Charnley total hip arthroplasty :A comparison of American and Japanese cohorts followed for 10-20 years	J. Arthroplasty	200
	Mechanical Alternants in Patients With Chronic Heart Failure	J Cardiac Failure	200
	Morphological characteristics of the bony birth canal in patients with developmental dvsolasia of the hio (DDH): investigation by three-dimensional CT.	J Orthop Sci	200
	Evidence for the association of ultraviolet-C and H2O2-induced apoptosis with acid sphingonvelinase activation	BBA	200
	Engraftment of genetically-engineered amnioto epithelail cells corrects lyhsosomal storage multiple areas of the hrain in muopolysocharidosis type VI mice	Mol Therapy	200
Kosuga	Widespread distgribution of adenovirus-transduced monkey amniotic epithelial cells after local intra-cerebral injection: Implication for cell-mediated therapy for lysosome	Cell Tranplant	200
Kubo T,	storage disorders. Cementless Lord total hip arthroplasty: cup loosening common after minimum 10-year follow-up f 103 hips.	Acta Orthop Scand	200
Kubo T,	Tollow-up or Just hips Blood flow and blood volume in the femoral heads of healthy adults according to age: measurement with nositron emission tomography (PET)	Ann Nucl Med	200
Kubo T,	Osteonecrosis of the femoral head that developed after long-term topical steroid application	J Ortho Sci	200
Kubota	amplication Tracer accumulation in femoral head during early phase of bone scintigraphy after renal transplantation	J Nucl Med	200
Li G, Scl	renal reasonantation Downregulation of E-cadherin and Desmoglein 1 by autocrine hepatocyte growth factor during melanoma devalonment	Oncogene	200
M Kanno	nactor numb meanning nevenoment Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation	J Neurology, Neurosurgery	200
Masashi	Concentration and localization of YKL-40 in hip joint diseases.	J Rheum	200
Masuyar	Dietary phosphorus restriction reverses the impaired bone mineralization in vitamin D	Endocrinology	200
Matsuur	Synthesis and release of erythropoietin by human amniotic epithelial cells.	J of Tokyo Medical University	200
Mezaki,	N-terminal activation function is dominant in ligand-dependent transactivation of medaka estrogen recentor a in human cells	Biochem. Biophys. Res. Commun.	200
Millat G,	Niemann-Pick C1 disease: correlations between NPC1 mutations, levels of NPC1 protein and phenotypes emphasize the functional significance of the putative sterol-	Am J Hum Genet	200
Miyanist	A high low-density lipoprotein cholesterol to high-density lipoprotein cholesterol	Rheumatology	200
Miyanisł	ratio as a potential risk factor for corticosteroid-induced osteonecrosis in rabbits. Subchondral changes in transient osteoporosis of the hip.	Skeletal Radiol	200
Naganun	Appendectomy protects against the development of ulcerative colitis and reduces its	Am J	200
Miyanisł	ratio as a notential risk factor for corticosteroid-induced osteonecrosis in rabbits. Subchondral changes in transient osteoporosis of the hip.	Skeletal Radiol	1

	天社/口 工		
著者名(タイトル	雑誌名	年
Naganur	Measurement of colonic mucosal concentrations of 5-aminosalicylic acid is useful for estimating its therapeutic efficacy in distal ulcerative colitis:comparison of orally administered mesalamine and sulfasalazine.	Inflamm Bowel Dis	2001
	characterization of novel natural killer (NK)-cell and γ δ T-cell lines established from primary lesions of nasal T/NK cell lymphom as associated with the eostein-barr	Bbood	2001
	Expression of hepatocyte growth factor activator and hepatocyte growth factor activator inhibitor type 1 in human hepatocellular carcinoma.	Biochem Biophys Res Com	2001
Nakae, S	IL-1 enhances T cell-dependent antibody production through induction of CD40L and OX40 on T cells	J. Immunol.	2001
Nakae, S	Interleukin-1 β , but not interleukin-1 α , is required for T cell-dependent antibody production	lmmunology	2001
	IL-1β, but not IL-1α, is required for contact-allergen-specific T cell activation during the sensitization phase in contact hypersensitivity.	Int. Immunol.	2001
	Cytological examination of rat amniotic epithelial cells and cell trasplantation to the liver.	Cell Tranplant	2001
Nakanist	MR-based three-dimensional presentation of cartilage thickness in the femoral head	European Radiology	2001
Nakano	Differentiation of transplanted bone marrow cells in the adult mouse brain	Transplantation	2001
Nishinak	Redox control of EBV infection: Prevention by thiol-dependent modification of functional CD21/EBV recentor expression	Antioxid. Redox Signal	2001
Nonaka,	Expression of complement C4-binding protein ?-chain gene in epididymis.	J. Immunol.	2001
Nunoi H	Neutrophil cytoskeletal disease.	Int J Hematol.	2001
Ohshima	Synergistic contributions of cylin-deendant kinase 5/p35 and Reelin/Dab1 to the positioning of contribal neurons in the developing mouse brain	Proc Natl Acad Sci	2001
Ohura T	Neonatal presentation of adult-onset type II citrullinemia.	Human Genetics	2001
Okawa F	Amniotic epithelial cells transform into neuron-like cells in the ischemic brain.	Neuroreport	2001
Okuda, I	Transplacental genetic immunization after intravenous delivery of plasmid DNA to pregnant mice.	J. Immunol.	2001
Saijo, S.	organant mice Suppression of autoimmune arthritis in IL-1-deficient mice in which T cell activation is impaired due to low levels of CD40L and OX40 expression on T cells.	Arth. Rheum.	2001
Saika M	Theta-estradiol stimulates expression of osteoprotegerin by a mouse stromal cell line. ST-2 via estrogen recentor-alpha	Endocrinology	2001
Saito N.,	Progressive scollosis in Cri-Du-Chat syndrome over a 20-year follow-up periodA	Spine	2001
Saito N.	Biodegradable poly-D-L-lactic acid-polyethylene glycol block copolymers as a BMP	J Bone and Joint	2001
Saitou N	A biodegradable polymer as a cytokine delivery system for inducing bone formation.	Nature Biotechnology	2001
Sakai T,	Bone scintigraphy for osteonecrosis of the knee in patients with non-traumatic	Annals of Rheumatic	2001
Sakai, N	osteonecrosis of the femoral head: comparison with magnetic resonance imaging. The three-dimensional structure of septum site-determining protein MinD from	Structure	2001
Sasagav	Pyrococcus horikoshii OT3 in complex with Me-ADP. A nuclear receptor screening method using a steroid receptor coactivator-1 fragment	Anal. Biochem.	2001
Sato M,	in a veast two-hybrid system. Apoptosis and expression of stress protein (ORP15, HO1) during development of	J. Bone Joint Surg. Br	2001
Sato M.	ischemic osteonecrosis in a rat experimental model. Apoptosis and expression of stress protein (ORP150, HO1) during development of ischemic osteonecrosis in the rat.	J Bone Joint Surg Br	2001
Sawamu	iscnamic ostangerosis in the rat. Site-specific phosphorylation of tau accompanied by activation of mitogen-activated orotain kinasa (MAPK) in brains of Niemann-Pick type C mice		2001
Sayama	Apoptosis signal regulating kinase 1 (ASK1) is an intracellular inducer of keratinocyte differentiation	J Biol Chem	2001
Seino, K	Requirement for NKT cells in the induction of allograft tolerance.	Proc. Natl. Acad. U.S. A.	2001
Seto T,	Brain magnetic resonance imaging in 23 patients with mucopolysaccharidoses and the effect of hone marrow transplantation		2001
Shen JS	Intraventricular administration of recombinant adenovirus to neonatal twitcher mouse	Gene Ther	2001
Shida JI	leads to cliniconathological improvements Basic fibroblast growth factor regulates expression of growth factors in rat epiphyseal	J Orthop Res	2001
	chondrocytes.	J Clin Apheresis	2001
Shimoya	Safety and efficacy of granulocyte and monocyte adsorption apheresis in patients with active ulcerative colitis: a multicenter study	,	

	難治性		
著者名(タイトル	雑誌名	年
Sugano	Early MRI findings of rapidly destructive coxopathy	Magnetic Resonance	200
Sugimot	Accumulation of cholera toxin and GM1 ganglioside in the early endosome of	Proc Natl Acad Sci USA	200
Suzuki 1	Niemann-Pick C1-deficient cells Diverged nuclear localization of Werner helicase in human and mouse cells.	Oncogene	200
Suzuki 1	Raised interleukin 6 concentrations as a predictor of postangioplasty restenosis.	Heart	200
Г. Yama	Correspondence to vaccinating Japanese schoolchildren against influenza.	The New Eng. J.	200
rakahas	A novel approach to ex vivo gene therapy for familial hypercholesterolemia using	Tohoku J Exp Med	200
Takahas	human amoiotic enithelial cells as a transen carrier Evaluation of accumulated mucopolysaccharides in the brain of patients with mucopolysaccharidoses by (1)H-magnetic resonance spectroscpy before and after bone marrow transplantation.	Pediatr Res	200
Takeuch	Interleukin-11 as a stimulatory factor for bone formation prevents bone loss with	J Biol Chem	200
aneda	advancing age in mice. < et al	PACE	200
Faniguel	Sites and temporal changes of gangliosides GM1/GM2 storage in the Niemann-Pick	Brain Dev	200
Tazawa	disease tyne C mouse brain Infantile cholestatic jaundice associated with adult-onset type II citrullinemia	J Pediatr	200
Tiedema	Pluripotent cells (stem cells) and their determination and differentiation in eraly	Dev Growth Differ	200
Tohyam	vertebrate embryogenesis Differentiated keratinocytes are responsible for TNF-alpha regulated production of	J Dermatol Sci	200
Tominag	macrophage inflammatory protein 3alpha/CCI 20 a potent chemokine for Langerhans Calactonojirimycin derivatives restore mutant human b-galactosidase activities	Brain Dev	200
Tomita I	expressed in fibroblasts from enzyme-deficient knockout mouse Modulation by dietary restriction in gene expression related to insulin-like growth	Aging (Milano)	200
Tsukam	factor-1 in rat muscle SSCP analysis by RT-CR for the prenatal diagnosis of Niemann-Pick disease type C	Prenat Diagn	200
Jrabe K	Immature osteoblastic cells express the pro-alpha2(XI) collagen gene during bone	J Orthop Res	200
Van Cro	formation in vitro and in vivo Doudenal calcium absorption in vitmin D receptor–knockout mice: functional and	Proc. Nati. Acad.	200
Watabe	melecular aspects Establishment and characterization of immortalized Schwann cells from murine model	J Peripher Nerv	200
Watanat	of Niemann-Pick disease type C (spm/spm) Bisoprolol improves Survival in Rats with Heart Failure	Svst J Cardiovasc	200
	Protection against autoimmune myocarditis by gene transfer of interleukin-	Pharmacol Circulation.	200
	10hvelectroporation A subfamily of RNA binding DEAD-box proteins acts as an estrogen receptor a	ЕМВО Ј.	200
	coactivator through the N-terminal activation domain (AF-1) with an RNA Aberrant growth plate development in VDR/RXR gamma double null mutant mice	Endocrinology	200
Yahata,	Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-	Genes Dev.	200
	Progressive cell loss in the ventral posterior lateral and medial nuclei of thalamus in	Brain Dev	200
	Niemann-Pick disasse tyne C mice hrain Infantile autophagic vacuolar myopathy is distinct from Danon disease.	Neurology	200
	Subchondral insufficiency fracture of the femoral head.	Skeletal Radiol	200
	Histopathologic correlation with MRI	J Vet Med Sci	200
	Glycidol degrades scrapie mouse prion protein	J. Biol. Chem.	200
	A tamoxifen responsive estrogen receptor alpha mutant D351Y shows reduced tamoxifen dependent interaction with coragressor complexes.		
	6-formylpterin intracellularly generates hydrogen peroxide and restores the impaired bactericidal activity of human neutrophils	Biochem Biophys Res Commun	200
	Location of the epitope for 7D5, a monoclonal antibody raised against human flavocytochrome 5558, to the extracellular pentide portion of primate pp91phox	Microbiol	200
	Further simulation on survival of mutants under non-selective condition.	Jpn. J. Infect. Dis.	200
	Pathophysiology and treatment of childhood IgA nephropathy.	Pediatr Nephrol	200
	Colocalization of noggin and bone morphogenetic protein-4 during fracture healing.	J. Bone and	200