著者名(3名	タイトル	雑誌名	年
Ozawa K, Ko	Zonisamide-induced depression and mania in patients with epilepsy.	J Clin Psychopharmacol	2004
S. Takatori,	Determination of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate in human serum using liquid chromatography-tandem mass spectrometry.		2004
Sugie M, As	Possible Involvement of the Drug Transporters P Glycoprotein and Multidrug Resistance-Associated Protein Mro2 in Disposition of Azithromycin	Antimicrob.	2004
Suzuki K, Ta	Do olfactory reference syndrome and jiko-shu-kyofu (a subtype of tajjin-kyofu) share a common entity?	Acta Psychiatr Scand	2004
Tachibana H	Bacterial expression of a human monoclonal antibody-alkaline phosphatase conjugate spacific for Entamoeba histolytica	Clin Diagn Lab Immunol	2004
Takagi K, Ta	A sensitive colorimetric assay for polyamines in erythrocytes using oat seedling	Clinica Chimica Acta	2004
Takuro Maru	Phylogenetic Relationship of Psychoactive Fungi Based on the rRNA Gene for a	Forensic Sci. Int	2004
Tamauchi H.	Evidence of GATA-3-dependent Th2 commitment during the in vivo immune response	Int Immunoi	2004
Tazume K, I	Induction of cytomegalovirus-specific CD4-positive cytotoxic T lymphocytes from seropositive or negative healthy subjects or stem cell transplant recipients.	Experimental Hematology	2004
Y. Aso, S. Yo	Molecular mobility-based prediction of the crystallization rate of amorphous nifedipine and phenobarbital in PVP solid dispersions.		2004
Y. Haishima,	Risk assessment of di(2-ethylhexyl)phthalate released from PVC blood circuits during themodialysis and pump-oxygenation therapy	Int.J. Pharm.	2004
Yamada H, I	Convenient screening of g-hydroxybutyric acid by conversion to the fluorescent with 3-bromomethyl-6.7-dimethoxy-1-methyl-1.2-dihydroginoxaline-2-one (Br-DMFQ)		2004
Yano A, Ma	Transgenic tobacco cells producing the human monoclonal antibody to hepatitis B	J Med Virol	2004
Rahman MS	Evaluation of the immuno-protective effects of the new-type of bags using ELISA- and FACS-analysis	Animal cell	accent
Jeong Ung F	Evaluation of the cornea cells affected by multi-purpose solutions for contact-lens.	Animal cell	accept ed
Saifuddin Al	Different expression on Gap junctional protein connexin43 in two strains of mice after one-month implantation of Poly-L-Lactic acid.	Animal cell technology	accept ed
Tanaka Y, K	Liposomes with differential lipid components exert differential adjuvanticity in antigen-liposome conjugates via differential recognition by macrophages	Bioconjugate Chemistry	in press
Tsuchiya T,	Biocompatible biomaterials for the human chondrocyte differentiation estimated by RT-PCR method.	Animal cell	in oress
Tsuchiya To		ASTM	in oress
kezawa N, T	Molecular cloning and characterization of CYP719, a methylenedioxy bridge-forming enzyme that belongs to a novel P450 family from cultured Contis japonicacells.	J Biol Chem	

著者名(タイトル	雑誌名	年
Asamoto	Prostate carcinomas developing in transgenic rats with SV40 T antigen expression	Cancer Research	200
Chiba 1.,	under probasin promoter control are strictly androgen dependent. Negative correlation between plasma thyroid hormone levels and chlorinated	Environ Toxicol	200
Ema M a	hydrocarbon levels accumulated in seal from the coast of Hokkaido, Japan. Adverse effects on development of the reproductive system in male offspring of rats	Reprod Toxicol	200
Ema M a	given monobutyl ohthalate, a metabolite of dibutyl ohthalate, during late pregnancy Effects of monobutyl phthalate on reproductive function in pregnant and	Reprod Toxicol	200
Ema M a	osaudonregnant rats effects of progesterone on suppression of uterine decidualization and implantation	Cong Anom	200
Ema M,	failure induced b triphenyltin chloride in rats Rat two-generation reproductive toxicity study of bisphenol A	Reprod Toxicol	200
Fujimoto	Effects of endocrine disruptors on the pituitary gland	J Toxicol Pathol	200
Fujita S,	P450 in wild animals as biomarker of environmental impact.	Biomarkers	200
Herath (Exposure of neonatal female rats to p-tert-octylphenol disrupts afternoon surges of luteinizing hormone, follicle-stimulating hormone and prolactin secretion, and	Biol Reprod	200
Hirabaya	interferes with sexual receptive behavior in adulthood, VCP/p97 in abnormal protein aggregates, cytoplasmic vacuoles, and cell death,	Cell Death Differ	200
Hirai t, F	phenotypes relevant to neurodegeneration Simple solid-phase lipid extraction of dioxins from maternal breast milk.	Organohalogen	200
Hirokaw	Hypothalamic control of thymic function	Compound Cell Mol Biol	200
Hirose N	Environmental Agents, Endocrine Disrupting Chemicals and Rat Thyroid	(Noisy-le-grand) J Toxicol Pathol	200
lguchi T.	Carcinogenasis. Developmental effects of estrogenic agents on mice, fish, and frogs: a mini-review	Horm Behav	200
ikeda T,	Synergistic effects of high-dose soybean intake with iodine deficiency, but not	Jpn J Cancer Res	200
lkeda T,	sulfadimethoxine or nhenoharbital on rat thyroid proliferation. Expression profiles of receptor activator of nuclear factor kappaB ligand, receptor activator of nuclear factor kappaB ligand, receptor activator of nuclear factor kappaB, and osteoprotegerin messenger RNA in aged and ovariectomized rat bones	J Bone Miner Res	200
lmaida K	Lack of chemopreventive effects of lycopene and curcumin on experimental rat prostate carcinogenesis	Carcinogenesis	200
lnoue T,	Spatial and topological distribution of progesterone receptor A and B isoforms during human development	Mot Celt Endocrinol	200
Ito K, Sı	Retinoid receptors in the human endometrium and its disorders: a possible modulator of 17 heta-hydroxysteroid dehydroxenase	J Clin Endocrinol Metab	200
Kanno J	The OECD program to validate the rat uterotrophic bioassay to screen compounds for in vivo estrogenic responses: phase 1	Environ Health Perspect	200
Kazumi	Aryl hydrocarbon receptor (ARQ-mediated induction of xanthine oxidase/xanthine dehydrogenase activity by 2.3.7.8-tetrachlorodibenzo-p-dioxin	Biochem. Biophys. Res. Commun	200
Kimura `	Initial process of polyglutamine aggregate formation in vivo	Genes Cells	200
Kitamur	Dioxin levels in human bile, blood and liver: effect of age.	Organohalogen Compound	200
Kitamura	Efficiency of focused microwave-assisted extaction of PCDDs/PCDFs from human liver samples.	Organohalogen Compound	200
Kuwagat	Reproductive effects of early neonatal exposure to genistein in Wistar rats	Congenital Anomalies	200
Lee JW,	Y-chromosome compound haplotypes with the microsatellite markers DXYS265, DXYS266 and DXYS241.	J Hum Genet	200
Maeda I	Tumor growth inhibition by arsenic trioxide (As2O3) in the orthotopic metastasis	Cancer Res	200
Manabu	moner or anorgen-monencent prostate cancer Aryl Hydrocarbon Receptor-Mediated Suppression of Expression of the Low- Molecular-Weight Prekiningen Gene in Mice	Biochemical and Biochysical	200
Maruyan	Suppression by estrogen receptor beta of AP-1 mediated transactivation through	J Steroid Biochem Mol Biol	200
Maruyan	astrogen recentor alnha Uptake of the dopaminergic neurotoxin, norsalsolonol, into PC12 cells via dopamine Itranspoter	Archives of	200
Maruyan	Norsalsolinol uptake into secretory vesicles via vesicular monoamine transporter and	J Vet Med Sci.	200
Maruyan	its secretion by membrane depolarization or purinocentor stimulation in PC12 cells. Inhibitory effects of endogenous department of neurotoxin, norsalsolinol on department.	Neurochem Int.	200
Matsuda	secration in PCI2 rat pheochromocytoma cells Heterobifunctional ligands: Practical chemoenzymatic synthesis of a cell adhesive glyconeptide that interacts with both selectio and integrins.	J. Med. Chem.	200
	DEVELOPMENT OF THE REPORTED WITH DOTTE SEINGER AND INTERPRIS.	Fertil Steril	2001

著者名(タイトル	維誌名	年
Mezaki '	N-terminal activation function is dominant in ligand-dependent transactivation of medaka astrogen recentor aloha in human cells	Biochem Biophys Res Commun	2001
Minh T-	Specific accumulation and elimination kinetics of tris(4-chlorophenyl)methane, in humans from Japan	Env Health Perspect	2001
Mori T, I	Beef tallow, but not perilla or corn oil , promotion of rat prostate and intestinal carcinogenesis by 3.2′ -dimethyl-4-aminobiphenyl	Jpn, J. Cancer Res	2001
Nagao T	Reproductive effects of nonylphenol in rats after gavage administration: a two- generation study	Reprod Toxicol	2001
Nagao T		Reprod Toxicol	2001
Nagao T	Reproductive effects in male and female rats of neonatal exposure to genistein	Reprod Toxicol	2001
Okada A	Effect of diethylstilbestrol on cell proliferation and expression of epidermal growth factor in the developing female rat reproductive tract	J Endocrinol	2001
Okazaki	A repeated 28-day toxicity study of methyltestosterone in rats, based on the 'Enhanced OECD Test Guidaline 407' for screening the endocrine-disrupting	Arch Toxicol.	2001
Sano T,	17 beta-Hydroxysteroid dehydrogenase type 2 expression and enzyme activity in the human gastrointestinal tract	Clin Sci (Lond)	2001
Sasagav	A nuclear receptor screening method using a steroid receptor coactivator-1 fragment in a yeast two-hybrid system.	Anal Biochem	2001
Sato, M.	Thi cytokine-conditioned bone marrow-derived dendritic cells can bypass the	J. Immunol.	2001
Shibaya	Neonatal exposure to genistein reduces expression of estrogen receptor alpha and androgen receptor in testes of adult mice	Endocr J	2001
Son HY,	Lack of effect of soy isoflavone on thyroid hyperplasia in rats receiving an iodine-	Jpn J Cancer Res	2001
Suzuki 1	5alpha-reductases in human breast carcinoma: possible modulator of in situ landrogenic actions	J Clin Endocrinol Metab	2001
Suzuki 7	EBAG9/RCAS1 in human breast carcinoma: a possible factor in endocrine-immune interactions	Br J Cancer	2001
Takagi F	Modifying Effects of Endocrine Disrupting Chemicals on N-bis (2-hydroxypropyl) Nitrosamina and Sulfadimethoxine-Induced Thyroid Carcinogenesis in Rats	J Toxicol Pathol	2001
Takaoka	A critical role for mouse CXC chemokine(s) in pulmonary neutrophilia during Th	J. Immunol.	2001
Takeyar	Expression and cellular localization of estrogen receptors alpha and beta in the human fetus	J Clin Endocrinol Metab	2001
Teraoka	Ca(2+) signaling in porcine duodenal glands by muscarinic receptor activation.	Am J Physiol Gastrointest Liver	2001
Umemui	Expression of Prolactin Gene in Spontaneous Mammary Tumors in Aging Fischer 344	Endocrine J	2001
Umemu	Expression of chromogranin / secretogranin mRNA in spontaneous mammary tumors in aging Fischer—344 rats	Pathology Internat	2001
Umemui	Humanized Anti- HER2 Monoclonal Antibody (Trastuzumab) (Pathological Committee for Optimal Use of Trastuzumab).	Breast Cancer	2001
Watanal	A subfamily of RNA binding DEAD-box proteins acts as an estrogen receptor alpha	ENBO J	2001
Watanal	coactivator through the N-terminal activation domain (AF-1) with and RNA Baseline data of reproductive system in the JPHC study	J Epidemiol	2001
Watanal	Health Effects of chronic exposure to polychlorinated dibenzo-p-dioxins,	Organohalogen	2001
Watanal Watanal	dibenzofurans and coplanar PCB in Japan	Organohalogen Compounds J Epidemiol	2001
	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-	Compounds	
<u>Watanal</u> Yahata	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-binding protein. The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in	Compounds J Epidemiol	2001
Watanal Yahata Yamamo	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-hinding nrotain The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in Long-Evans Cinnamon (LFC) rats In vivo evidence for accelerated generation of hydroxyl radicals in liver of Long-Evans	Compounds J Epidemiol Genes Dev Free Radic Res. Free Radic Biol	2001
Watanat Yahata Yamamo Yamamo	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-hinding nrotein The antioxidant effect of DL-alpha-lippic acid on copper-induced acute hepatitis in	Comoounds J Epidemiol Genes Dev Free Radic Res.	2001 2001 2001
Watanal Yahata Yamamo Yamamo Yamamo	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED I CBP/p300-hinding protein The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in Long-Evans Cinnamon (LFC) rats In vivo evidence for accelerated generation of hydroxyl radicals in liver of Long-Evans Cinnamon (LFC) rats with acute hepatitis Geographic characteristics and mortality profiles in the JPHC Study. Isolation of neuronal cells with high processing activity for the Machado-Joseph	Compounds J Epidemiol Genes Dev Free Radic Res. Free Radic Biol Med	2001 2001 2001 2001
Watanal Yahata Yamamo Yamamo Yamamo Yamamo	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-binding nrotein. The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in Long-Evans Cinnamon (LFC) rats. In vivo evidence for accelerated generation of hydroxyl radicals in liver of Long-Evans Cinnamon (LFC) rats with acute hepatitis. Geographic characteristics and mortality profiles in the JPHC Study. Isolation of neuronal cells with high processing activity for the Machado-Joseph disease protein. The tamoxifen-responsive estrogen receptor alpha mutant D351Y shows reduced	Compounds J Epidemiol Genes Dev Free Radic Res. Free Radic Biol Med J Epidemiol	2001 2001 2001 2001 2001
Watanat Yahata Yamamo Yamamo Yamamo Yamamo	dibenzofurans and coplanar PCB in Japan Study design and organization of the JPHC study. Selective coactivation of estrogen-dependent transcription by CITED1 CBP/p300-hinding nrotein The antioxidant effect of DL-alpha-lipoic acid on copper-induced acute hepatitis in Long-Evans Cinnamon (LFC) rats In vivo evidence for accelerated generation of hydroxyl radicals in liver of Long-Evans Cinnamon (LFC) rats with acute hepatitis Geographic characteristics and mortality profiles in the JPHC Study. Isolation of neuronal cells with high processing activity for the Machado-Joseph disease protein	Compounds J Epidemiol Genes Dev Free Radic Res. Free Radic Biol Med J Epidemiol Cell Death Differ	2001 2001 2001 2001 2001 2001

Asamote Tatation in blood down I level, characteristics of isomer composition, and isomer changes in residents near an incinerator facility. Buchan Tatation in blood down I level, characteristics of isomer composition, and isomer changes in residents near an incinerator facility. Buchan Dioxin inhibition of satrogen-induced mouse uterine epithelial mitogenesis due to SV40 Carcinogenesis changes in creating and transforming errowth factor—hat a expression. Chiba I, Hepatic microsomal cytochrome p450s and chlorinated hydrocarbons in largha and richon seals from Hokkaido, Japan: differential response of seal species to Ahreceptor agonist exposure. Dan S, I An Integrated database of Chemosensitivity to 55 Anticencer Drugs and Gene Expression Profiles of 39 Human Cancer Cell Lines. Ewis AA Two Y-chromosome- specific polymorphisms 12f2 and DFRY in the Japanese andulation and their relations to other Y-nolymorphisms. Fujimine The kinetics of dioxin congeners in human body. Fukushir Microscopic velocimetry with a scaled-up model for evaluating a flow field over culturad andothelial cells. Fukushir Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-38-dimethyllimidazold 45-flauinoxaline or X-nitrosadiathylamina Furutan Stabilization of androgen receptor protein is induced by agonist, not by antagonists. Broanbonylation at A Conservad Thraonine. Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometrion stromal cells. Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-dimethylbenol/alanthracene-induced mammary tumor development in human c-Ha-rass proto-onogenes transgenic rats Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2,45,75-nearta-and 2,34,27,6-hexachlorobinhenvis. Higashiy Identification of ter94, Prosophila VCP, as a modulator of polyglutamine-induced mouse reproduction. Hori T, (Sct.Y) injection system for determination of dioxins in foods. Finderio	
nozganitor.cells (CFL-GM) yoon Bil Hempoleitic cell kinetics after intraperitoneal single injection of 2,3,7,8— tatrachlarodihenzo-a-dioxin (TCDD) in mice Yashida Effects of endocrine disrupting chemicals with estrogenic activity on the female zaoraductiva system in rats. Yashida Effects of neonatal exposure to a high-dose p-tert-octylphenol on the male zaoraductiva system in rats. Adachi Toxicogenomic effects of neonatal exposure to diethylstillestrol on mouse testicular zone expression in the lone term: a study usine cDNA microarzav analysis. Accessa Adachi Toxicogenomic effects of neonatal exposure to diethylstillestrol on mouse testicular zone expression in the lone term: a study usine cDNA microarzav analysis. Accessa Asamot Effects of genetic background on prostate and taste bud carcinogenesis due to SV40 Effects of genetic background on prostate and taste bud carcinogenesis involves Landison expression in under probasin gene promoter control Effects of genetic background on prostate and taste bud carcinogenesis involves Landison expression in the fore terminal probability of the properties of genetic background on prostate and taste bud carcinogenesis involves Effects of genetic background on prostate and taste bud carcinogenesis involves Landison expression and transformize growth factor-bada axpressions in largh and ribbon seals from Hokkaido, Japant growth factor-bada axpressions in largh and ribbon seals from Hokkaido, Japant growth factor bada prostate in the properties of	年
Yoon BI Hempopietic cell kinetics after intraperitional single injection of 2,37,8— tatrachloradilharpar—caldizin (TCDD) in mice Yashida Effects of endocrine disrupting chemicals with estrogenic activity on the female xanductiva system in rats. Yashida Effects of neonatal exposure to a high-dose p-tert-octylphenol on the male xanductiva for the control of the cont	2001
Yoshida Effects of endocrine disrupting chemicals with estrogenic activity on the female ranductiva system in rats. Yoshida Effects of noonatal exposure to a high-dose p-tert-octylphenol on the male canductiva tract in rats. Adachi Toxicogenomic effects of neonatal exposure to diethylstillestrol on mouse testicular special exposure in the control of the control	2001
Yoshida Effects of neonatal exposure to a high-dose p-tert-octylphenol on the male renductive tract in rats and productive tracts in the long trace; a study using cDNA microarray analysis. Aczasa Variation in blood dioxin level, characteristics of isomer composition, and isomer composition, and isomer composition and isomer composition and isomer composition in the composition of the composition and isomer composition in the composition of the composition and isomer composition in the composition and isomer composition and is	2001
Adachi Toxicogenomic affects of neonatal exposure to diethylstillestrol on mouse testicular solven processing cDNA microarray analysis. Variation in blood dioxin level, characteristics of isomer composition, and isomer Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds (Carcinogenesis Compounds). Carcinogenesis Carcinogene	2001
Asamoth in blood dioxin level, characteristics of isomer composition, and isomer Compounds. Asamote Effects of genetic background on prostate and taste bud carcinogenesis due to SV40 Buchan Dioxin inhibition of estrogen-induced mouse uterine epithelial mitogenesis involves changes in customing expeuth factor—bate avariession. Chiba I, I departed microsomal cytochrome p450s and chlorinated hydrocarbons in largha and ribbon seals from Hokkaido, Japan: differential response of seal species to Ah receptor agonist exposure. Dan S, I An Integrated database of Chemosensitivity to 55 Anticancer Drugs and Gene Expression Profiles as 6 State and Large and Chem. Evis AA Two Y-chromosomer—specific polymorphisms 1272 and DFFRY in the Japanese and Large a	2002
Asamoté Effects of genetic background on prostate and taste bud carcinogenesis due to SV40 Tantizen exprassion under nrobasin zena promoter control Buchans Dioxin inhibition of estrogen-induced mouse uterine epithelial mitogenesis involves changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial control of the provided mouse uterine epithelial mitogenesis involves changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial control of the provided mouse uterine epithelial mitogenesis involves changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial control of the provided mouse uterine epithelial mitogenesis involves changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial changes in cwclin and transforming zerowth factor-helta expression. Chiba I, industrial changes in cwclin and transforming zerowth factor-helta expression. Can and the provided provided the provided pro	2002
Buchand Dioxin inhibition of estrogen-induced mouse uterine epithelial mitogenesis involves changes in curclin, and transformine growth factor-heta expression changes in curclin, and transformine growth factor-heta expression changes in curclin and transformine growth factor-heta expression changes in curclin and treasons properly against exposure. Dan S. An Integrated database of Chemosensitivity to 55 Anticancer Drugs and Gene Expression Profiles of 39 Human Gancer Cell Lines. Ewis AA Two Y-chromosome- specific polymorphisms 12f2 and DFFRY in the Japanese annulation and their relations to other Y-nolymorphisms. Fujimine The kinetics of dioxin congeners in human body Fukushik Microscopic velocimetry with a scaled-up model for evaluating a flow field over culturad andothelial cells. Fukushik Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3. B-dimethylimidazol 45-flouinoxaline or M-mitrosodiethylamina. Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists. Gradin H The Transcriptional Activation Function of the HIF-like Factor Requires Phosohorovation at a Conserved Threanine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometrialis atomal cells. Harague Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.15-in-entar and 2.3.4.2.3.16-hexachlorohiphenyls. Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced mountangemeration. Hirabaya Serial transplantation of p33-deficient hemopoletic progenitor cells to assess their infinite growth notantial. Hirabaya Serial transplantation of p33-deficient hemopoletic progenitor cells to assess their infinite growth notantial. Hirabaya Serial transplantation of p33-deficient hemopoletic progenitor cells to assess their infinite growth notantial. Hirabaya Serial transplantation of p33-deficient hemopoletic progenitor cells to assess their infinite growth notanti	2002
Chiba I, Hepatic microsomal cytochrome p450s and chlorinated hydrocarbons in largha and ribbon seals from Hokkaido, Japan: differential response of seal species to Ah receptor agonist exposure. Dan S, I An Integrated database of Chemosensitivity to 55 Anticancer Drugs and Gene Expression Profiles of 39 Human Cancer Cell Lines. Ewis AA Two Y-chromosome— specific polymorphisms 12f2 and DFFRY in the Japanese anoualation, and their relations to other Y-nolymarchisms. Fujimine The kinatics of dioxin congeners in human body Fukushih Microscopic velocimetry with a scaled-up model for evaluating a flow field over cultured andothalial cells. Fukushih Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3.8-dimethylimidazol 45-flouinoxaline or N-nitrosodiathylamine. Furutant Stabilization of androgen receptor protein is induced by agonist, not by antagonists. Gradin The Transcriptional Activation Function of the HIF-like Factor Requires Phosohoculation at a Conserved Threanine. Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometriotic stromal cells. Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats Haraguc Species difference in tissus retention of PCB metabolites after in vivo exposure of 2.4.5.7.5-nentra- and 2.3.4.2.3.6-hexachlorabilibenvis. Hirabaya Effect of 2.3.4.8-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse para-b-colonization model regulated by artificially introduced human II-3 recentors. Horna Application of accelerated solvent extraction (ASE) and solvent cut large volume organohalogen comparab-colonization model regulated by artificially introduced human II-3 recentors. Exp Biol Med (Maywood) Gramound Scall transplantation of p53-deficient hemopoietic progenitor cells to assess their infinite grawth notential. Horna Scall transplantation of p53-deficient he	2002
Dan S. An Integrated database of Chemosensitivity to 55 Anticancer Drugs and Gene Exircasion Profiles of 39 Human Cancer Cell Lines Ewis AA Two Y-chromosome— specific polymorphisms 12f2 and DFFRY in the Japanese anoulation and their relations to other Y- nolymorphisms The kinetics of dioxin congeners in human body Fukushi Microscopic velocimetry with a scaled-up model for evaluating a flow field over cultural andothelial cells Fukushi Lack of a dose-response relationship for carcinogenicity in the rat liver with low dosas of 2-amino-3.8-dimethylimidazal 61-5-flusionxaline or W-nitrosodiethylamina Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists Gradin I The Transcriptional Activation Function of the HIF-like Factor Requires Jan J Cancer Schemastry J Clin Endocrin Andomatriotic stromal cells Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12- dimethylbent/glanthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2 4.5.2'.5'-canta- and 2.3.4'.2'.6'-hexachlorobinhenuls Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced influite growth not-ential Hirabaya Serial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite growth not-ential Hirabaya Scrial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite growth not-ential Hirabaya Scrial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite growth not-ential Hirabaya Scrial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite growth not-ential Hirabaya Scrial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite growth not-ential Hirabaya Scrial transplantation of p53-deficient hemopoietic progenitor cells to assess their influite progenital to the cell pro	2002
Exirasation Profiles of 39 Human Cancer Cell Lines Ewis AA Two Y-ohromosome- specific polymorphisms 12f2 and DFFRY in the Japanese nanulation and their relations to other Y-nolmorphisms Fujimine The kinetics of dioxin congeners in human body Granohalogen Granohalogen Gunzounds Fukushi Microscopic velocimetry with a scaled-up model for evaluating a flow field over cultured andothelial cells Fukushi Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3.8-dimethylimidazol 5flouinoxaline or X-nitrosandiethylamina Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists Gradin H The Transcriptional Activation Function of the HIF-like Factor Requires Phosphorylation at a Conserved Threonine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and and phosphory of the phosphorylation at a Conserved Threonine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and phosphory of the phosphorylation at a Conserved Threonine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and phosphorylation at a Conserved Threonine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and phosphorylation and the phosphorylation of the PCB metabolites after in vivo exposure of particular dimethylbenz[a]anthracene-induced manuradylation of the PCB metabolites after in vivo exposure of particular and particular an	h 2002
Fujimine The kinetics of dioxin congeners in human body Fukushif Microscopic velocimetry with a scaled-up model for evaluating a flow field over culturard andothelial cells. Fukushir Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3.8-dimethylimidazol4.5-flouinoxaline or M-nitrosacinethylamina. Furnitani Stabilization of androgen receptor protein is induced by agonist, not by antagonists. Gradin K The Transcriptional Activation Function of the HIF-like Factor Requires. Phosohorylation at a Conserved Threonine. Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometricitis stromal cells. Han BS. Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras groto-oncogene transgenic rats. Haregue Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.2-5-chanta- and 2.3.4.2-3-6-hexapchlorobinhenyls. Hirabaya Serial transplantation of p53-deficient hemopoletic progenitor cells to assess their infinite grawth notential. Hirabaya Effect of 2,3,4,8-tetrachlorodibenzo-p-dioxin (todd) on b cell differentiation in mouse nra-h-colonization model regulated by artificially introduced human II-3 recentors. Horma Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. Hori T, (SCLY) injection system for determination of dioxins in foods. Iguchi T Endocrine disruptor issues in Japan Kvoto. Corgenit Anom Kvoto. Ikuta T, Characterization and transcriotional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett.	
Fulumine The kinetics of dioxin congeners in human body Fukushir Microscopic velocimetry with a scaled-up model for evaluating a flow field over culturard endothelial cells Fukushir Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3.8-dimethylimidazolf.5-flouinoxaline or N-nitrosodiethylamine Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists Biochem Bioph Ras, Commun. Jensonhorvlation at a Conserved Threamine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometriotic stromal cells Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras groto-oncogene transgenic rats Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2,4.5.2-5-canta- and 2,3.4.2-3.6-hexachlarobinhenvis Hirabaya Serial transplantation of p53-deficient hemopoietic progenitor cells to assess their infinite aromath notantial Hirabaya Effect of 2,3.4,8-tetrachlorodibenzo-p-dioxin (todd) on b cell differentiation in mouse neh-colonization model regulated by artificially introduced human II3 recentors Honna Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction Hori T, Sphication of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods. Iguchi T Endocrine disruptor issues in Japan Congenit Anom Kvoto Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Congenit Anom Kvoto Iguchi T Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcrintional activity. Linomate 5-fluorouracil-induced intestinal toxicity: what determines the severity of damage to	2002
cultured endothelial cells Fukushir Lack of a dose-response relationship for carcinogenicity in the rat liver with low doses of 2-amino-3 8-dimethylimidazo[4:5-flouinoxaline or N-nitrosodiethylamine] Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists Gradin File Transcriptional Activation Function of the HIF-like Factor Requires Phosohorylation at a Conserved Threonine Gradin File Transcriptional Activation Function of the HIF-like Factor Requires Phosohorylation at a Conserved Threonine Gradin File Transcriptional Activation Function of the HIF-like Factor Requires Phosohorylation at a Conserved Threonine Gradin File Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcriptional Activation Function of the HIF-like Factor Requires Under Transcription Industry Industry Industry Industry Industry Under Transcription Industry Industr	2002
doses of 2-amino-3.8-dimethylimidazo[4.5-flouinovaline or M-nitrosodiathylamine Furutani Stabilization of androgen receptor protein is induced by agonist, not by antagonists Biochem Bioph Ras Commun J. Biological J. Biological Chemistry J. Clin Endocrin andometriotic stromal cells Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12- dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras groto-oncogene transgenic rats Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.2.5-onata- and 2.3.4.2.3.6-hexachlarobinhenvis Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced Inhirabays Serial transplantation of p53-deficient hemopoietic progenitor cells to assess their infinite growth notantial Hirabays Effect of 2,3,4,8-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse on-b-polonization model regulated by artificially introduced human II-3 recentors Hori T. (SCLY) injection system for determination of dioxins in foods. Iguchi T Endocrine disruptoers and sexual differentiation Iguchi T Endocrine disruptor issues in Japan Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional cativity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Gradin The Transcriptional Activation Function of the HIF-like Factor Requires J. Biological Phosphorylation at a Conserved Threonine Chemistry J. Biological J. Biological Chemistry	
Phosphoviation at a Conserved Threonine Gurates WT1 and DAX-1 inhibit aromatase P450 expression in human endometrial and andometriotic stromal cells Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-	s 2002
Gurates WT1 and DAX-I inhibit aromatase P450 expression in human endometrial and and matriotic stromal cells. Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12-dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats. Haraguc Species difference in tissua retention of PCB metabolites after in vivo exposure of 24.5.2.5'-onanta- and 2.3.4.2'.3'.6'-hexachlorobiohenvls. Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced commound. Hirabaya Serial transplantation of p53-deficient hemopoletic progenitor cells to assess their infinite growth notantial. Hirabaya Effect of 2,3.4,8-tetrachlorodibenzo-p-dioxin (todd) on b cell differentiation in mouse pra-h-golonization model regulated by artificially introduced human II3 recentors. Horma SLow dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. Hori T. Application of accelerated solvent extraction (ASE) and solvent cut large volume (SGLV) injection system for determination of dioxins in foods. Iguchi T Endocrine disruptoers and sexual differentiation Iguchi T Endocrine disruptor issues in Japan Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Liveta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Han BS, Inhibitory effects of 17-b-estradiol and 4-n-octylphenol on 7,12- dimethylbenz[a]anthracene-induced mammary tumor development in human c-Ha-ras proto-oncogene transgenic rats Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.2'5-onanta- and 2.3.4.2'.3'6'-bexachlorobinhenvls Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced cell Death Diffication of ter94, Drosophila VCP, as a modulator of polyglutamine-induced cell Death Diffication of ter94, Drosophila VCP, as a modulator of polyglutamine-induced cell Death Diffication of ter94, Drosophila VCP, as a modulator of polyglutamine-induced cell Death Diffication and cell process of the proc	2002
Haraguc Species difference in tissue retention of PCB metabolites after in vivo exposure of 2.4.5.7.5"—capata—and 2.3.4.2".3.6"—hexachlorobinhenvis Commound Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine—induced Insurange and 2.3.4.2".3.6"—hexachlorobinhenvis Cell Death Diffication of ter94, Drosophila VCP, as a modulator of polyglutamine—induced Impurange and transplantation of p53—deficient hemopoletic progenitor cells to assess their infinite growth notantial Hirabaya Effect of 2.3.4.8—tetrachlorodibenzo—p—dioxin (tcdd) on b cell differentiation in mouse or a—b—colonization model regulated by artificially introduced human II—3 recentors. Hornas Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction Hori T. Application of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods. Iguchi T. Endocrine disruptoers and sexual differentiation Iguchi T. Endocrine disruptor issues in Japan Congenit Anom Kwoto Iguchi T. Developmental toxicity of estrogenic chemicals on rodents and other species Ikuta T. Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5—Fluorouracil—induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
2.4.5.2's-'centa and 2.3.4.2'.3 6'-bexachlorobinhenvis Commound Higashiy Identification of ter94, Drosophila VCP, as a modulator of polyglutamine-induced neurodegeneration Hirabaya Serial transplantation of p53-deficient hemopoietic progenitor cells to assess their infinite growth notantial Hirabaya Effect of 2,3.48-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse ore-b-colonization model regulated by artificially introduced human II - 3 recentors Horma S. Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction Hori T. Application of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods. Iguchi T. Endocrine disruptoers and sexual differentiation Iguchi T. Endocrine disruptor issues in Japan Congenit Anom Kvoto Iguchi T. Developmental toxicity of estrogenic chemicals on rodents and other species Likuta T. Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracii-induced intestinal toxicity: what determines the severity of damage to Commounds Campounds (Maywood) Organohalogen (Maywood) Organohalogen (Maywood) Organohalogen (Maywood) Organohalogen (Compounds Reprod Toxicol Organohalogen (Compounds Organohalo	2002
neurodezenaration Hirabaya Serial transplantation of p53-deficient hemopoletic progenitor cells to assess their infinite growth notential (Maywoorl) Hirabaya Effect of 2,3,4,8-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse ore-b-colonization model regulated by artificially introduced human II -3 recentors Honma SLow dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction Hori T. Application of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods. Iguchi T. Endocrine disruptoers and sexual differentiation Iguchi T. Endocrine disruptor issues in Japan Iguchi T. Developmental toxicity of estrogenic chemicals on rodents and other species Congenit Anom Kvoto	r 2002
infinite growth notantial Hirabay Effect of 2,3,4,8-tetrachlorodibenzo-p-dioxin (tcdd) on b cell differentiation in mouse ore-b-colonization model regulated by artificially introduced human II3 recentors. Campounds. Honna SLow dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. Application of accelerated solvent extraction (ASE) and solvent cut large volume (SCLV) injection system for determination of dioxins in foods. Compounds Iguchi K High-level expression of zinc transporter-2 in the rat lateral and dorsal prostate J Androl Iguchi T Endocrine disruptoers and sexual differentiation Clin Pediatr Endocrine Iguchi T Endocrine disruptor issues in Japan Congenit Anom Kvoto Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Kvoto (Sugar Congenit Anom Kvoto) Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracii-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
ore-h-colonization model regulated by artificially introduced human IL-3 recentors Compounds Hornas Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female Reprod Toxicol mouse reproduction Hori T. Application of accelerated solvent extraction (ASE) and solvent cut large volume Compounds Iguchi T. Compounds Compounds Iguchi T. Endocrine disruptoers and sexual differentiation Clin Pediatr Endocrine disruptor issues in Japan Congenit Anom Iguchi T. Developmental toxicity of estrogenic chemicals on rodents and other species Ikuta T. Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
mouse reproduction Application of accelerated solvent extraction (ASE) and solvent cut large volume (SGLV) injection system for determination of dioxins in foods. Iguchi T Endocrine disruptoers and sexual differentiation Iguchi T Endocrine disruptor issues in Japan Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species (Congenit Anom Kvoto. Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Letters.	
Iguchi T Endocrine disruptor sand sexual differentiation	2002
Iguchi T Endocrine disruptoers and sexual differentiation Iguchi T Endocrine disruptor issues in Japan Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracii-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Iguchi T Endocrine disruptor issues in Japan Congenit Anom Kvoto Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Congenit Anom Kvoto Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Iguchi T Endocrine disruptor issues in Japan Congenit Anom Kwata Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Congenit Anom Kwata Ikuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Iguchi T Developmental toxicity of estrogenic chemicals on rodents and other species Kvoto Kkuta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
Ruta T, Characterization of the LxxLL motif in the aryl hydrocarbon receptor: Effects on subcellular localization and transcriptional activity. Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Letters.	2002
Inomata 5-Fluorouracil-induced intestinal toxicity: what determines the severity of damage to Toxicology Lett	2002
	rs 2002
Inoue T. Progesterone production and actions in the human central nervous system and J Clin Endocrin	2002
Inouye Metabolism of polychlorinated dibenzo-p-dioxins (PCDDs) by human cytochrome 9450-dependent monocygenase systems Chem	2002
Ishijima Motor apparatus in human spermatozoa that lack central pair microtubules Mol Reprod	2002
Kanno J Phytoestrogen-low diet for endocrine disruptor studies J Agric Food Chem	2002

	16子初貝		
著者名(タイトル	雑誌名	年
Kato T ,	Activation of the aryl hydrocarbon receptor by methyl yellow and related congeners: structure-activity relationships in halogenated derivatives.	Biol, Pharm, Bull.	200
Kato Y a	The contribution of 2,3,5-trichlorophenyl methyl sulfone, a metabolite of 1,2,4- trichlorobenzene, to the delta-aminolevulinic acid synthetase induction by 1,2,4- trichlorobenzene in rat liver	Chemosphere	200:
Kato Y,	Induction of hepatic microsomal UDP-glucuronosyltransferase by methyl- sulfonyl metabolites of 2.2'.4'.5-tetrabromobiohenyl in rats	Organohalogen Compound	2002
Kato Y,	Metabolite of 2,2',4',5-tetrabromobiphenyl, 3-methylsulphonyl-2,2',4',5- tetrabromobiohenyl, a potent inducer of CYP2B1/2 in rat	Xenobiotica	200
Kato Y,	Relation between the increase in hepatic UDP-glucuronosyltransferase and the decrease in serum thyroxine level in Kanechlor-500-treated rats	Organohalogen Compound	200
Kato Y,	Relation between the increase in hepatic UDP-GT and the decrease in serum thyroxine level in Kanechlor-500-treated rats	J Toxicol Sci	2002
Katoh C	Assessment of quentitative dual-parameter flow cytometric analysis for the	J Toxicol Sci	200
Katsu Y	Estrogen-independent expression of neuropsin, a serine protease in the vagina of mice exposed neopatally to diethylstilbestrol	Mol Cell Endocrinol	200
Katsuda	Uterine adenocarcinoma in N-ethyl-N'-nitro-N-nitrosoguanidine —treated rats with high-dose exposure to p-tert-octylohenol during adulthood.	Jpn J Cancer Res	200
Kimura `	Circumvention of chaperone requirement for aggregate formation of a short polyglutamine tract by the co-expression of a long polyglutamine tract	J Biol Chem	200
Kimura		Clin Sci (Lond)	200
Kitagaw	Ligand selective potentiation of rat mineralocorticoid receptor activation function-1 (AF-1) by a CBP-containing HAT complex	Mol. Cell. Biol	200
Kitamur	Thyroid hormonal activity of the flame retardants tetrabromobisphenol A and tetrachlorobisphenol A	Biochem Biophys Res Commun	200
Kobayas	Functional ATPase activity of p97/valosin-containing protein (VCP) is required for the quality control of endoplasmic reticulum in neuropally differentiated mammalian	J Biol Chem	200
Koga N,	Metabolism of 2,3',4,4',5-pentachlo- robiphenyl (CB118) by guinea pig liver	Organohalogen Compound	200
_ee HS,	Employment of the human estrogen receptor beta ligand-binding domain and co-	J Biochem (Tokyo)	200
Matsui (Transcriptional regulation of the mouse steroid 5alpha-reductase type II gene by	Nucleic Acids Res	200
Miki Y, ſ	Systemic distribution of steroid sulfatase and estrogen sulfotransferase in human adult and fetal tissues	J Clin Endocrinol Metah	200
Mimura	Regulatory Roles of AhR	Environmental Sciences	200
Miyagav	Characterization of diethylstilbestrol-induced hypospadias in female mice	Anat Rec	200
Miyata I	lanalogues using Jaganese black dine needle as an indicator	Organohalogen Compounds Organohalogen	200
Miyata I	A new destruction technique for dioxin analogues in landfills and fly ash concerning	Organohalogen Comoounds	200
Nagao 1	Low-dose bisphenol A dose not affect reproductive organs in estrogen sensitive	Reprod Toxicol	200
Nagao T	Maternal and developmental toxicity in mice by aminophenyl- norharman, formed from	Human Experim Toxicol	200
Nagayaı	1 Effects of organichlorine compounds such as pasticides, PCRs and dioxins on	Organohalogen Compounds	200
Nagayaı	Frequency of sister chromatid exchanges in Japansese infants lactatonally exposed to organochlorine posticides and dioxins	Organohalogen Compounds	200
Nagayaı	Sexual difference in effects of dioxins on immune response system in Japanese infants	Organohalogen Compounds	200
Nagayaı	Effects of organochlorine compounds such as pesticides, PCBs and dioxins on	Organohalogen Compounds	200
Nakao 1	Immune response system in Japanese mothers Investigation of PCDD/DF, PBDD/DF and nitro-PAH detected on flue gas from waste incinerfator.	Compounds	200
	Molecular mechanisms underlying the action of environmental endocrine-disrupting	Environmental Sciences	200
Nishitol	ASK1 is essential for endoplasmic reticulum stress-induced neuronal cell death	Genes Dev	200
Ogura I	Neurotoxic Damage of Granule Cells in the Dentate Gyrus and the Cerebellum and	J. Neurophathology	200
Ohta S,	Cognitive Deficit Following Naconatal Administration of Phenytoin in Mice Contamination levels of PBDEs, TBBPA, PCDDs/DFs, PBDDs/DFs and PXDDs/DFs in the environment of Japan	Organohalogen Compounds	200
	Effect of estrogens on ontogenetic expression of progesterone receptor in the fetal	Mol Cell	200

	化字物質		
者名(タイトル	雑誌名	年
kada A	Changes in ontogenetic expression of estrogen receptor alpha and not of estrogen receptor beta in the female rat reproductive tract	J Mol Endocrinol	2002
kazaki	A repeated 28-day toxicity study of methyltestosterone in rats, based on the	Arch Toxicol.	2002
uchi K	Assay for bisphenol A in human urine using HPLC with multi-channel coulometric electrochemical detection	J Chromatograph B	2002
akaki T	Biodegradation of polychlorinated dibenzo-p-dioxins (PCDDs) by recombinant yeast expressing rat CYPIA subfamily.	Arch. Biochem. Biophys	2002
akamo	Accumulation patterns of polychlorinated biphenyl congeners and organochlorine pasticides in Steller's sea garles and white-tailed sea earles, threatened species, in	Environ Toxicol Chem	2002
eike N.	Lack of promoting effect due to oral administration of dimethylarsinic acid on rat lung carcinogenesis initiated with N-bis(2-hydroxyoropyl)nitrosamine		2002
himamı	Comparison of antiandrogenic activities of vinclozolin and D,L-camphorquinone in and open recentor gene transcription assay in vitro and mouse in utero exposure	Toxicology	2002
himba	Overexpression of the arylhydrocarbon receptor (AhR) accelrates the cell projected for the	J. Biochem.	2002
ugihara	Ah-receptor-mediated induction of drug-metabolizing enzymes by indirubin and indigo	Organohalogen Compounds	2002
ukata 1	Detailed low-dose study of 1,1-bis(p-chlorophenyl)-2,2,2- trichloroethane	Int J Cancer	2002
uzuki A	carcinogenesis, suggests, the cossibility of a normatic effect. Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in famale mice.	Reprod Toxicol	2002
uzuki T	Progesterone metabolism in human leukemic monoblast U937 cells	Endocr J	2002
akagi H	Improvement of a two-stage carcinogenesis model to detect modifying effects of	Cancer Letter	2002
akeyan	andocrine disrunting chemicals on thyroid carcinogenesis in rats. Androgen-dependent neurodegeneration by polyglutamine-expanded human androgen	Neuron	2002
amura	receptor in Drosophila Up-regulation of cyclooxygenase-2 expression and prostaglandin synthesis in endometrial stromal cells by malignant endometrial epithelial cells. A paracrine effect	J Biol Chem	2002
anabe	mediated by prostaglandin E2 and nuclear factor-kappa B Functional Analysis of Zinc Finger Proteins That Bind to the Silencer Element in the	Biol. Pharm. Bull	2002
illey R	Glutathione Transferase P Gene Isolation of two cytochrome P450 cDNAs, CYP1A1 and CYP1A2, from harp seal	Comp Biochem	2002
obiishi	(Phoca groenlandica) and grey seal (Halichoerus grynus). Comparison of solvent cut large volume (SCLV) injection system with conventional	Physiol C Toxicol Organohalogen	2002
odaka	technique in dioxins analysis by HRGC-HRMS New protocol for dioxins analysis of human blood	Compounds Organohalogen	2002
oide K.	Aryl Hydrocarbon Hydroxylase Represents CYP1B1, and not CYP1A1, in Human	Compounds Cancer Epidemiol	2002
	Freshly Isolated White Cells: Trimodal Distribution of Japanese Population According to Induction of CYPIBI mRNA by Environmental Dioxins	Biomarkers Prev.	
chida [Bisphenol-A administration during pregrancy results in fetal exposure in mice and monkeys	JHealth Sci	2002
memur	monkays Pathological Evaluation of HER2 Oveerexpression:For the Treatment of Metastatic Breast Cancers by Humanized Anti-HER2 Monoclanl Antibody(Trastuzumb)	Acta Histochem Cytochem	2002
tsuyan	Age/sex dependent and non-monotonous dose-response effect of diethylstilbestrol on the immune functions in mice	Toxicol Lett	2002
ang F,	an the minima infimions in these. HIF-1 (# -prolyl hydroxylase: molecular target of nitric oxide in the hypoxic signal transduction nathway.	Biochemical and Biochysical	2002
atanab	Genome-wide analysis of changes in early gene expression induced by oestrogen	Genes Cells	2002
atanab	Health effects of low dose exposure of polychlorinated dibenzo-p-dionxins, dibenzofurans and coplanar PCB among Japanese residents	Organohalogen Compounds	2002
amada	Bisphenol A concentrations at early second trimester in maternal serum and amniotic	Reprod Toxicol	2002
amasal	fluid Changes of serum alpha2u-globulin in the subacute oral toxicity study of ethynl estradiol and bisphenol A based on the draft protocol for the 'Enhanced OECD Test Guideline No.407'	Toxicology	2002
anagisa	Nuclear receptor function requires a TFTC-type histone acetyl transferase complex	Mal Cell	2002
ang S,	Regulation of aromatase P450 expression in endometriotic and endometrial stromal cells by CCAAT/enhancer binding proteins (C/EBPs): decreased C/EBPbeta in endometriosis is associated with overexpression of aromatase	J Clin Endocrinol Metab	2002
asui M	An Arming Yeast with the Ability to Entrap Fluorescent 17b-Estradiol on the Cell Surface	Appl. Microbiol. Biotechnol	2002
		Toxicological	2002