著者名(	タイトル	維誌名	年
A Nakat	Job stress, social support at work, and insomnia in Japanese shift workers.	J Hum Ergol .	2001
Drube J	No leucine(7)-to-proline(7) polymorphism in the signal peptide of neuropeptideY in Japanese consistion or Japanese with alcoholism.	Psychiatr Genet.	2001
Hanioka	Determination of UDP-glucuronosyltransferase UGT1A6 activity in human and rat liver microsomes by HPLC with UV detection	J Pharm Biomed Anal	2001
	Alzheimer's disease and estrogen	The Journal of Steroid	2001
Hosoda	Estrogen protects neuronal cells from amyloid $eta$ -induced apoptotic cell death	NEUROREPORT	2001
	Natural killer activity and its changes among participants in a smoking cessation intervention program —— a prospective study of 6 months' duration	J Epidemiology	2001
	Does waist circumference add to thepredictive power of the body mass index for coronary risk?	Obesty Research	2001
	A validation study on a method to estimate the amount of nutrient intake by the family members in a household—based food weighing method	Journal of Nutritional	2001
	Impact of smoking habit on medical care use and its costs: a prospective observation of National Health Insurance beneficiaries in Japan	International	2001
	Introduction of nanofiltration technology removal in water treatment	IWA Asia-Pacific	2001
	Relationship Between Toxicity and Cadmium Accumulation in Rats Given Low Amounts of Cadmium Chloride or Cadmium-Polluted Rice For 22 Months	The Journal of Toxicological Chinese Medical	2001
·	Clinical evaluation of physical fitness in male obese Japanese  Postmenopausal hormone replacement therapy use and risk of endometrial cancer in	iournal CLIMACTERIC	2001
	Japanese women COMPARATIVE STUDY OF TOXICITYOF 4-NITROPHENOL AND2.4-	The Journal of	2001
	DINITROPHENOL IN NEWRORNAND YOUNG RATS High-performance liquid chromatographic assay for glucuronidation activity of 7-	Toxicological Biomedical	2001
	ethyl-10-hedroxycamptothecin (SN-38), the actice metabolite of irinotecan (CPT- 11), in human liver microsomes	Chromatography	
N. Hanio	Human licer UDP-glucuronosyl transferase isoforms involves in the glucuronidation of 7-athyl-10-hydroxycamptothesin	Xenobiotica	2001
Ohida T	The influence of lifestyle and health status factors on sleep loss among Japanese seneral population.	Sleep	2001
	Comparison of Diffusive Type Device (ADSEC) with FLEC and Small Chamber (ADPAC) for Measurement of Aldehyde Emission from Building Materials	International FLEC Symposium	2001
	Effects of Ingestion of Cadmiumu-Polluted Rice or Low-Dose Cadmium-Suppkement ad Diet on the Endogenous Metal Balance in Female Rats.	Biological Trace Element Research	2001
	Change of Activity Inducing Chromosomal Aberrations and Transformations of Chlorinated Humic Acid	Water Research	2001
	Association between current nutrient intakes and bone mineral density at calcaneus in pre- and postmenopausal Japanese women.	Journal of Nutritional	2001
	Obesity and cardiac autonomic nerve activity in healthy children: results of the Tovama hirth cohort study. Characteristic lifestyles in 6-year-old children with obese parents: results of the	Environ Health Prev Med Environ Health	2001
	Characteristic inestyles in d-year-old children with obese parents, results of the Tovama birth cohort study.  A legionellak epidemiologiaja es laboratoriumi diagnosztikaja. (Epidemiology and	Prev Med Orvosi Hetilap	2001
	A logicitiman epidemiologique es laboratorium diagnoscunaja. (Epidemiology and laboratory diagnostics of legionellae)  [Development and validation of specific carotene food composition tables for use in	Journal of	2001
	nutritional epidemiologic studies for Japanese, populations Anxiety and depressive states in Multiple Chemical Sensitivity	Enidemiology Tohoku J.	2001
	Emission rate measurement of chemical compounds emitted from the thermal	Fxo Med Proceeding of	2001
<u> </u>	insulating materials Behavior of arsenic in the water system of Sapporo city	Second IWA Asia-Pacific	2001
Y. Sato,	Rapid and inexpensiveindicator for arsenic removalby coagulation	Regional Proceedings	2001
Yahata,	An Investigation of Symptoms in Ethylene Oxide Sterilization Workers in Hospitals	Third NSF Journal of	2001
Yano E,	Test validity of periodic liver function tests in a population of Japanese male bank	Occupational and, J. Clin. Epidemiol.	2001
Asukai f	Reliability and validity of the Japanese-language version of the impact of event	J Nerv Ment Dis.	2002
A Nakat	scale-revised (IES-R-1): four studies of different traumatic events.  Association of low job control with a decrease in memory (CD4+CD45RO+) T	ind Health	2002
Chen X.	lymphocytes in Jananese middle-ared male workers in an electric nower plant. The validity of nursery teachers reporton the physical activity of young children.	J Epidemiol	2002
1		<u> </u>	1

著者名(	タイトル	雑誌名	年
Chiba S	Case report. Transplantation for accidental acute high-dose total body neutron- and	Bone Marrow Transplant	2002
Shino	Measurements on Fungi and Mites in Houses in the Environs of Tokyo	Proceedings:	2002
lanaoka	Urinary bisphenol A and plasma hormone concentrations in male workers exposed to bisphenol A diglycidyl ether and mixed oreanic solvents.	Occup Environ Med	2002
Hanioka	Interaction of irinotecan (CPT-11) and its active metabolite 7-ethyl-10- hydroxycamotothecin (SN-38) with human cytochrome P450 enzymes	Drug Metab Disoos	2002
lanioka	High-performance liquid chromatographic assay for amiodarone N-deethylation activity in human liver microsomes using solid-phase extraction	J Chromatogr B	2002
	Effect of alachlor on hepatic cytochrome P450 enzymes in rats.	Drug Chem Toxical	2002
	Development of Measurement Device (ADSEC) for Aldehydes and VOCs Emission Rates Using a Diffusive Sampler	Proceedings: Indoor Air 2002	2002
	Synergic increased expression of CD36, CLA-1 and CD68, but not of SR-A and LOX- 1. with the progression to foam cells from macrophages	Thromb	2002
	Effects of intentional weight cycling in non-obese young women	Metabolism	2002
	Spectrum of Znfn1a1 (lkaros) inactivation and its association with loss of heterozygosity in radiogenic T-cell lymphomas in susceptible B6C3F1 mice	Radiat. Res.	2002
	Practical Design of Flocculator for New Polymeric Inorganic Coagulant-PSI	Proceedings of the International	2002
	Chromosomal instability and radiosensitivity in myelodysplastic syndrome cells	Leukemia	2002
· ·	Medical care expenditure associated with body mass index in Japan: the Ohsaki Study	International Journal of Obesity	2002
Kusunol	Uneven distributions of naïve and memory T cells in the CD4 and CD9 -cell populations derived from a single stem cell in an atomic bomb survivor: implications for the origins of the memory T-cell pools in adulthood	Radiat. Res.	2002
Kuzuya	Effect of Aging on Serum Uric Acid Levels: Longitudinal Changes in a Large Japanese Population Group	Journal of Gerontology	2002
Kuzuya	Changes in Serum Lipid Levels During a 10-year Period in a Large Japanese Population: A Cross-sectional and Longitudinal Study	Atherosclerosis	2002
M.KINO:	The effect of combination therapy with niceritrol and pravastatin on hyperlipidemia.	J. International Med. Res	2002
M.Saeki	Three novel single nucleotide polymorphisms in UGT1A10	Drug Metab. Pharmacokinet	2002
Minakav	Environmental NO2 Concentration and Exposure in Daily Life along Main Roads in Tokyo	Environmental Research	2002
Mitsuko		The Journal of Toxicological	2002
	Dialy walking reduces visceral adipose tissue areas and improves insulin resistance in Japanese obese subjects.	Research and	2002
N. Hanic	Characterization of human CYP1/1A2 induction by DNA microarray and α-	Biochem Biophys Res Commun	2002
	High-performance liquid chromatographic assay for amiodarone N-deethylation	J. Chromatogr. B.	2002
	Nutrient intake in Japanese adults from the National Nutrition Survey, 1995-99	Journal of Nutritional	2002
	Effect of radiation dose on the height of atomic bomb survivors: A longitudinal study	Radiat, Res.	2002
	Prelominary research on risk factors of eating disorders from the perspective of the familial environment	心身医学	2002
Okada,T	New criteriaof normal serum lipid levels in Japanese children: Thenationwide study.	Pediatric International	2002
	Relationship of resting energy expenditure with body fat distribution and abdominal fatness in Japanese population	J Physiol Anthropol	2002
Ozima,N	Odor perception in patients with Multiple Chemical Sensitivity	Tohoku J. Exa Med	2002
S Kato,	Measuring Method of Reducing Effect of Pollutant Concentration with Absorptive	Proceedings: Indoor Air 2002	2002
S Murak	Modeling and CFD Prediction for Diffusion and Absorption within Room	Indoor Air SUPPLEMENT	2002
S Sakan	Suppression of cellular immunity and readjustment problems in subjects with a past history of gostfraumatic stress disorder.	Jap J Stress Sci	2002
Sauvage	Dementia as a predictor of functional disability: A four year follow-up study	Gerontol.	2002
Seki A,	Obesity and the Risk Diabetes Mellitus in Middle-aged Japanese Men.	Acta medica Okavama	2002

Sekine No Accuracy of the estimated provalence of childhood obesity from heightand weight value cenarted for water than the contract of the contract of the standard of the contract of the standard obesity from heightand weight value cenarted for water of childhood obesity from heightand weight value cenarted for water of childhood obesity from heightand weight value cenarted for water of the contract of the con				
Sekine II The validity of a questionnaire evaluating physical activity level in young children: results of the Tovama hirth cohort study.  Sekine II Accuracy of the estimatedprevalence of childhood obesity from heightand weight value reported the narrest of the study.  Sekine II Across a responserated to the narrest of the trought of trought of the	著者名(	タイトル	雑誌名	年
Sekine   Accuracy of the estimated provalence of childhood obesity from heightand weight value zenorfact by carents.  Sekine   A doser-responserationship between short sleeping hours and childhood obesity: casults of the Tovamahirth cohort study.  Sekine   A doser-responserationship between short sleeping hours and childhood obesity: casults of the Tovamahirth cohort study.  Sekine   P Agental obesity, lifestyle factors and obesity in preschoolchildren: results of the Tovamahirth cohort-study.  Soyama   A middarone N-deetlyle factors and obesity in preschoolchildren: results of the Tovamahirth cohort-study.  Soyama   A middarone N-deetlyle factors and obesity in preschoolchildren: results of the Tovamahirth cohort-study.  Soyama   A middarone N-deetlyle factors and obesity in preschoolchildren: results of the Tovamahirth cohort-study.  Soyama   A middarone N-deetlyle factors and obesity in preschoolchildren: results of the Tovamahirth cohort-study.  T. Uchric Effect of squalene monohydro peroxide on cytotoxicity and cytokine release in a litrac-dionasional fluman skin madel and human enidarmal karatinantas.  Tatsana   Saturacy and the study of	Sekine N	The validityof sleeping hours of healthy young childrenas reported by their parents.	J Epidemiol	2002
Sokine Nacuracy of the estimatedprovalence of childhood obesity from heightand weight value, accontact by anarchis.  Sokine Na dose-responserelationship between short sleeping hours and childhood obesity.  Sokine Parental obesity, lifestyle factors and obesity in preschoolchildren results of the Toxanabath Achort study.  Soyama Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 Phanabath Candidarone N-deethylation on cytological standards on control of the control of t	Sekine f	The validity of a questionnaire evaluating physical activity level in young children:		200
Sekine IA dose-responserelationship between short sleeping hours and childhood obesity: caustis of the Towanhirth cohort study.  Sekine IP arental obesity, lifestyle factors and obesity in preschoolchildren: results of the Towanhirth cohortstudy.  Soyama Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 P404A  T. Uchin Effect of squalene monohydro peroxide on cytoxicity and cytokine release in a threa-dimensional human skin madel and human enidermal keratinoxytes.  Takahas Disturbed sleep-wake patterns during and after short-term international travel among an adamics, attending conferences.  Tatsumit Lack of stimulatory effect of denogest on the expression of intercelular adhesion molecule—1 and vascular cell adhesion molecule—1 by endothelial cell as compared with other synthetic progestins.  Tautound Validation of walking questionnaire for population-based prospective studies in Japan;  Tautound Validation of walking questionnaire for population-based prospective studies in Japan;  Tobacco Control  Wang DI Validity and Reliability of a Dietary Assessment Method: The Application of a Digital Camera with a Mobile Phone Card Attachment  Y.Mager Sustainable development of water services industry  Yoshilke Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutritions Suryany 1916–95.  Tuko S Performance of nenofitration for arsenic removal  Water Research  Zhu S, Short- and long-term reliability of information on previous illness and family history  Assorman A med within that on smoking and diricking habits in auestionnairs survava  Assorman A med within that on smoking and diricking habits in auestionnairs. Survava  Pediatrics  Recentor-specific induction of survareative Th1 rasponae in vivo.  Chen X, Validation of a self-reported physical activity questionnaire for schoolchildren.  Pediatrics  Toxicol Lett.  20  Chen X, Validation of a self-reported physical activity questionnaire for schoolchildren.  Protective effects of progesterone on implantation fai	Sekine N	Accuracy of the estimatedprevalence of childhood obesity from heightand weight		200
Sokine   Parental obesity, lifestyle factors and obesity in preschoolchildren: results of the Toxama bith cohortstudy.  Soyama Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8*3 and CYP2C8 PAdAA  Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8*3 and CYP2C8 PAdAA  T. Uchin Effect of squalene monohydro peroxide on cytotoxicity and cytokine release in a threa-dimensional human askin madel and human andidermal keratinoxytes.  Takahas Disturbed sleep-wake patterns during and after short-term international travel among international academics, attending conferences.  Tatsumil Lack of stimulatory effect of denogest on the expression of intercelular adhesion molecule—I and vascular cell adhesion molecule—I alve scular cell adhesion molecule—I and vascular cell and the ce	Sekine N	A dose-responserelationship between short sleeping hours and childhood obesity:		2002
Soyama Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8+3 and CYP2C8 PAD4A squalene monohydro peroxide on cytotoxicity and cytokine release in a three-dimensional human skin model and human acidemal keratinocytes.  Takshas Disturbed sleep-wake patterns during and after short-term international travel among an administant attending conferences.  Tatsumid Lack of stimulatory effect of dienogast on the expression of intercelular adhasion molecule—1 and vascular cell admission molecule—1 by endothelial cell as compared with other synthetic progestins  Tsubonol Validation of walking questionnaire for population-based prospective studies in Japan:  Journal of Commarison with nedomater.  Jeas K Object of the commarison with endomater.  Journal of Commarison with endomater.  Journal of Commarison with administry and policity of a Dietary Assessment Method: The Application of a Digital Mutritional Water Science and Landshild development of water services industry  Yoshilke Punch year changes in the prevalence of overweight in Japanese adults: The National Nutritional Mutrition Survivy 1978-95.  Yuko S Performance of nanofiltration for arsenic removal  Assyam A new definition of obesity disease in Japanese children.  Journal of Commarison with that on smoking and droking habits in questionnaire survivas.  Assyam A new definition of obesity disease in Japanese children.  Jananarad with that on smoking and droking habits in questionnaire survivas.  Assyam A new definition of obesity disease in Japanese children.  Jananarad with that on smoking and droking habits in questionnaire survivas.  Assyam A new definition of autoreactivity The neurosmounce Encephalomyelitis NPY1  Recentor-specific N(NPY) suppresses Experimental Autoimmune Encephalomyelitis NPY1  Recentor as affer sported physical activity questionnaire for schoolchildren.  Jananarad with that on smoking and droking habits in automation of the pattern of the neuroimmune crosstalk.  Performance of heart feroported physical activity questionnaire for schoo	Sekine N	Parental obesity, lifestyle factors and obesity in preschoolchildren: results of the		2002
T. Uchin Effect of squalene monohydro peroxide on cytotoxicity and cytokine release in a threa-cimensional human skin model and human askin model and hu	Soyama	Amiodarone N-deethylation by CYP2C8 and its variants, CYP2C8*3 and CYP2C8	Pharmacol Toxicol	2002
Taksha's Disturbed sleep-wake patterns during and after short-term international travel among and admiss attending conferences.  Tatsumi Lack of stimulatory effect of dienogest on the expression of intercelular adhesion molecule—I and vascular cell adhesion molecule—I by endothelial cell as compared with other synthetic progestins  Tsubond Validation of walking questionnaire for population-based prospective studies in Japan: Journal of Endominology and Validation of walking questionnaire for population-based prospective studies in Japan: Journal of Commarison, with nadometer.  Ueda K. Cigarette nicotine yields and nicotine intake among Japanese male workers.  Tobacco Control Co	T. Uchin	Effect of squalene monohydro peroxide on cytotoxicity and cytokine release in a	Biol. Pharm. Bull	2002
Tatsumir Lack of stimulatory effect of dienogest on the expression of intercelular adhesion molecule—I and vascular cell adhesion molecule—I by endothelial cell as compared with other synthetic progestins  Tsubon Validation of walking questionnairs for population—based prospective studies in Japan: commarisan with hadmater.  Gigarette nicotine yields and nicotine intake among Japanese male workers.  Tobacco Control 20 Validity and Reliability of a Dietary Assessment Method: The Application of a Digital Cardar with a Mobile Phone Card Attachment  Y.Mager Validity and Reliability of a Dietary Assessment Method: The Application of a Digital Cardar with a Mobile Phone Card Attachment  Y.Mager Sustainable development of water services industry  Vashilke Twenty—year changes in the prevalence of overweight in Japanese adults: The Obesity Reviews  National Nutrition Survay 1976—95  Yuko Sa Performance of nanofiltration for arsenic removal  Zhu S. T. Short—and long-term reliability of information on previous illness and family history as compared with that on smoking and drioking habits in questionnaire survays.  Assayam A new definitin of obesity disease in Japanese children.  Bedoul Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoul Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoul Neuropeptide Y(NPY)suppresses Experimental Autoimmune Encephalomyelitis :NPY1  Basentor—specific induction of autoreatotive Th Lessonsa in vivo.  Chen X. Validation of a self—reported physical activity questionnaire for schoolchildren.  J Epidemiol  200  Chen X. Validation of a self—reported physical activity questionnaire for schoolchildren.  J Epidemiol  201  Chen X. Protective effects of progesterore onimplantation failure induced by formation of the progesterore on the process of the	Takahas	Disturbed sleep-wake patterns during and after short-term international travel among	International Archives of	2002
comparison with nedometer. Cigarette nicotine yields and nicotine intake among Japanese male workers. Tobacco Control 20 (Mang Dit Velidity and Reliability of a Dietary Assessment Method: The Application of a Digital Autoritional State of Property of the Control 20 (Mang Dit Velidity and Reliability of a Dietary Assessment Method: The Application of a Digital Nutritional State of Property of Mang Dit Velidity and Reliability of Dietary Assessment Method: The Application of a Digital Nutritional State of Comparison of Mangara State of State of Property of Mangara State of Property of State of Property of State of Property of State of Property of State of State of Property of State of Stat		Lack of stimulatory effect of dienogest on the expression of intercelular adhesion molecule-1 and vascular cell adhesion molecule-1 by endothelial cell as compared with other synthetic progestins	Maturitas	2002
Wang DI Velidity and Reliability of a Dietary Assessment Method: The Application of a Digital Camera with a Mobila Phone Card Attachment Sustainable development of water services industry  Yoshilke Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutritional Survey 1978-95  Yuko Sa Performance of nanofitration for ersenic removal  Zhu S, T Short- and long-term reliability of information on previous illness and family history as compared with that on smaking and drioking habits in questionnairs surveys. Assyam A new definition of 'obesity disease' in Japanese children.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Neuropeptide Y(NPY)suppresses Experimental Autoimmune Encephalomyelitis: NPY1 Recentor-specific industrion of autoreatctive Th1 response in vivo.  Chen X, Validation of a self-reported physical activity questionnaire of understained that in the fatures of reast given monohuty on the lates of furty henzyl dibutyltindichlorida in rats.  Fujiwars Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community alder populations. Six years prospective study for community of history or onset of chronic medical conditions on higher-level functional canacity among older oppomunity-dwelling. Japanese adults.  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community ander populations. Six years prospective study. In the protection of three human cytochrome p450 2E1 veriants with amino acid substitutions.  Hanioka Punctional characterization of three human cytochrome p450 2E1 veriants with amino acid substitutions.  Hanioka Hanioka Punctional characterization of human UDP- glucuronosyltransferase 1A9 variant, D265M found in Japanese page and variant (T2021 and M591) human UDP- Dispos		comparison with pedometer		2002
Camera with a Mabile Phone Card Attachment Sustainable development of water services industry  Yoshiike Twenty-year changes in the prevalence of overweight in Japanese adults: The Mational Nutrition Survay. 1978-95.  Yuko Sa Performance of nanofiltration for arsenic removal  Zhu S. 1Short- and long-term reliability of information on previous illness and family history as command with that on smokins and drinkins habits in questionnaire survays.  Assyam A new definitin of 'obesity disease' in Japanese children.  Bedoui Refevence of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Neuropeptide Y(NPY) suppresses Experimental Autoimmune Encephalomyelitis: NPY1 Recentor-snepific industion of autoreatotive. The resonase in vivo.  Chen X. Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol  Zo Ema, M. Decreased anogenitaldistance and increased incidence of undescended tests in fatuses of rats given monohutyl ohthalate a major metabolite of hutyl henzyl  Ema-M. Protective effects of progesterone onimplantation failureinduced by dibutylindichloride in rats  Fujiwars  Fracture prediction from bone mineral density in a Japanese men and women  J. Bone Miner.  Fujiwara  Prevalence of hepatitis B virus infection among atomic bomb survivors  Radiat. Res.  20  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six years prospactive study  Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community—dwelling Japanasas adults  Hanioka  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six years prospactive study  Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community—dwelling Japanasas adults  Haniota in the procession of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol  Service in the procession of decidual	Ueda K,	Cigarette nicotine yields and nicotine intake among Japanese male workers.		2002
YMager Sustainable development of water services industry  Yoshiike Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Sucrey 1978-95.  Yuko Se Performance of nanofiltration for arsenic removal  Zhu S. T Short- and long-term reliability of information on previous illness and family history as compared with that on smoking and drinking habits in questionnaire surveys  Assyam A new definitin of obesity disease in Japanese children.  Bedoul Refevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoul Neuropeptide Y(NPY)suppresses Experimental Autoimmune Encephalomyelitis :NPY1  Rencentor-specific industrion of autoreatotive ThI resonate in vivo.  Chen X. Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol 20  Ema, M. Decreased anogenital distance and increased incidence of undescended testes in fatuses of rats given monobutyl obthalate, a major metabolite of butyl benzyl  Ema,-M Protective effects of progesterone onimplantation failurenduced by dibutyltindichloride in rats.  Fujiwars Prevalence of hepatitis B virus infection among atomic bomb survivors  Ras Radiat. Res.  20  Geriatr Gerontol primary among older compunity-dwelling Japanese adults.  Fujiwars Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six vacars arospacity study cannot be provided and characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as a causes of sardy among older community-dwelling Japanese adults.  Active life expectancy based on activities of daily living for older people living in a card community in Japanese.  J Pharmacol Exp 20  J Pharmacol Exp	Wang Di	Validity and Reliability of a Dietary Assessment Method: The Application of a Digital		2002
Yoshike Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Survey 1978–95.  Yuko Sa Performance of nanofiltration for arsenic removal Water Research 200 Performance of nanofiltration for arsenic removal Water Research 200 Performance of nanofiltration for arsenic removal Water Research 200 Performance of nanofiltration for arsenic removal Water Research 200 Performance of nanofiltration for arsenic removal Water Research 200 Performance of nanofiltration for arsenic removal Performance of Performance of Performance of Performance of Performance of Performance of Performance Performance of Performance Pe	Y.Magari	Sustainable development of water services industry	Water Science	2002
Yuko Sal Performance of nanofiltration for arsenic removal  Zhu S. T Short- and long-term reliability of information on previous illness and family history as compared with that on smoking and drinking habits in questionnaire surveys.  Assyam A new definitin of 'obesity disease' in Japanese children.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Neuropeptide Y(NPY)suppresses Experimental Autoimmune Encephalomyelitis :NPY1  Jimmunology  Chen X, Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol  20  Ema, M Decreased anogenitaldistance and increased incidence of undescended testes in fetusas of rats given monohutyl phthalate, a major matabolite of butyl heavyl  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Ema, M Protective effects of progesterone onimplantation failureinduced by  Toxicol. Lett.  20  Geriatr Gerontol Int.  Pulliman	Yoshiike	Twenty-year changes in the prevalence of overweight in Japanese adults: The National Nutrition Survey 1978-95		2002
Asayam A new definitin of 'obesity disease' in Japanese children.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Relevance of Neuropeptide Y for the neuroimmune Encephalomyelitis :NPY1 J.Immunology Recentor-specific induction of autoreatctive Th1 response in vivo.  Chen X, Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol 20  Ema, M. Decreased anogenitaldistance and increased incidence of undescended testes in fatusas of rats given monobutyl obthalate, a major matabolite of butyl heroxyl  Ema,-M. Protective effects of progesterone onimplantation failureinduced by dibutyltindichloride, in rats.  Fujiware Fracture prediction from bone mineral density in a Japanese men and women  Fujiware Prevalence of hepatitis B virus infection among atomic bomb survivors  Radiat. Res.  20  Fujiware Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six vears prospective study  Fujiware Impact of history or onset of chronic medical conditions on higher-level functional canacity amons older community-dwelling Japanese adults  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20  acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol. 20  Ishizaki Acitive life expectancy based on activities of daily living for older people living in a Jurah community in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T2021 and M591) human UDP- Drug Metab Dispos	Yuko Sa	Performance of nanofiltration for arsenic removal	Water Research	2002
Asayami A new definitin of 'obesity disease' in Japanese children.  Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Neuropeptide Y (NPY) suppresses Experimental Autoimmune Encephalomyelitis: NPY1 Jimmunology 20 Recentor-specific induction of autoreatctive Thi response in vivo.  Chen X, Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol 20 Ema, M. Decreased anogenitaldistance and increased incidence of undescended testes in fatusas of rats given monobutyl obthalate, a major matabolite of butyl henzyl  Ema,-M Protective effects of progesterone onimplantation failureinduced by dibutylindichloride in rats.  Fujiwara Fracture prediction from bone mineral density in a Japanese men and women J. Bone Miner.  Ras.  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six years prospective study in a papanese adults.  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older nonunity-dwelling Japanese adults.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol. 20 International characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.	Zhu S, T			2002
Bedoui Relevance of Neuropeptide Y for the neuroimmune crosstalk.  Bedoui Recentor—specific industion of autoreatctive Thi response in vivo.  Chen X. Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol 20  Ema, M. Decreased anogenitaldistance and increased incidence of undescended testes in fetuses of rats given monobutal obtainate a major metabolite of hutal heavy dibutalization in rats.  Fujiwara Protective effects of progesterone onimplantation failureinduced by dibutalization in rats.  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nogulations: Six vears prospective study.  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling algonaese adults.  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi Acitive life expectancy based on activities of daily living for older people living in a Japanese LAIO.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase IA9 variant, Dray Metab Dispos	Asayamı	A new definitin of 'obesity disease' in Japanese children.	Pediatrics	2003
Bedoul   Neuropeptide Y(NPY)suppresses Experimental Autoimmune Encephalomyelitis :NPY1   J.Immunology   20   Recentor-specific induction of autoreatctive Th Lresgonse in vivo.   20   Validation of a self-reported physical activity questionnaire for schoolchildren.   3   Epidemiol   20   Ema, M.   Decreased enogenital distance and increased incidence of undescended testes in fetuses of rats given monobutyl hithalate, a major metabolite of butyl henzyl   Reprod. Toxicol.   20   Ema, M.   Protective effects of progesterone onimplantation failureinduced by dibutyltindichloride in rats   Toxicol test, dibutyltindichloride   Toxicol test, dibu	Bedoui \$	Refevance of Neuropeptide Y for the neuroimmune crosstalk.	Journal of	2003
Chen X. Validation of a self-reported physical activity questionnaire for schoolchildren.  J Epidemiol 20  Ema, M. Decreased anogenitaldistance and increased incidence of undescended testes in fetusas of rats given monobutyl obthalate, a major matabolite of butyl benzyl  Ema,-M. Protective effects of progesterone onimplantation failureinduced by dibutylindiphoride in rats.  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older populations: Six years prospective study  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling Japanese adults  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol. 20  Ishizaki Acitive life expectancy based on activities of daily living for older people living in a gural community in Japanese cancer natients.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos				2003
Fetusas of rats given monobutyl obthalate a major metabolite of hutyl benzyl  Ema,-M. Protective effects of progesterone onimplantation failureinduced by  dibutyltindichloride in rats.  Fujiwara Fracture prediction from bone mineral density in a Japanese men and women  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Ras.  Radiat. Res.  20  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older populations: Six years prospective study  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling Japanese adults  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol.  20  Geriatr Gerontol 20  Acause of early embryonic loss.  Humashi Acitive life expectancy based on activities of daily living for older people living in a geriatr Gerontol Int  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos	Chen X,	Validation of a self-reported physical activity questionnaire for schoolchildren.	J Epidemiol	2003
Ema, M. Protective effects of progesterone onimplantation failureinduced by dibutyltindichlorida in rats.  Fujiwara Fracture prediction from bone mineral density in a Japanese men and women J. Bone Miner. Res.  Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors Radiat. Res.  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nogulations: Six years prospective study.  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling Japanese adults.  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino Xanobiotica acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol.  20  Shizaki Acitive life expectancy based on activities of daily living for older people living in a caral community in Japanese cancer natients.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos			Reprod. Toxicol.	2003
Fujiwara Prevalence of hepatitis B virus infection among atomic bomb survivors  Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older nonulations: Six years prospective study  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling Japanese adults.  Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol. 20 Ishizaki Acitive life expectancy based on activities of daily living for older people living in a cural community in Japanese cancer natients.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos	Ema,−M,	Protective effects of progesterone onimplantation failureinduced by	Toxicol. Lett.	2003
Fujiwara Changes in TMIG-Index of Competence by subscale in Japanese urban and rural community older populations: Six years prospective study  Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional canacity among older community-dwelling Japanese adults  Hanioka International characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as acid substitutions.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol.  20  Ishizaki Acitive life expectancy based on activities of daily living for older people living in a cural community in Japanese cancer natients.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Drug Metab Disposs	Fujiwara		1	2003
Gommunity older populations: Six years prospective study   Int	Fujiwara	Prevalence of hepatitis B virus infection among atomic bomb survivors		2003
Fujiwara Impact of history or onset of chronic medical conditions on higher-level functional Included Canacity among older community-dwelling Japaness adults Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino Xenobiotica 20 acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi HiLA haplotype is associated with diabetes among atomic bomb survivors Hum. Immunol. 20 Ishizaki Acitive life expectancy based on activities of daily living for older people living in a cural community in Japanes.  Jinno H. Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japaness cancer natients.  Jinno H. Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos				2003
Hanioka Functional characterization of three human cytochrome p450 2E1 variants with amino acid substitutions.  Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol 20 acause of early embryonic loss.  Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors Hum. Immunol. 20 Ishizaki Acitive life expectancy based on activities of daily living for older people living in a crual community in Japane.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos	Fujiwara	Impact of history or onset of chronic medical conditions on higher-level functional	Geriatr Gerontol	2003
Harazon Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as Reprod. Toxicol acause of early embryonic loss.  Humashi HLA haplotype is associated with diabetes among atomic bomb survivors  Hum. Immunol. 20  Ishizaki Acitive life expectancy based on activities of daily living for older people living in a Geriatr Gerontol Intural community in Japane.  Jinno H, Functional characterization of human UDP- glucuronosyltransferase IA9 variant, D256N found in Japanese cancer natients.  Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab Dispos	Hanioka	Functional characterization of three human cytochrome p450 2E1 variants with amino		2003
Hayashi HLA haplotype is associated with diabetes among atomic bomb survivors    Hum. Immunol.   20	Harazon	Suppression of decidual cell response induced by dibutyltin inpseudopregnant rats as	Reprod. Toxicol	2003
rural community in Japane Jinno H, Functional characterization of human UDP~ glucuronosyltransferase IA9 variant, D256N found in Japanese cancer patients Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP~ Purus Metab Dispos Dispos	Hayashi	ACRUSE OF HALLY EMPLYONIC IOSS. HLA haplotype is associated with diabetes among atomic bomb survivors	Hum. Immunol.	2003
Jinno H, Functional characterization of human UDP- glucuronosyltransferase 1A9 variant, J Pharmacol Exp 20 D256N found in Japanese cancer natients.  Ther  Drug Metab Disnos  Disnos	lshizaki			2003
Jinno H, Functional characterization of wild-type and variant (T202I and M59I) human UDP- Drug Metab 20	Jinno H,	Functional characterization of human UDP- glucuronosyltransferase 1A9 variant,	J Pharmacol Exp	2003
glucuronosyltransferase IA10   Disnos	Jinno H,	Functional characterization of wild-type and variant (T202I and M59I) human UDP-	Drug Metab	2003
		Glucuronidation of 7-ethyl-10-hydroxycamptothecin (SN-38), an active metabolite of	Drug Metab	2003
irinotecan (CPT-11), by human IIGT1A1 variants, G71R, P229Q, and Y486D Disnos  Jinno H, Functional characterization of cytochrome P450 286 allelic variants. Drug Metab  Disnos  Disnos			Drug Metab	2003

	DESK 14. 1		
著者名(	タイトル	雑誌名	年
Koichi C	Behavior of Arsenic in the Water System of the Toyohira River Basin, Sapporo City,	Water Resources and Water Supply	2003
Koizumi,	Higher susceptibility of newborn than young rats to 3-methylphenol	J. Toxicol. Sci.	2003
Kumag	An intervention study to improve the nutritional status of functionally competent	Geriatr Gerontol	2003
Lee Y, S	Community-living senior citizens A comparison of correlates of self-rated health and functional disability of older	Arch Gerontol	2003
M. Asai,	oarsons in the Far Fast: Japan and Korea Measurements of Aldehydes and VOCs in a Newly-Constructed Multi-Family	Geriatr Proceedings of	2003
Maekaw	Residential Building by Using Passive Methods Non-synonymous single nucleotide alterations in the microsomal epoxide hydrolase	Healthy Buildings Xenobiotica	2003
Mako Oi	zene and their functional effects. 2D-Page Protein Profiles of Pathogenic and Non~Pathogenic <i>Naegleria</i> Species.	J. Eukaryot. Microbiol (in	2003
Meea Ka	Rapid and economical indicator for evaluating arsenic removal with minimum aluminum	Water Research	2003
Meea Ka	residual during coagulation process Comparing polyaluminium chloride and ferric chloride for antimonyremoval	Water Research 37	2003
Miyatak	Evaluation of Exercise Prescription for Hypertensive Obese Men By Ventilatory Threshold	J Chin Med Assoc	2003
Miyatak	Inrestinion Daily exercise lowers blood pressure and reduces visceral adipose tissue areas in overweight Japanese men.	Diabetes Research and	2003
Miyazak	Relationship between perceived social support and immuniefunction.	Stress and Health	2003
Miyazak	Development of the overt-covert aggression inventory.	Psychol Rep.	2003
N, Marui	Investigation of Indoor Air Quality In a Residence Using Natural Materials	Proceedings of Healthy Buildings	2003
Nakamu	Improvement in clinical laboratory measurements of total cholesterol and HDL- cholesterol in Japan by US Cholesterol Reference Method Laboratory Network	Journal of Atherosclerosis	2003
Neriishi	Monoclonal gammopathy of undetermined significance in atomic bomb survivors:	Br. J. Haematol.	2003
Nishida	Psychological Determinants of Physical Activity in Japanese Female Employees.	Journal of Occupational	2003
Nishimu	Elevated interleukin-9 receptor expression and response to interleukins-9 and -7 in	J. Cell. Physiol.	2003
Okura T	Association of polymorphisms in the estrogen receptor alpha gene with body fat distribution in middle-aged and older Jananese goodation	Int J Obes	2003
Okura T	Association of the mitochondrial DNA 15497G/A polymorphism with obesity in a middle-aged and elderly Japanese population.	J Hum Genet	2003
Osaki Y,	Adolescent alcohol use in Japan, 1996.	Yonago Acta Medica	2003
Osaki Y,	Adolescent smoking behavior in Japan, 1996	Jpn J Alcohol & Dependence	2003
P.R.Hun	SURVEILLANCE ANDINVESTIGATION OF CONTAMINATION INCIDENTS AND WATERBORNE OUTBREAKS	Assessing Microbial	2003
Sadahik	Change of The Toxicity of Chlorinated Drinking Water and MX as an Index	Proceedings of The 4thIWA	2003
Shinji Iz	Characterization of the Naegleria Isolates from Thermal Waters in Japan.	J. Eukaryot. Microbiol (in	2003
Shinkai	Predictors for the onset of functional decline among initially non-disabiled older	Geriatr Gerontol	2003
Shinya E	Contribution of Brominated Organic DisinfectionBy-Products to theMutagenicity of DrinkingWater	Proceedings of The 4thIWA	2003
Sugiyam	Japanese PCS Working Subgroup for Lung Cancer.	Int J Radiat Oncol Biol Physis	2003
Tanaka-	Functional characterization of two variant human GSTO 1-1s (Ala140Asp and Thr217Asn).	Biochem Biophys Res Commun	2003
Tanala-l	Arsenite and arsenate activate extracelluar signal-regulated kinases 1/2 by an epidermal growth factor recentor mediated pathway in normal human keratinocytes.	Buritish Journal of Dermatology	2003
Tanigaw	Relationships of differential leukocyte and lymphocyte subpopulations with carotid	Journal of Clinical	2003
Tomohir		Immunology Proc. of	2003
Toshie I	of Proofresding Task Aldehydes and VOCs in newly-built inoccupied houses in Tokyo	Ventilation 2003 Proceedings of	2003
Tsuji I, 1	Impact of waking upon medical care expenditure in Japan: the Ohsaki Cohort Study.	Healthy Buildings International	2003
Uchiyan	Isomerization of aldehyde-2,4-dinitrophenylhydra- zone derivatives and validation of	Journal of Journal of	2003
	high-performance liquid chromatographic analysis	Chromatography I	

著者名(	タイトル	雑誌名	年
Y. Matsu	Effect of uncertainties of agricultural working schedule and Monte-Carlo evaluation of the model input in basin-scale runoff model analysis of herbicides	Proceedings of	2003
Y. Sekin	Measurements of Indoor Concentrations of Aldehydes, VOCs and Fungi in Newly- Built Apartment Houses in Tokyo	Proceedings of Healthy Buildings	2003
Yamada	Effects of dementia on mortality in the Radiation Effects Research foundation Adult Health Study	Gerontol.	2003
Yamada	Association between dementia and mi-life risk factors	J. Am. Geriatri.	2003
Yamada	Longitudinal trends of hemoglobin levels in a Japanese population-RERF's Adult Health Study subjects	Soc. Eur. J. Haematol.	2003
Yoshida	Associations between oxidative stress levels and total duration of engagement in jobs	Mutagenesis	2003
Yoshimi	with exposure to fiv ash among workers at municipal solid waste incinerators.  A comparison of trends in the incidence of lung cancer by histological type in the	Jpn J Clin Oncol	2003
Anzai Y,	Osaka cancer Registry, Janan and in the Surveilance Foldemiology and Fnd Results Impact of Alcohol Consumption upon Medical Care Utilization and Costs in Men: 4-	Addiction	2004
Fujiwar	Year Observation of National Health Insurance Beneficiaries in Japan Arterial pulse wave velocity as a marker of poor cognitive function in an elderly	J Gerontol	2004
Fujiwar	community-living conulation Relationship between arterial pulse wave velocity and conventional atherosclerotic	Prev Med	2004
Gomyo f	risk factors in community—dwelling people Effects of Sex, age and BMI on screening tests for impaired glucose tolerance	Diabetes	2004
Honjo H	Progestines and estrogens and Alzheimer's disease	Research and J. Steroid	2004
Ishikawa	Hazardous health effects due to elevated levels of indoor chemicals-Present status	Riochem. & Mol. Indoor Air(in	2004
lwao N, I	of Chemical Sensitivity: Sick House Syndrome— Differences in the relationship between lipid CHD risk factors and body composition in	oress) Int J Obes	2004
Jinno H,	Caucasians and Jananese Identification of novel alternative splice variants of human constitutive androstane	Molecular	2004
Kudo K	recentor and characterization of their expression in the liver. Municipal anxiety about local Heathy Japan 21 plans	Pharmacology 宮城大学看護学	2004
Kuriyam	Joint Impact of Health Risks upon Health Care Charges: Seven-year Follow-up of	部紀要 Preventive	2004
M. Kinos	National Health Beneficiaries in Japan (The Ohsaki Study). Scavenger Receptor Type BI Potentiates Reverse Cholesterol Transport System by	Medicine Atherosclerosis	2004
M. Kinos	Removing Cholesterol Ester from HDI Enhanced susceptibility of LDL to oxidative modification in a CTX patient:-Role of	J. Athero.	2004
	chenodeoxycholic acid in xanthoma formation— Was the prevalence of Japanese childhood atopic eczema symptoms overestimated in	Thromb J Allergy Clin	2004
Nakata /	the ISAAC study? Increases in memory and naive CD4+ T lymphocytes among passive smokers: a	Immunol	2004
Ōsaki Y.	cross-sectional study	Preventive	2004
	Positive coping up- and down-regulates in vitro cytokine productions from T cells	Medicine Psychotherapy	2004
	dependent on stress levels Association of lymphocyte subpopulations with clustered features of metabolic	and Atherosclerosis	2004
	Association of high region of the primary amoebic meningoencephalitis due to Naegleria	投稿中	2004
	ANALYTICAL METHODS FORMICROBIOLOGICAL WATER QUALITYTESTING	Assessing	2004
		Microbial J Chromatogr A	2004
	Simultaneous determination of semivolatile organic compounds in indoor air by gas chromatography-mass spectrometry after solid-obase extraction	Neuroimmunomod	2004
Sakami	Coemergence of insomnia and a shift in the Th1/Th2 balance toward Th2 dominance.	ulation	2002 2003 2002-
Sakami		Neuroimmunomod ulation.	2003
	Prediction of cancer incidence from the number of memory CD4+ T cell	lancet	2004 (予定)
	Memory CD4+ T cell predicts the coronary artery heart disease	JAMA	2004 (予定)
	Cancer incidence and Job stress	journal of National Cancer Institute	(予定)
	Self efficay and CHD	circulation	2004 (予定)
	Alexithymia and T cell apoptosis	brain behavior immunity	2004 (予定)
chida N.	Factor analysis of Zung Scale Scores in a Japanese population	Psychiatry Clinival Neuroscience	2004 年掲

	健康科学		
著者名(	タイトル	雑誌名	年
	Assessment of smoking status among workers using an improved colorimetric method. 2004年	Industrial Health	2005年掲
Nakat	Job stress, social support, and prevalence of insomnia in a population of Japanese daytime workers	Social Science & Medicine	in press
Caneita	An epidemiological study of excessive daytime sleepness among the Japanense general	投稿中	1
(aneita	Depressive symptoms are associated with sleep duration and subjective sleep sufficiency.	投稿中	
liyake `		Eur Respir J	
/liyake `	Relationship between Active and Passive Smoking and Total Serum IgE Levels in	Int Arch Allergy	<del> </del>
anaka	Jananese Women: Raseline Data from the Osaka Maternal and Child Health Study Association of active and passive smoking with tooth loss in Japanese women	Immunol Int J Epidemiol	╁
		·	
		·	

著者名(3名	タイトル	雑誌名	年
Asanuma H,	Nifedipine limits infarct size via NO-dependent mechanisms in dogs.	Basic Res Cardiol.	2001
	Benidipine, a long-acting Ca channel blocker, limits infarct size via	Cardiovasc Drugs Ther	2001
Gunji.Y, Sak	Long-Term Outcomes of Immunosuppressed Renal Transplant Recipients with Malignancies	Surgery Today	2001
lwakura K, It	Predictive factors for development of the no-reflow phenomenon in patients with reperfused anterior wall acute myocardial infarction	J Am Coll Cardiol.	2001
Kitakaze M,	cDNA array hybridization reveals cardiac gene expression in acute ischemic murine hearts	Cardiovasc Drugs Ther	2001
Kitakaze M,	Role of cellular acidosis in production of nitric oxide in canine ischemic myocardium.	J Mol Cell Cardiol.	2001
	Angiotensin converting enzyme inhibitor and probucol suppress time-dependent increase in urinary type IV collagen excretion of type 2 diabetes mellitus patients with early diabetic nephropathy.	Clinical Nephropathy	2001
Okonogi.H, N	Urinary type IV collagen excretion reflects renal morphological alterations and type IV collagen expression in patients with type 2 diabetes mellitus	Clinical Nephrology	2001
Sakata Y, Ki	Dynamic change in collateral flow associated with myocardial ischemia in humans	Int J Cardiol.	2001
	Differential subcellular actions of ACE inhibitors and AT(1) receptor antagonists on cardiac remodeling induced by chronic inhibition of NO synthesis	Hypertension.	2001
	Cardioprotective effect afforded by transient exposure to phosphodiesterase III inhibitors: the role of protein kinase A and p38 mitogen-activated protein	Circulation.	2001
Seto.K, Ikeh	Long-Term Assessment of posttransplant Transplantation Renal Prognosis with 31P Magnetic Resonance Spectroscopy	Transplantation	2001
Watanabe K	Metabolism of hepatocyte growth factor in the heart in patients with coronary artery disease: implication for coronary arteriosclerosis	Cardiovasc Drugs Ther	2001
Yamada.K, H	Involvement of platelet-derived growth transplantation factor and histocompatibility of DRB1 in choronic renal allograft nephropathy	Transplantation	2001
Asakura M, I	Adenosine-induced cardiac gene expression of ischemic murine hearts revealed by cDNA array bybridization.	Circ J.	2002
Kitakaze M,	Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers synergistically increase coronary blood flow in canine ischemic myocardium: role of bradykinin.	J Am Golf Cardiol.	2002
Kotani J, Na	Plaque gruel of atheromatous coronary lesion may contribute to the no-reflow	Circulation.	2002
Kotani J, Na	No-reflow following dilatation of a coronary lesion with a large lipid core.	Circ J.	2002
	Left ventricular hypertrophy was infrequent in patients starting dialysis after undergoing a strict blood pressure in the pre-dialytic pariod.	Intern Med	2002
Ogita H, Noc	Amelioration of ischemia- and reperfusion-induced myocardial injury by the selective estrogen recentor modulator raloxifene in the canine heart	J Am Coll Cardiol.	2002
Pouzet B, L	is there a place for preconditioning during cardiac operations in humans?	Ann Thorac Surg.	2002
Sanada S, N	Opening of the adenosine triphosphate-sensitive potassium channel attenuates cardiac remodeling induced by long-term inhibition of nitric oxide synthesis:	J Am Coll Cardiol.	2002
	Effect of successful renal transplantation on coronary AGE accumulation of uremic	Excerpta Medica	2002
	A calcium channel blocker activates both ecto-5(')-nucleotidase and NO synthase in HUVEC	Biochem Biophys Res Commun	2003
ļ	Celiprolol increases coronary blood flow and reduces severity of myocardial	J Cardiovasc	2003
	Clinical efficacy of S-1 combined with cisplatin for advanced gastric cancer.	Gastric Cancer	2003
	Fracture prediction from bone mineral density in Japanese men and women	J Bone Mener Res	2003
Hayasi.M, Ya	Interim evidence of the renoprotective effect of the angiotensin II receptor antagonist losartan versus the calcium channel blocker amlodipine in patients with chronic kidney disease and hypertension: a report of the Japanese Losartan Therapy	Clin Exp Nephrol.	2003
Maehara Y	Intended for Global Renal Protection in Hypertensive Patients(JLIGHT)Study S-1 in gastric cancer: a comprehensive review.	Gastric Cancer	2003
Nagai K, Kat	The lung Cancer Surgical Study Group of the Japan Clinical Oncology Group, A randomized trial comparing induction chemotherapy followed by surgery with surgery alone for patients with stage IIIA N2 non-small cell lung cancer (JCOG 9209)	J. of Thoracic and Cardiovascular Surgery	2003
Nakatani S,	alone for patients with stage link NZ non-small cell lunk called 10000 32057 Quantitative assessment of short axis wall motion using myocardial strain rate imaging	Echocardiography.	2003
Nishimura.M	Renal ultrasonography is useful for evaluating diabetic renal failure.	Clin Nephrol.	2003

答者名(3名	タイトル	雑誌名	年
Ogasawara.	Quantitative measurement of regional cerebrovascular reactivity to acetazolamide using 123I-N-isopropyl-p-iodoamphetamine autoradiography with SPECT: validation study using H2 150 with PET.	J Nucl Med	2003
Ogasawara.	Qualitative versus quantitative assessment of cerebrovascular reactivity to	AJNR Am J Neuroradiol	2003
Ogasawara.	Transcranial regional cerebral oxygen saturation monitoring during carotid	Neurosurgery	2003
Ogasawara.	Prediction and monitoring of cerebral hyperfusion after carotid endarterectomy by using single-photon emission computerized tomography scanning.	Journal of Neurosurgery	2003
Ogita H, Noc	Eicosapentaenoic acid reduces myocardial injury induced by ischemia and	J Cardiovasc Pharmacol	2003
Ogita H, Noc	The role of estrogen and estrogen-related drugs in cardiovascular diseases.	Curr Drug Metab. Review	2003
Saijo N.	Progress in treatment of small-cell lung cancer: role of CPT-11.	Br. J Cancer	2003
Sanada S, N	Long-acting Ca2+ blockers prevent myocardial remodeling induced by chronic NO inhibition in rats	Hypertension.	2003
Sasoh M., O	Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia	Surg Neurol	2003
Shiraki M, F	A double-blind dose-ranging study of resedronate in Japanese patients with	Osteoporosis Int	2003
Suzuki J, Wa	Beneficial effects of betaxolol, a selective antagonist of beta-1 adrenoceptors, on exercise-induced myocardial ischemia in patients with coronary vasospasm.	Int J Cardiol.	2003
Takahashi I,	S-1 in the treatment of advanced and recurrent gastric cancer: current state and future	Gastric Cancer	2003
Takashi Oza	Microwave cell death: Immunohistochemical and enzyme histochemical evaluation	Pathorogy international	2003
Takashi Oza	Microwave cell death: Enzyme histochemical	Pathorogy international	2003
Watanabe K	Effect of cilostazol on vasomotor reactivity in patients with vasospastic	Am J Cardiol.	2003
Yamada.K, F	Prediction of chronic renal allograft dysfunction from evaluations of TGF $\beta$ 1 and the renin-angiotensin system	Clin Exp Nephrol.	2003
Yasuda H, N	Failure to prevent progressive dilation of ascending aorta by aortic valve replacement in patients with bicusoid aortic valve; comparison with tricusoid	Circulation.	2003
Yoneda Y, U	Hospital-based study of care and cost for acute ischemic stroke in Japan.	Stroke	2003
Asakura M,	Rationale and design of a large-scale trial using atrial natriuretic peptide (ANP) as an adjunct to percutaneous coronary intervention for ST-segment	Circ J.	2004
Asanuma H,	Methotrexate and MX-68, a new derivative of methotrexate, limit infarct size	J Cardiovasc Pharmacol	2004
lino.Y, Yama	Renoprotective Effect of Losartan in Comparison to Amlodipine in Patients with Chronic Kidney Disease and Hypertension-a Report of the Japanese Losartan Therapy Intended for the Global Renal Protection in Hypertensive	Hypertens Res.	2004
Kida T, Kam	C677T polymorphism of methylenetetrahydrofolate reductase (MTHFR) gene affects	PSYCHOGERIATR	2004
	Rationale and design of a large-scale trial using nicorandil as an adjunct to percutaneous coronary intervention for ST-segment elevation acute myocardial infarction: Japan-Working groups of acute myocardial infarction for the reduction of Necrotic Damage by a K-ATP channel opener (J-WIND-KATP).	Cire J.	2004
Ogasawara.	Cerebrovascular Reactivity to Acetazolamide and Outcome in Patients With Symptomatic Internal Carotid or Middle Cerebral Artery Occlusion A Xenon-133 Single - Photon Emission Computed Tomography Study.	Stroke	2004
Tada H, Kat	Single - Frioton Chassion Computer unioxiably Study.  A randomized trial comparing adjuvant chemotherapy versus surgery alone for completely resected pN2 non-small cell lung cancer (JCOG9304).	Lung Cancer	2004
Takada T, Y	Completely resected by 2 non-small call lung cancer (11 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	AJNR Am J Neuroradiol	2004