

- Oncorhynchus kisutch*, by dietary Mirex and PCBs. J Fish Res Bd Can, 35:1285-1289.
- Leatherland JF & Sonstegard RA (1980) Seasonal changes in thyroid hyperplasia, serum thyroid hormone and lipid concentrations, and pituitary gland structure in Lake Ontario coho salmon, *Oncorhynchus kisutch* Walbaum and a comparison with coho salmon from Lakes Michigan and Erie. J Fish Biol, 16:539-562.
- Leatherland JF & Sonstegard RA (1982) Bioaccumulation of organochlorines by yearling coho salmon (*Oncorhynchus kisutch* Walbaum) fed diets containing Great Lakes coho salmon, and the pathophysiological responses of the recipients. Comp Biochem Physiol, 72C:91-100.
- Leatherland JF, Lin L, Down NE & Donaldson EM (1989) Thyroid hormone content of eggs and early developmental stages of three stocks of goitered coho salmon (*Oncorhynchus kisutch*) from the Great Lakes of North America, and a comparison with a stock from British Columbia. Can J Fish Aquat Sci, 46:2146-2152.
- Lebel G, Dodin S, Ayotte P, Marcoux S, Ferron LA & Dewailly E (1998) Organochlorine exposure and the risk of endometriosis. Fertil Steril, 69:221-228.
- Le Blanc G, Campbell P, den Besten P, Brown R, Chang E, Coats J, deFur P, Dhadialla T, Edwards J, Riddiford L, Simpson M, Snell T, Thorndyke M & Matsumura F (1999) In: deFur P, Crane M, Ingwersoll C & Tattersfield L, eds. Endocrine Disruption in Invertebrates: Endocrinology, Testing and Assessment. Pensacola, FL: SETAC Press, pp. 23-106.
- LeBlanc GA, Mu X, Rider CV (2000) Embryo toxicity of the alkylphenol degradation product 4-nonylphenol to the crustacean *Daphnia magna*. Environ Health Perspect, 108:1133-1138.
- Lee P, Arndt P & Nickells KC (1999). Testicular abnormalities in male rats after lactational exposure to nonylphenols. Endocrine, 11:61-68.
- Lee RF (1991) Metabolism of tributyltin by marine animals and possible linkages to effects. Marine Environ Res, 32:29-35.
- Lee HP, Gourley L, Duffy SW, Esteve J, Lee J & Day NE (1991) Dietary effects on breast cancer risk in Singapore. Lancet, 337:1197-1200.
- Lee H-B, Peart TE (1995) Determination of 4-nonylphenol in effluent and sludge from sewage treatment plants. Anal Chem, 67:1976-1980.
- Lee H-B, Peart TE (1995) Occurrence of nonylphenol ethoxylates and their metabolites in Canadian pulp and paper mill effluents and sludge. Water Qual. Res J Can, 34:1-36.
- Lee H-B, Weng J, Peart TE, Maguire RJ (1998) Occurrence of alkylphenoxyacetic acids in Canadian sewage treatment plant effluents. Water Quality. Res J Can, 33:19-29.
- Lee H-B, Peart TE, Bennie DT, Maguire RJ (1997) Determination of nonylphenol polyethoxylates and their carboxylic acid metabolites in sewage treatment plant sludge by supercritical carbon dioxide extraction. J Chromatogr A785:385-394.
- LeFleur GJ Jr (1998) Vitellogenins and vitellogenesis. In: Knobil E & Neill JD, eds. Encyclopedia of Reproduction. Vol. 4, pp. 985-993.
- Lega L, Ladwig G, Meresz O, Clement RE, Crawford G, Salemi R & Jones Y (1997) Quantitative determination of organic priority pollutants in sewage sludge by GC/MS, Chemosphere, 34:1705-1712.
- Legler J, Broekhof JLM, Brouwer A, Lanser PH, Murk AJ, van der Saag PT, Vethaak AD, Wester P, Zivkovic & van der Burg B (2000) A novel *in vivo* bioassay for (xeno-)estrogens using transgenic zebrafish. Environ Sci Technol, 24:497-510.
- Lemcke B, Behre HM & Nieschlag E (1997) Frequently subnormal semen profiles of normal volunteers recruited over 17 years. Intern J Androl, 20:144-152.
- Leonards PEG (1997) PCBs in mustelids: analysis, food chain transfer and critical levels. Ph.D. Thesis. Free University of Amsterdam, The Netherlands.
- Lephart ED (1996) A review of brain aromatase cytochrome P450. Brain Res Rev 22:1-26.
- Letcher RJ, Klasson Wehler E & Bergman Å (2000) Methyl sulfone and hydroxylated metabolites of polychlorinated biphenyls. In: Paasivirta J, ed. New Types of Persistent Halogenated Compounds, 3. Berlin, Springer-Verlag, pp. 315-359.
- Leung PCK & Steele GL (1992) Intracellular signaling in the gonads. Endocrinol Rev, 13:476-498.
- Li L, Xu L, Francke U & Cohen SN (1997) The TSG101 tumor susceptibility gene is located in chromosome 11 band p15 and is mutated in human breast cancer. Cell, 88:143-154.
- Licht M (1998) Retrospektive Untersuchung der Zwischen 1956 und 1995 in der Abteilung für Andrologie des Universitätskrankenhauses Hamburg-Eppendorf Erhobenen Spermogramme. Dissertation FB Medizin. Universität Hamburg, Germany.
- Liem AKD, Fürst P & Rappe C (2000) Exposure of populations to dioxins and related compounds. Food Addit Contam, 17:241-259.
- Lilienthal HL, Weinand-Härer A, Winterhoff H & Winneke G (1997) Effects of maternal exposure to 3,3',4,4'-tetrachlorobiphenyl or propylthiouracil in rats trained to discriminate apomorphine from saline. Toxicol Appl Pharmacol, 146:162-169.
- Liljegren G, Hardell L, Lindstrom G, Dahl P & Magnuson A (1998) Case-control study on breast cancer and adipose tissue concentrations of congener specific polychlorinated biphenyls, DDE and hexachlorobenzene. Eur J Cancer Prev, 7:135-140.
- Lindholst C, Pedersen KL & Pedersen SN (2000) Estrogenic response of bisphenol A in rainbow trout (*Oncorhynchus mykiss*). Aquatic Toxicol, 48:87-94.
- Lindsey S & Wilkinson MF (1996) Homeobox genes and male reproductive development. J Assist Reprod Genet, 13:182-192.
- Lindström G, Wingfors H, Dam M & von Bavel B (1999) Identification of 19 polybrominated diphenyl ethers (PBDEs) in long-finned pilot whale (*Globicephala melas*) from the atlantic. Arch Environ Contam Toxicol, 36:355-363.
- Linzey AV & Grant DM (1994) Characteristics of a white footed mouse (*Peromyscus leucopus*) population inhabiting a polychlorinated biphenyl contaminated site. Arch Environ Contam Toxicol, 27:521-526.
- Lipworth L (1995) Epidemiology of breast cancer. Eur J Cancer Prev, 4:7-30.
- Lomat L, Galbart G, Quastel MR, Polyakov S, Okeanov A & Rozin S (1997) Incidence of childhood disease in Belarus associated with Chernobyl accident. Environ Health Perspect, 105(Suppl 6):1529-1532.
- Longcore JR, Samson FB, Kreitzer JF & Spann JW (1971) changes in mineral composition of eggshells from black ducks and mallards fed DDE in the diet. Bull Environ Contam Tox, 6:345-350.
- Longnecker MP, Gladen BC, Patterson DG Jr & Rogan WJ (2001) Polychlorinated biphenyl (PCB) exposure in relation to thyroid hormone levels in neonates. Epidemiology, 11(3):249-254.
- Loomis AK & Thomas P (1999) Binding characteristics of estrogen receptor (ER) in Atlantic croaker (*Micropogonias undulatus*) testis:

- different affinity for estrogens and xenobiotics from that of hepatic ER. *Biol Reprod*, 61:51-60.
- Loomis AK & Thomas P (2000) Effects of estrogens and xenoestrogens on androgen production by Atlantic croaker testes *in vitro*: evidence for a nongenomic action mediated by an estrogen membrane receptor. *Biol Reprod*, 62:995-1004.
- López-Carrillo L, Blair A, López-Cervantes M, Cebrián M, Rueda C, Reyes R, Mohar A & Bravo A (1997) Dichlorodiphenyltrichloroethane serum levels and breast cancer risk: A case-control study from Mexico. *Cancer Res*, 57:3728-3732.
- Lorentzon A, Moon TW, Kennedy SW & Fox GA (1999) Relationships between environmental organochlorine contaminant residues, plasma corticosterone concentrations, and intermediary metabolic enzyme activities in Great Lakes herring gull embryos. *Environ Health Perspect*, 107:179-186.
- Lu LIW, Anderson KE, Grady JJ & Nagamani M (1996) Effects of soya consumption for one month on steroid hormones in premenopausal women—implications for breast cancer risk reduction. *Cancer Epidemiol Biomarkers Prev*, 5:63-70.
- Lucas AD, Jones AD, Goodrow MH, Saiz SG, Blewett C, Seiber JN & Hammock BD (1993) Determination of atrazine metabolites in human urine: development of a biomarker of exposure. *Chem Res Toxicol*, 6:107-116.
- Luconi M, Bonaccorsi L, Forti G & Baldi E (2001) Effects of estrogenic compounds on human spermatozoa: evidence for interaction with a nongenomic receptor for estrogen on human sperm membrane. *Mol Cell Endocrinol*, 178(1-2):39-45.
- Ludwig JP (1984) Decline, resurgence and population dynamics of Michigan and Great Lakes double-crested cormorants. *Jack-Pine Warbler*, 62:91-102.
- Ludwig JP, Giesy JP, Summer CL, Bowerman WW, Aulerich R, Bursian S, Auman HJ, Jones PD, Williams LL, Tillitt DE & Gilbertson M. (1993) A comparison of water quality criteria for the Great Lakes based on human and wildlife health. *J Great Lakes Res*, 19:789-807.
- Lund B-O (1994) *In vitro* adrenal bioactivation and effects on steroid metabolism of DDT, PCBs and their metabolites in the grey seal (*Halichoerus grypus*). *Environ Toxicol Chem*, 13:911-917.
- Lund B-O & Lund JJ (1995) Novel involvement of a mitochondrial steroid hydroxylase (P450c11) in xenobiotic metabolism. *Biol Chem*, 270:20895-20897.
- Lund B-O, Bergman Å & Brandt I (1988) Metabolic activation of toxicity of DDT-metabolite, 3-methylsulphonyl-DDE, in the adrenal zona fasciculata in mice. *Chem-Biol Interactions*, 65:25-40.
- Lund J, Brandt I, Poellinger L, Bergman Å, Klasson-Wehler E & Gustafsson J-Å (1985) Target cells for the polychlorinated biphenyl metabolite 4,4'-bis(methylsulphonyl)-2,2',5,5'-tetrachlorobiphenyl: Characterization of high-affinity binding in rat and mouse lung cytosol. *Mol Pharmacol*, 27:314-323.
- Lundholm CE (1980) Comparison of *p,p*-DDE and *o,p*-DDE on eggshell thickness and Ca binding activity of shell gland in ducks. *Acta Pharmacol Toxicol*, 47:377-384.
- Lundholm CE (1982) Effect of *p,p*-DDE administered *in vivo* and *in vitro* on Ca<sup>2+</sup> binding and Ca<sup>2+</sup>-Mg<sup>2+</sup>-ATPase cativity in egg shell gland mucosa of ducks. *Acta Pharmacol Toxicol*, 50:121-129.
- Lundholm CE (1984a) Ca content of duck eggshell gland mucosa homogenate and the rate of Ca<sup>2+</sup> binding to its subcellular fractions durinf and after the formation of the eggshell. *Comp Biochem Physiol B*, 77:655-653.
- Lundholm CE (1984b) Comparison of the effect of DDE on the Ca metabolism of the eggshell gland and its subcellular fractions of the duck and domestic fowl. *Acta Pharmacol Toxicol*, 54:400-407.
- Lundholm CE (1984c) Effect of DDE on the Ca metabolism of the duck eggshell gland and its subcellular fractions: Relations to the functional stage. *Comp Biochem Physiol C*, 78:5-12.
- Lundholm CE (1985) Relation between Ca metabolism and ATPase activities in the subcellular fractions from duck eggshell gland mucosa after DDE administration during different stages of eggshell formation. *Comp Biochem Physiol C*, 82:1-16.
- Lundholm CE (1987) Thinning of eggshells in birds by DDE: Mode of action on the eggshell gland. *Comp Biochem Physiol C*, 88:1-22.
- Lundholm CE (1988) The effects of DDE, PCB and chlordane on the binding of progesterone to its cytoplasmic receptor in the eggshell gland mucosa of birds and the endometrium of mammalian uterus. *Comp Biochem Physiol C*, 89:361-368.
- Lundholm CE (1993) Inhibition of prostaglandin synthesis in eggshell gland mucosa as a mechanism for *p,p'*-DDE-induced eggshell thinning in birds—a comparison of ducks and domestic fowls. *Comp Biochem Physiol C Pharmacol Toxicol*, 106:389-394.
- Lundholm CE (1994) Changes in the levels of different ions in the eggshell gland lumen following *p,p'*-DDE-induced eggshell thinning in ducks. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol*, 109:57-62.
- Lundholm CE & Bartonek M (1991) A study of the effects of *p,p'*-DDE and other related chlorinated hydrocarbons on inhibition of platelet aggregation. *Arch Toxicol*, 65:570-574.
- Lundholm CE & Bartonek M (1992) Effects of *p,p'*-DDE and some other chlorinated hydrocarbons on the formation of prostaglandins by the avian eggshell gland mucosa. *Arch Toxicol*, 66:387-391.
- Lundholm CE & Mathson K (1983) The inhibitory effect of some chlorinated hydrocarbon pesticides on the ATP-dependent Ca<sup>2+</sup> binding of the particulate fraction of the eggshell gland mucosa cells. *Acta Pharmacol Toxicol*, 52:390-394.
- Luross JM, Alaee M, Sergeant DB, Whittle DM & Solomon KR (2000) Spatial and temporal distribution of polybrominated diphenyl ethers in Lake trout from the Great Lakes. *Organohalogen Compounds*, 47:73-76.
- Luster MI, Hayes HT, Korach K, Tucker AN, Dean JH, Greenlee WF & Boorman GA (1984) Estrogen immunosuppression is regulated through estrogenic responses in the thymus. *J Immunol*, 133:110-116.
- Lutz I & Kloas W (1999) Amphibians as a model to study endocrine disruptors. I: Environmental pollution and estrogen receptor binding. *Sci Total Environ*, 225:49-57.
- Luu B & Werner W (1995) Sterols that modify moulting in insects. *Pesticide Sci*, 46:49-53.
- Lye CM, Frid CJ, Gill ME & McCormick D (1997) Abnormalities in the reproductive health of flounder *Platichthys flesus* exposed to effluent from a sewage treatment works. *Mar Pollut Bull*, 34:34-41.
- Lye CM, Frid CLJ & Gill ME (1998) Seasonal reproductive health of flounder *Platichthys flesus* exposed to sewage effluent. *Mar Ecol Progr Ser*, 170:249-260.
- Lye CM, Frid CLJ, Gill ME, Cooper DW & Jones DM (1999) Estrogenic alkylphenols in fish tissues, sediments and waters from the U.K. Tyne and Tees estuaries. *Environ Sci Technol*, 33:1009-

- 1014.
- Ma K, Inglis JD, Sharkey A, Bickmore WA, Hill RE, Prosser EJ, Speed RM, Thomson EJ, Jobling M, Taylor K, Wolfe J, Cooke HJ, Hargreave TB & Chandley A (1993) AY chromosome gene family with RNA-binding protein homology: Candidates for the azoospermia factor AZF controlling human spermatogenesis. *Cell*, 75:1287-1295.
- Ma Q & Whitlock JP Jr (1997) A novel cytoplasmic protein that interacts with the Ah receptor, contains tetraricopeptide repeat motifs, and augments the transcriptional response to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *J Biol Chem*, 272:8878-8884.
- Mably TA, Moore RW, Goy RW & Peterson RE (1992) *In utero* and lactational exposure of male rats to 2,3,7,8-tetrachlorodibenzo-p-dioxin. 2: Effects on sexual behavior and the regulation of luteinizing hormone secretion in adulthood. *Toxicol Appl Pharmacol*, 114:108-117.
- Mac MJ & Edsall CC (1991) Environmental contaminants and the reproductive success of lake trout in the Great Lakes: An epidemiological approach. *J Toxicol Environ Health*, 33:375-394.
- Mac MJ, Schwartz TR, Edsall CC & Frank AM (1993) Polychlorinated biphenyls in Great Lakes trout and their eggs: Relations to survival and congener composition 1979-1988. *J Great Lakes Res*, 19:752-765.
- Mackay D, Fraser A (2000) Bioaccumulation of persistent organic chemicals: Mechanisms and models. *Environmental Pollution*, 110(3):375-391.
- Mackay D (2001) Multimedia Environmental Models: The Fugacity Approach. Boca Raton, FL: Lewis Publishers.
- MacLatchy DL & Van Der Kraak GJ (1995) The phytoestrogen  $\beta$ -sitosterol alters the reproductive endocrine status of goldfish. *Toxicol Appl Pharmacol*, 134:305-312.
- MacLatchy D, Peters L, Nickle J & Van Der Kraak G (1997) Exposure to  $\beta$ -sitosterol alters the endocrine status of goldfish differently than 17 $\beta$ -estradiol. *Environ Toxicol Chem*, 16:1895-1904.
- MacLeod J & Gold RZ (1951) The male factor in fertility and infertility. II: Spermatozoon counts in 1000 men of known fertility and 1000 cases of infertile marriage. *J Urol*, 66:436-449.
- MacLeod J & Wang Y (1979) Male fertility potential in terms of semen quality: a review of the past, a study of the present. *Fertil Steril*, 31:103-116.
- Mactutus CF & Tilson HA (1985) Evaluation of long-term consequences in behavioral and/or neural function following neonatal chlordcone exposure. *Teratology*, 31:177-186.
- Maden M (1993) The homeotic transformation of tails into limbs in *Rana temporaria* by retinoids. *Develop Biol*, 159:379-391.
- Madhukar BV, Brewster DW & Matsumura F (1984) Effects of *in vivo*-administered 2,3,7,8-tetrachlorodibenzo-p-dioxin on receptor binding of epidermal growth factor in the hepatic plasma membrane of rat guinea pig, mouse and hamster. *Proc Natl Acad Sci USA*, 81:7407-7411.
- Madsen SS, Mathiesen AB & Korsgaard B (1997) Effects of 17 $\beta$ -estradiol and 4-nonylphenol on smoltification and vitellogenesis in Atlantic salmon (*Salmo salar*). *Fish Physiol Biochem*, 17:303-312.
- Maguire RJ (1999) Review of the persistence of nonylphenol and nonylphenol ethoxylates in aquatic environments. *Water Qual Res J Can*, 34:37-78.
- Mak P, Cruz FD & Chen S (1999) A yeast screen system for aromatase inhibitors and ligands for androgen receptor: Yeast cells transformed with aromatase and androgen receptor. *Environ Health Perspect*, 107:855-860.
- Makinen E, Kahl M, Jensen K, Tiege J, Wells K, Van Der Kraak G & Ankley G (2000) Effects of the mammalian antiandrogen vinclozolin on development and reproduction of the fathead minnow. *Aquatic Toxicol*, 48:461-475.
- Maltepe E, Schmidt JV, Baunoch D, Bradfield CA & Simon MC (1997) Abnormal angiogenesis and responses to glucose and oxygen deprivation in mice lacking the protein ARNT. *Nature*, 386:403-407.
- Manchester-Neesvig JB, Valters K & Sonzogni WC (2001) Comparison of polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs) in Lake Michigan salmonids. *Environ Sci Technol*, 35:1072-1077.
- Maness SC, McDonnell DP & Gaido KW (1998) Inhibition of androgen receptor-dependent transcriptional activity by DDT isomers and methoxychlor in HepG2 human hepatoma cells. *Toxicol Appl Pharmacol*, 151:135-142.
- Manz A, Berger J & Dwyer JH (1991) Cancer mortality among workers in chemical plant contaminated with dioxin. *Lancet*, 338:959-964.
- Marcomini A, Capel PD, Lichtensteiger T, Brunner PH, Giger W (1989) Behavior of aromatic surfactants and PCBs in sludge-treated soil and landfills. *J Environ Qual*, 18:523-528.
- Marcquensi SV & Brown SB (1997) Early mortality syndrome in salmonid fishes from the Great Lakes. In: Rolland RM, Gilbertson M & Peterson RE, eds. *Chemically Induced Alterations in Functional Development and Reproduction of Fishes*. SETAC Technical Publications Series. Pensacola, FL: SETAC Press, pp. 135-152.
- Marcus M, Kiely J, Xu F, McGeehan M, Jackson R & Sinks T (1998) Changing sex ratio in the United States, 1969-1995. *Fertil Steril*, 70:270-273.
- Marmot ME & Wadsworth MEJ (1997) Fetal and early childhood environment: long-term health implications. *Brit Med Bull*, 53(1):669-683.
- Martineau D, De Guise S, Fournier M, Shugart L, Girard C, Lagacé A & Béland P (1994) Pathology and toxicology of beluga whales from the St. Lawrence Estuary, Québec, Canada. Past, present and future. *Sci Total Environ*, 154:201-215.
- Matsumoto A & Ishii S (1997) *Atlas of Endocrine Organs: Vertebrates and Invertebrates*. Berlin: Springer-Verlag.
- Matthews JB, Celius T, Halgren R, Zacharewski T (2000) Differential estrogen receptor binding of estrogenic substances: a species comparison. *J Steroid Biochem. Mol Biol*, 74(4):223-234.
- Matthews JB, Clemons JH, Zacharewski TR (2001) Reciprocal mutagenesis between human alpha (L349, M528) and rainbow trout (M317, I496) estrogen receptor residues demonstrates their importance in ligand binding and gene expression at different temperatures. *Mol Cell Endocrinol*, 183(1-2):127-139.
- Matthiessen P (1998) Effects on fish of estrogenic substances in English rivers. In: Kendall R, Dickerson J, Geisy J & Suk W, eds. *Principles and Processes for Evaluating Endocrine Disruption in Wildlife*. Pensacola, FL: SETAC Press, pp. 239-247.
- Matthiessen P & Gibbs PE (1998) Critical appraisal of the evidence

- for tributyltin-mediated endocrine disruption in molluscs. Environ Toxicol Chem, 17:37-43.
- Matthiessen P & Sumpter JP (1998) Effects of estrogenic substances in the aquatic environment. In: Brauneck ET, Hinton DE & Streit B, eds. Fish Ecotoxicology. Basel: Birkhäuser Verlag, pp. 319-335.
- Matthiessen P, Allen YT, Allchin CR, Feist SW, Kirby MF, Law RJ, Scott AP, Thain JE & Thomas KV (1998) Oestrogenic endocrine disruption in flounder (*Platichthys flesus* L.) from United Kingdom estuarine and marine waters. Science Series Technical Report no. 107, Lowestoft: Centre for Environment, Fisheries and Aquaculture Science, pp. 48.
- Matthiessen P, Reynoldson T, Billinghurst Z, Brassard D, Cameron P, Chandler G, Davies I, Horiguchi T, Mount D, Oehlmann J, Pottinger T, Sibley P, Thompson H & Vethaak A (1999) Field assessment for endocrine disruption in invertebrates. In: deFur P, Crane C, Ingersoll C & Tattersfield L, eds. Endocrine Disruption in Invertebrates: Endocrinology, Testing, and Assessment. Pensacola, FL: SETAC Press, pp. 199-270.
- Mattson M & Helle E (1995) Reproductive recovery and PCBs in Baltic seal populations. Int J Dev Biol, 39: 703-704.
- Mawhinney MG & Neubauer BL (1979) Actions of estrogen in the male. Invest Urol, 16:409-420.
- Maxwell PH, Dachs GU, Gleadle JM, Nicholis LG, Harris AL, Stratford IJ, Hankinson O, Pugh CW & Ratcliffe PJ (1997) Hypoxia-inducible factor-1 modulates gene expression in solid tumors and influences both angiogenesis and tumor growth. Proc Natl Acad Sci USA, 94:8104.
- Mayani A, Barel S, Soback S & Almagor M (1997) Dioxin concentration in women with endometriosis. Hum Reprod, 12:373-375.
- McArthur MLB, Fox GA, Peakall DB & Philogene BJR (1983) Ecological significance of behavioral and hormonal abnormalities in breeding Ring Doves fed an organochlorine chemical mixture. Arch Environ Contam Toxicol, 12:343-353.
- McCann TO & Myers RE (1970) Endometriosis in Rhesus monkeys. Am J Obstet Gynecol, 106:516.
- McClinton S, Miller ID & Eremin O (1990) An immunohistochemical characterization of the inflammatory cell infiltrate in benign and malignant prostatic disease. Br J Cancer, 61:400-403.
- McConnell LL, LeNoir JS, Datta S & Seiber JN (1998) Wet deposition of current-use pesticides in the Sierra Nevada Mountain Range, California, USA. Environ Toxicol Chem, 17:1908-1916.
- McIntyre BS, Barlow NJ, Wallace DG, Maness SC, Gaido KW, and Foster PMD (2000) Effects of *in utero* exposure to linuron on androgen dependent reproductive development in the male Crl:CD(SD)BR rat. Toxicol Appl Pharmacol, 167:87-99.
- McKinney JD & Waller CL (1994) Polychlorinated biphenyls as hormonally active structural analogues. Environ Health Perspect, 102:290.
- McKinney CL, Celestial DM (1996) Modified survival, growth, and reproduction in an estuarine mysid (*Mysidopsis bahia*) exposed to a juvenile hormone analogue through a complete life cycle. Aquatic Toxicol 35:11-20.
- McLachlan JA & Korach KS, eds. (1995) Symposium on estrogens in the environment. III: Global health implications. Environ Health Perspect, 103(Suppl 7):3-178.
- McMahon DR, Kramer SA & Husmann DA (1995) Antiandrogen induced cryptorchidism in the pig is associated with failed gubernacular regression and epididymal malformations. J Urol, 154:553-557.
- McMaster ME, Van Der Kraak GJ, Portt CB, Munkittrick KR, Sibley PK, Smith IR & Dixon DG (1991) Changes in hepatic mixed-function oxidase (MFO) activity, plasma steroid levels and age at maturity of a white sucker (*Catostomus commersoni*) population exposed to bleached kraft pulp mill effluent. Aquat Toxicol, 21:199-218.
- McMaster ME, Portt CB, Munkittrick KR & Dixon DG (1992) Milt characteristics, reproductive performance and larval survival and development of white sucker exposed to bleached kraft pulp mill effluent. Ecotoxicol Environ Saf, 23:103-117.
- McMaster ME, Van Der Kraak GJ & Munkittrick KR (1995) Exposure to bleached kraft pulp mill effluent reduces the steroid biosynthetic capacity of white sucker ovarian follicles. Comp Biochem Physiol, 112C:169-178.
- McMichael-Phillips DF, Harding C, Morton M, Roberts SA, Howell A, Patton CS & Bundred NJ (1998) Effects of soy protein supplementation on epithelial proliferation in the histologically normal breast. Am J Clin Nutr, 68:1431S-1435S.
- McNabb FMA (1993) Thyroid Hormones. Englewood Cliffs, NJ: Prentice Hall.
- Meaney MJ, Aitken DH, Van Berkel C, Bhatnager S & Sapolsky RM (1988) Effect of neonatal handling on age-related impairments associated with the hippocampus. Science, 239:766-768.
- Meares EM Jr (1998) Prostatitis and related disorders. In: Walsh PC, ed. Campbell's Urology, Seventh Edition. Philadelphia, PA: Saunders.
- Meerts IATM (2001) *In Vitro* and *In Vivo* Interactions of Organohalogens with the Endocrine System—The Role of Metabolites and Implications for Human Health. The Department of Toxicology, Wageningen University, Wageningen, The Netherlands, Ph.D. Thesis.
- Meerts IATM, Letcher RJ, Hoving S, Marsh G, Bergman Å, Lemmen JG, van der Burg B & Brouwer A (2001) *In vitro* estrogenicity of polybrominated diphenyl ethers (PBDEs), hydroxylated PBDEs (OH-PBDEs) and several polybrominated bisphenol A compounds. Environ Health Perspect, 109:399-407.
- Mees MM, Cuijpers CEJ & Pietersma AH (1997) Is sperm quality actually declining? A literature survey. Report No. 65 00 30-001. Bilthoven, The Netherlands: National Institute of Public Health and the Environment.
- Meewen BS & Alves SE (1999) Estrogen actions in the central nervous system. Endocrinol Rev, 20:279-307.
- Meironyté D, Noren K & Bergman A (1999) Analysis of polybrominated diphenyl ethers in Swedish human milk. A time-related trend study, 1972-1997. J Toxicol Environ Health, Part A 58:329-341.
- Meironyté Guvenius D, Bergman A & Noren K (2001) Polybrominated diphenyl ethers in Swedish human liver and adipose tissue. Arch Environ Contam Toxicol, 40:564-570.
- Meironyté Guvenius D (2002) Organohalogen contaminants in humans with emphasis on polybrominated diphenyl ethers, Karolinska institutet, Stockholm, Sweden, ISBN 91-7349-140-3, PhD Thesis.
- Meites J, Lu KH, Wuttke W, Welsch CW, Nagasawa H & Quadri SK (1972) Recent studies on functions and controls of prolactin secretion in rats. Rec Prog Horm Res, 28:471-526.

- Mellanen P, Petänen T, Lehtimäki J, Mäkelä S, Bylund G, Holmbom B, Mannila E, Oikari A & Santti R (1996) Woodderived estrogens: studies *in vitro* with breast cancer cell lines and *in vivo* in trout. *Toxicol Appl Pharmacol*, 136:381-388.
- Mellanen P, Soimasuo M, Holmbom B, Oikari A & Santti R (1999) Expression of the vitellogenin gene in the liver of juvenile whitefish (*Coregonus lavaretus L. s.l.*) exposed to effluents from pulp and paper mills. *Ecotoxicol Environ Saf*, 43:133-137.
- Mellert W (1995) Report: Carcinogenicity Study with Reg. No. 83248 (Ninclozolin) in Rats. Administration in the Diet for 24 Months. Unpublished report from BASF AG, Ludwigshafen, Germany. Submitted to WHO by BASF AG, Ludwigshafen, Germany. Cited in Pesticide Residues in Food, 1995, Part II - Toxicological and Environmental, IPCS, pp. 379-404.
- Ménard S, Aiello P, Tagliabue E, Rumio C, Lollini PL, Colnaaghi MI & Blasari A (2000) Tamoxifen chemoprevention of a hormone-independent tumor in the proto-neu transgenic mice model. *Cancer Res*, 60:273-275.
- Mendonca GAS, Eluf-Neto J, Andrada-Serpa MJ, Carmo PAO, Barreto HHC, Inomata ONK, et al. (1999) Organochlorines and breast cancer:a case-control study in Brazil. *Int J Cancer*, 83:596-600.
- Menichini-Fabris F, Rossi P, Palego P, Simi S; & Turchi P (1996) Declining sperm count in Italy during the past 20 years. *Andrologia*, 28:304.
- Mensah-Nyagan AG, Do-Rego JL, Beaujean D, Luu-The V, Pelletier G & Vaudry H (1999) Neurosteroids: Expression of steroidogenic enzymes and regulation of steroid biosynthesis in the central nervous system. *Pharmacol Rev*, 51:63-81.
- Mesiano S, Katz SL, Lee JY & Jaffe RB (1999) Phytoestrogens alter adrenocorticotropic function: genistein and daidzein suppress glucocorticoid and stimulate androgen production by cultured adrenal cortical cells. *J Clin Endocrinol Metab*, 84:2443-2448.
- Messina MJ, Persky V, Stechell KDR & Barnes S (1994) Soy intake and cancer risk: A review of the *in vitro* and *in vivo* data. *Nutr Cancer*, 21:113-131.
- Metcalf RL (1973) A century of DDT. *J Agr Food Chem*, 21:511-519.
- Meyer HHD (1999) Comparative aspects of estrogen biosynthesis and metabolism and the endocrinological consequences in different animal species. In: Oettel M & Schillinger E, eds. *Estrogens and Antiestrogens II*. Berlin: Springer-Verlag, pp. 575-602.
- Meyer R (1897) Über die genese der cystadenome und adenomyome des uterus, mit demonstratione. *Zeit Geburtch Gynakol*, 37:327.
- Meyer R (1925) Beiträge zur lehre von der adenomyosis uteri und der adenofibrosis peritonealis. *Zeit Geburtch Gynakol*, 89:469.
- Michalek JE, Ketchum NS & Check IJ (1999) Serum dioxin and immunologic response in veterans of Operation Ranch Hand. *Am J Epidemiol*, 149:1038-1046.
- Michielsen CCCPC, van Loveren H & Vos JG (1999) The role of the immune system in hexachlorobenzene-induced toxicity. *Environ Health Perspect*, 107(Suppl 5):783-792.
- Migliari R, Muscas G, Murru M, Verdacchi T, De Benedetto G & De Angelis M (1999) Antiandrogens: a summary review of pharmacodynamic properties and tolerability in prostate cancer therapy. *Arch Ital Urol Androl*, 71:293-302.
- Miki Y, Swensen J, Shattuck ED, Futreal PA, Harshman K, Tavtigian S, Liu Q, Cochran C, Bennett LM & Ding W (1994) A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science*, 266:66-71.
- Miles-Richardson SR, Pierens SL, Nichols KM, Kramer VJ, Snyder EM, Snyder SA, Render JA, Fitzgerald SD, Biesy JP (1999) Effects of waterborne exposure to 4-nonylphenol and nonylphenol ethoxylate on secondary sex characteristics and gonads of fathead minnows (*Pimephales promelas*). *Environ Res Sect A*, 80:S122-137.
- Milham S (1993) Unusual sex ratios of births to carbon tetrachloride fathers. *Am J Ind Med*, 23:829-831.
- Miller DS, Kinter WB & Peakall DB (1976) Enzymatic basis for DDE-induced eggshell thinning in a sensitive bird. *Nature*, 259:122-124.
- Miller KL, Fernandes TF & Read PA (1999) The recovery of populations of dogwhelks suffering from imposex in the Firth of Forth 1987-1997/98. *Environ Pollut*, 106:183-192.
- Millikan R, DeVoto E, Duell EJ, Tse CHK, Savitz DA, Beach J, Edmiston S, Jackson S & Newman B (2000) Dichlorodiphenyl dichloroethene, polychlorinated biphenyls and breast cancer among African-American and white women in North Carolina. *Cancer Epidemiol Biomark Prev*, 9:1233-1240.
- Mills JL, Stolley DD, Davies J & Moshang T (1981) Premature thelarche. Natural history and etiologic investigation. *Am J Dis Child*, 135:743-745.
- Minier C, Levy F, Rabel D, Bocquene G, Godefroy D, Burgeot T & Leboulenger F (2000) Flounder health status in the Seine Bay. A multibiomarker study. *Mar Environ Res*, 50:373-377.
- Mitchell SH & Kennedy S (1992) Tissue concentrations of organochlorine compounds in common seals from the coast of Northern Ireland. *Sci Total Environ*, 115:163-177.
- Mocarelli P, Brambilla P, Gerthoux PM, Patterson DG Jr & Needham LL (1996) Change in sex ratio with exposure to dioxin. *Lancet*, 348:409.
- Mocarelli P, Brambilla P, Gerthoux P, Ferrari E, Dassi C, Copreni E, Cazzaniga Lomonata G, Bertona M & Tramacere P (1999) Human data derived from the Seveso Accident. 19th International Symposium on halogenated Environmental Organic Pollutants and POP's. September 12-17, 1999, Venice, Italy. *Dioxin '99*. 44:333-335.
- Mocarelli P, Gerthoux PM, Ferrari E Jr, Patterson DG, Kieszak SM, Brambilla P, Vincoli N, Signorini S, Tramacere P, Carreri V, Sampson EJ & Turner WE. (2000) Paternal concentrations of dioxin and sex ratio of offspring. *Lancet*, 355:1858-1863.
- Moger WH & Geschwind H (1972) The action of prolactin on the sex accessory glands of the male rat. *Proc Soc Exp Biol Med*, 141:1017-1021.
- Moilanen R, Pyysalo H, Wickström K & Linko R (1982) Time Trends of Chlordane, DDT, and PCB Concentrations in Pike (*Esox lucius*) and Baltic Herring (*Clupea harengus*) in the Turku Archipelago, Northern Baltic Sea for the Period 1971-1982. *Bull Environ Toxicol*, 29:334-340.
- Møller H (1996) Change in male: Female ratio among newborn infants in Denmark. *Lancet*, 348:828-829.
- Møller H (1998) Trends in sex-ratio, testicular cancer and male reproductive hazards: Are they connected? *APMIS*, 106:232-238.
- Møller H, Weidner IS (1999) Epidemiology of cryptorchidism and hypospadias. *Epidemiology*, 10(4):364-369.
- Monod G (1985) Egg mortality of Lake Geneva charr (*Salvelinus alpinus* L.) contaminated with PCB and DDT derivatives. *Bull Environ Contam Toxicol*, 35:531-536.
- Monosson E, Kelce WR, Lambright C, Ostby J & Gray LE Jr

- (1999) Peripubertal exposure to the antiandrogenic fungicide, vinclozolin, delays puberty, inhibits the development of androgen-dependent tissues, and alters androgen receptor function in the male rat. *Toxicol Ind Health*, 15:65-79.
- Moore A & Waring CP (1998) Mechanistic effects of a triazine pesticide on reproductive endocrine function in mature male Atlantic salmon (*Salmo salar* L.) parr. *Pestic Biochem Physiol*, 62:41-50.
- Moore JW & Bulbrook RD (1988) The epidemiology and function of sex hormone-binding globulin. In: Clarke JR, ed. *Oxford Reviews of Reproductive Biology*. Oxford: Oxford University Press, pp. 180-236.
- Moorman WJ, Cheever Kl, Skaggs SR, Clark JC, Turner TW, Marlow KL & Schrader SM (2000) Male adolescent exposure to endocrine-disrupting pesticides: Vinclozin exposure in peripubertal rabbits. *Andrologia*, 32:285-293.
- Morrison H, Savitz D, Semenciw R, Hulka B, Mao YL, Morrison D & Wigle D (1993) Farming and prostate cancer mortality. *Am J Epidemiol*, 137:270-280.
- Morse DC, Groen D, Veerman M, Van Amerongen CJ, Koeter HBWM, Smits van Rooij AE, Visser TJ, Koeman JH & Brouwer A (1993) Interference of polychlorinated biphenyls in hepatic and brain thyroid hormone metabolism in fetal and neonatal rats. *Toxicol Appl Pharmacol*, 122:27-33.
- Morse DC, Klasson-Wehler E, Wesseling W, Koeman JH & Brouwer A (1996) Alterations in rat brain thyroid hormone status following pre- and postnatal exposure to polychlorinated biphenyls (Aroclor 1254). *Toxicol Appl Pharmacol*, 136:269-279.
- Morton MS, Chan PSF, Cheng C, Blacklock N, Matos-Ferreira A, Abrantes-Monteiro L, Correira R, Lloyd S & Griffiths K (1997) Lignans and isoflavonoids in plasma and prostatic fluid in men: samples from Portugal, Hong Kong and the UK. *Prostate*, 32:122-128.
- Moss AR, Osmond D, Bacchetti P, Torti FM & Gurgin V (1986) Hormonal risk factors in testicular cancer. A case-control study. *Am J Epidemiol*, 124:39-52.
- Mount DI & Anderson-Carnahan L (1988) EPA/600/3-88/034. Duluth, MN: U.S. Environmental Protection Agency.
- Moyle HA (1999a) Enzyme-linked immunosorbent assay (ELISA). In: Fong WG, Seiber JN & Toth JP, eds. *Pesticide Residues in Foods: Methods, Techniques and Regulation*. New York: Wiley Interscience, pp. 211-248.
- Moyle HA (1999b) Emerging methods: Extraction and cleanup. In: Fong WG, Moyle HA, Seiber JN & Toth JP, eds. *Pesticide Residues in Foods: Methods, Techniques, and Regulations*. New York: Wiley Interscience, pp. 139-209.
- Moysich KB, Ambrosone CB, Vena JE, Shields PG, Mendola P, Kostyniak P, Greizerstein H, Graham S, Marshall JR, Schisterman EF & Freudenheim JL (1998) Environmental organochlorine exposure and postmenopausal breast cancer risk. *Cancer Epidemiol Biomark Prev*, 7:181-188.
- MRC (1995) IEH Assessment on Environmental Oestrogens: Consequences to Human Health and Wildlife. Leicester, UK: Medical Research Council Institute for Environment and Health.
- Mu X, LeBlanc GA (2002) Environmental antiecdysteroids alter embryo development in the crustacean *Daphnia magna*. *J Exp Zool*, 292:287-292.
- Muir DC, Jones PD, Karlsson H, Koczansky K, Stern GA, Kannan K, Ludwig JP, Reid H, Robertson CJ, Giesy JP (2002) Toxaphene and other persistent organochlorine pesticides in three species of albatrosses from the north and south Pacific Ocean. *Environ Toxicol Chem*, 21(2):413-423.
- Müller MD, Schlabach M & Oehme M (1992) Fast and precise determinaiton of hexachlorocyclohexane enantiomers in environmental samples using chiral high resolution gas chromatography. *Environ Sci Technol*, 25:566-569.
- Munkittrick KR, McMaster ME, McCarthy L, Servos M & Van Der Kraak G (1998) An overview of recent studies on the potential of pulp-mill effluents to alter reproductive parameters in fish. *J Toxicol Environ Health B*, 1(4):347-371.
- Munkittrick KR, Portt CB, Van Der Kraak GJ, Smith IR & Rokosh DA (1991) Impact of bleached kraft mill effluent on population characteristics, liver MFO activity, and serum steroid levels of a Lake Superior white sucker (*Catastomus commersoni*) population. *Can J Fish Aquat Sci*, 48:1371-1380.
- Munkittrick KR, Van Der Kraak GJ, McMaster ME & Portt CB (1992a) Response of hepatic MFO activity and plasma sex steroids to secondary treatment of bleached kraft pulp mill effluent and mill shutdown. *Environ Toxicol Chem*, 11:1427-1439.
- Munkittrick KR, Van Der Kraak G, McMaster M & Portt C (1992b) Reproductive dysfunction and MFO activity in three species of fish exposed to bleached kraft mill effluent at Jackfish Bay, Lake Superior. *Water Pollut Res J Canada*, 27:439-446.
- Munkittrick KR, Van Der Kraak GJ, McMaster ME, Portt CB, van den Heuvel MR & Servos MR (1994) Survey of receiving water environmental impacts associated with discharges from pulp mills. 2: Gonad size, liver size, hepatic EROD activity and plasma sex steroid levels in white sucker. *Environ Toxicol Chem*, 13:1089-1101.
- Mussalo-Rauhamaa H, Hasanen E, Pyysalo H, Antervo K, Kauppila R & Pantzar P (1990) Occurrence of beta-hexachlorocyclohexane in breast patients. *Cancer*, 66:2124-2128.
- Mylchreest E, Cattley RC & Foster PMD (1998) Male reproductive tract malformations in rats following gestational and lactational exposure to di(n-butyl) phthalate: An antiandrogenic mechanism? *Toxicol Sci*, 43:47-60.
- Mylchreest E, Sar M, Cattley C & Foster PM (1999) Distribution of androgen-regulated male reproductive development by DBP during late gestation in rats is different from flutamide. *Toxicol Appl Pharmacol*, 156:81-95.
- Nagayama J, Iida T, Hirakawa H, Matsueda T, Okamura K, Hasegawa M, Sato K, Ma HY, Yanagawa T & Igarashi H (1997) Effects of lactational exposure to chlorinated dioxins and related chemicals on human neonatal thyroid functions in Japanese babies. *Organohalogen Compounds*, 33:446-450.
- Nagayama J, Tsuji H & Takasuga T (2000) Comparison between brominated flame retardants and dioxins or organochlorine compounds in blood levels of Japanese adults. *Organohalogen Compounds*, 48:27-30.
- Nagel SC, vom Saal F, Thayer KA, Dhar MG, Boechler M & Welshons W (1997) Relative binding affinity-serum modified access (RBA-SMA) assay predicts the relative *in vivo* bioactivity of the xenoestrogens bisphenol A and octylphenol. *Environ Health Perspect*, 105:70-76.
- Nambu M, Watanabe H, Kim KM, Tanaka M, Mayumi M & Mikawa H (1991) Regulation of Fc gamma receptor subtype expression on a human eosinophilic leukemia cell line EoL-3:

- Participation of cAMP and protein kinase C in the effects of interferon-gamma and phorbol ester. *Cell Immunol*, 133:27-40.
- Narotsky MG, Weller EA, Chinchilli VM & Kavlock RJ (1995) Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fundam Appl Toxicol*, 27:203-16.
- Naslund MJ, Strandberg JD & Coffey DS (1988) The role of androgens and estrogens in the pathogenesis of experimental nonbacterial prostatitis. *J Urol*, 140:1049-1053.
- Naylor CG, Miure JP, Adams WJ, Weeks JA, Castaldi FJ, Ogle LD & Romano RR (1992) Alkylphenol ethoxylates in the environment. *J Am Oil Chem*, 69:695-703.
- Nebert DW, Puga A & Vasiliou V (1993) Role of the Ah receptor and the dioxin-inducible [Ah] gene battery in toxicity, cancer, and signal transduction. *Ann NY Acad Sci* 685:624-640.
- Needham LL, Gertoux PM, Patterson DG Jr, Brambilla P, Turner WE, Beretta C, Pirkle JL, Colombo L, Sampson EJ, Tramacere PL, Signorini S, Meazza L, Carreri V, Jackson RJ & Mocarelli P (1997) Serum dioxin levels in Seveso, Italy, population in 1976. *Teratog Carcinog Mutagen*, 17:225-240.
- Needham L & Sexton K (2000) Assessing children's exposure to hazardous environmental chemicals: an overview of selected research challenges and complexities. *J Exp Anal Environ Epidemiol*, 16:611-629.
- Negro-Vilar A (1999) Selective androgen receptor modulators (SARMS): A novel approach to androgen therapy. *J Clin Endocrinol Metab*, 84:3459-3461.
- Negro-Vilar A, Saad WA & McCann SM (1977) Evidence for the role of prolactin in prostate and seminal vesicle growth in immature male rats. *Endocrinol*, 100:729-737.
- Nelson AA & Woodward G (1949) Severe adrenal cortical atrophy (cytotoxic) and hepatic damage prolonged in dogs by feeding 2,2-bis (parachlorophenyl)-1,1-dichloroethane (DDD or TDE). *Arch Pathol*, 48:387-394.
- Nelson CM & Bunge RG (1974) Semen analysis: Evidence for changing parameters of male fertility potential. *Fertil Steril*, 25:503-507.
- Nestler JE (1993) Sex hormone-binding globulin: A marker for hyperinsulinemia and/or insulin resistance? *J Clin Endocrinol Metab*, 76:273-274.
- Neubert R, Maskow L, Webb J, Jacob-Muller U, Nogueira AC, Delgado I, Helge H & Neubert D (1993) Chlorinated dibenz-p-dioxins and dibenzofurans and the human immune system. 1: Blood cell receptors in volunteers with moderately increased body burdens. *Life Sci*, 53:1995-2006.
- Neubert R, Maskow L, Delgado I, Helge H & Neubert D (1995) Chlorinated dibenz-p-dioxins and dibenzofurans and the human immune system. 2: *In vitro* proliferation of lymphocytes from workers with quantified moderately increased body burdens. *Life Sci*, 56:421-426.
- Neuman E & Karas P (1988) Effects of pulp mill effluent on a Baltic coastal fish community. *Water Sci Technol*, 20:95-106.
- Neumann DA (1995) Immunotoxicity testing and risk assessment: Summary of a 1994 Workshop. *Food Chem Toxicol*, 33:887-894.
- Neumann DA, Crisp TM & Olin SS (1996) Mammary gland neoplasia. *Environ Health Perspect*, 104:912-914.
- Nevalainen MT, Valve WM, Makela SI, Blauer M, Tuohimaa PJ & Harkonen PL (1991) Estrogen and prolactin regulation of rat dorsal and lateral prostate in organ culture. *Endocrinol*, 129:612-622.
- Newbold RR, Bullock BC & McLachlan JA (1991) Uterine adenocarcinomas in mice following developmental treatment with estrogens: A model for hormonal carcinogenesis. *Cancer Res*, 50:7677-7681.
- Newbold RR, Banks EP, Bullock B & Jefferson WN (2001) Uterine adenocarcinoma in mice treated neonatally with genistein. *Cancer Res* 61:4325-4328.
- Nijhout NF (1994) *Insect Hormones*. First Edition. Princeton, NJ: Princeton University Press.
- Nijhout NF (1998) *Insect Hormones*. Second Edition. Princeton, NJ: Princeton University Press.
- Nimrod AC & Benson WH (1996) Estrogenic responses to xenobiotics in channel catfish (*Ictalurus punctatus*). *Mar Env Res*, 42:155-160.
- Nizzoli G, Del Corno G, Fara GM & Chiumello G (1986) Gynecomastia and premature thelarche in a school children popluation of northern Italy. *Acta Endocrinol Suppl*, 279:227-231.
- Noller KL, Blair PB, O'Brien PC & Mellon LJ (1988) Increased occurrence of autoimmune disease among women exposed *in utero* to diethylstilbestrol. *Fertil Steril*, 49:1080-1082.
- Nonaka K, Miura T & Peter K (1994) Recent fertility decline in Dariusleut Hutterites: an extension of Eaton and Mayer's Hutterite fertility study. *Hum Biol*, 66:411-420.
- Norén K & Meironyté D (2000) Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of past 20-30 years. *Chemosphere*, 40:1111-1123.
- Norén K, Weistrand C & Karpe F (1999) Distribution of PCBs, DDE, hexachlorobenzene and methylsulfonyl metabolites of PCB and DDE among lipoprotein and protein fractions of human blood plasma. *Organohalogen Compounds*, 44:209-212.
- Noriega NC & Hayes TB (2000) DDT congener effects on secondary sex coloration in the reed frog *Hyperolius argus*: a partial evaluation of the *Hyperolius argus* endocrine screen. *Comp Biochem Physiol B Biochem Mol Biol*, 126:231-237.
- Norman S & Litwack G (1998) *Hormones*, Second Edition, San Diego, CA: Academic Press.
- Norris DO (1983) Evolution of endocrine regulation of metamorphosis in lower vertebrates. *Am Zool*, 23:709-718.
- Norris DO (1996) *Vertebrate Endocrinology*. Second Edition. San Diego, CA: Academic Press.
- Norris DO (1997) *Vertebrate Endocrinology*, Third Edition. San Diego, CA: Academic Press.
- Norris DO (1999) Thyroid hormones in subavian vertebrates. In: *Encyclopedia of Reproduction*, Vol. 4. San Diego, CA: Academic Press, pp. 807-812.
- Norris DO, Carr JA, Summers CH & Featherston R (1997a) Interactions of androgens and estradiol on sex accessory ducts of larval tiger salamanders, *Ambystoma tigrinum*. *Gen Comp Endocrinol*, 106:348-355.
- Norris DO, Felt SB, Woodling JD & Dores RM (1997b) Immunochemical and histological differences in the interrenal axis of feral brown trout, *Salmo trutta*, in metal-contaminated waters. *Gen Comp Endocrinol*, 108:343-351.
- Norris DO, Donahue S, Dores RM, Lee JK, Maldonado TA, Ruth T & Woodling JD (1999) Impaired adrenocortical response to stress by brown trout, *Salmo trutta*, living in metal-contaminated

- waters of the Eagle River, Colorado. *Gen Comp Endocrinol*, 113:1-8.
- Norstrom RJ & Muir DCG (1994) Chlorinated hydrocarbon contaminants in Arctic marine mammals. *Sci Total Environ*, 154:107-128.
- North K & Golding J (2000) A maternal vegetarian diet in pregnancy is associated with hypospadias. *BJU Int*, 85:107-113.
- NRC (1990) Health Effects of Exposure to Low Levels of Ionizing Radiation. BEIR V. Washington, D.C.: National Research Council, National Academy Press.
- NRC (1993). Pesticides in the Diets of Infants and Children. Washington, D.C.: National Research Council, National Academic Press, 386 pages.
- NRC (1999) Hormonally Active Agents in the Environment. Washington, D.C.: National Research Council, National Academy Press, 414 pages.
- NTP (2001a) National Toxicology Program's Report of the Endocrine Disruptors Low Dose Peer Review. National Toxicology Program, National Institute of Environmental Health Sciences, Research Triangle Park, NC. Available: <http://ntpserver.niehs.nih.gov/htdocs/liason/LowDosePeerFinalrpt.pdf>
- NTP (2001b) 9th Report on Carcinogens, U.S. National Toxicology Program, Research Triangle Park, NC, USA. Available: <http://ehp.niehs.nih.gov/roc/>
- Oberdorster E, McClellan-Green P (2001) The neuropeptide APGamide induces imposex in the mud snail, *Ilyanassa obsoleta*. *Peptides* 21:1323-1330.
- Odsjö T, Bignert A, Olsson M, Asplund L, Eriksson U, Häggberg L, Litzén K, de Wit C, Rappe C & Åslund K (1997) The Swedish environmental specimen bank—application in trend monitoring of mercury and some organohalogenated compounds. *Chemosphere*, 34:2059-2066.
- Odum J, Lefevre PA, Titensor S, Paton D, Routledge EJ, Beresford NA, Sumpter JP & Ashby J (1997) The rodent uterotrophic assay: critical protocol features, studies with nonyl phenols, and comparison with a yeast estrogenicity assay. *Regul Toxicol Pharmacol*, 25:176-188.
- OECD (1995a) Guidelines for the Testing of Chemicals. Repeated dose 28-day oral toxicity study in rodents, Guideline 407, adopted by the Council on 27th July 1995. Paris: Organization for Economic Cooperation and Development.
- OECD (1995b) Report of the OECD Workshop on Environmental Hazard/Risk Assessment, Paris: Organisation for Economic Cooperation and Development.
- OECD (1997) Draft Detailed Review Paper: Appraisal of Test Methods for Sex-Hormone Disrupting Chemicals, Paris: Organization for Economic Cooperation and Development, April.
- OECD (1998a) Report of the First Meeting of the OECD Endocrine Disrupter Testing and Assessment (EDTA) Working Group, 10-11 March 1998, ENV/MC/CHEM/RA(98)5. Paris: Organization for Economic Cooperation and Development, 1998.
- OECD (1998b) Report of Second Meeting of the Joint NCM/RAAB Working Group on Endocrine Disrupters Testing and Assessment (EDTA TASK FORCE), Paris, 12-13 November 1998. Organization for Economic Cooperation and Development.
- OECD (1999a) Final Record: First Meeting of the OECD Validation Management Committee for the Screening and Testing of Endocrine Disrupting Substances—Mammalian Effects, Tokyo, Japan, 8-10 February 1999. Organization for Economic Cooperation and Development.
- OECD (1999b) OECD Guideline for Testing of Chemicals: revised Draft Guideline 416: Two-generation Reproduction Toxicity Study. Draft Document, August, 1999. Paris: Organization for Economic Cooperation and Development.
- Oehlmann J (1998) Untersuchungen zum Einsatz von Pathomorphosen der ableitenden Geschlechtswege von Verderkiemerschnecken (Gastropoda: Prosobranchia) für ein biologisches TBT-Effektmonitoring. Habilitation Thesis, International Graduate School Zittau. pp. 162.
- Ohtani H, Miura I & Icikawa Y (2000) Effects of dibutyl phthalate as an environmental endocrine disruptor on gonadal sex differentiation of genetic males of the frog *Rana rugosa*. *Environ Health Perspect*, 108:1189-1193.
- Okey AB, Riddick DS & Harper PA (1994) The Ah receptor: mediator of the toxicity of 2,3,7,8-tetrachlordibenzo-p-dioxin (TCDD) and related compounds. *Toxicol Lett*, 70:1-22.
- Olafsson PG, Bryan AM, Bush B. & Stone W (1983) Snapping turtles: a biological screen for PCBs. *Chemosphere*, 12:1525-1523.
- Olaya-Conteras P, Rodriguez-Villamil J, Poso-Valencia HJ & Cortez JE (1998) Organochlorine exposure and breast cancer risk in Columbian women. *Cad Saude Publica*, 14(Suppl 3):125-132.
- Olin SS (1998) Between a rock and a hard place: Methods for setting dietary allowances and exposure limits for essential minerals. *J Nutr*, 128(Suppl 2):364S-367S.
- Olmstead AW, LeBlanc GA (2001a) Low exposure concentration effects of methoprene on endocrine-regulated processes in the crustacean *Daphnia magna*. *Toxicol Sci*, 62: 286-273.
- Olmstead AW & LeBlanc GA (2001b) Temporal and quantitative changes in sexual reproductive cycling of the cladoceran *Daphnia magna* by a juvenile hormone analog. *J Exp Zool* 290:148-155.
- Olsen NJ & Kovacs WJ (1996) Gonadal steroids and immunity. *Endocrinol Rev*, 17:369-384.
- Olin SF (1998) Aggregate Exposure Assessment. Washington, D.C.: The International Life Sciences Institute.
- Olsson M, Johnels AG & Vaz R (1975) DDT and PCB levels in seals from Swedish waters. The occurrence of aborted pups. In: Proceedings from the Symposium on the Seal in the Baltic. SNV PM 591:43-65.
- Olsson M & Reutergårdh L (1986) DDT and PCB pollution trends in the Swedish aquatic environment. *Ambio*, 15:103-109.
- Olsson M, Bignert A, Odsjö T, Persson W, Litzén K, Eriksson U, Häggberg L & Alsberg T (1997) Temporal trends of organochlorines in Northern Europe, 1967-1995 support long ranged transport but not the "Gras-hopper Effect". *Organohalogen Compounds*, 33:99-104.
- Olsson M, Bignert A, Jensen S, Eriksson U & Asplund L (1998) Altered PCB congener composition over time in herring from the Swedish marine environment—A result of atmospheric degradation? Part III. *Organohalogen Compounds*, 36:369-372.
- Olsson A, Ceder K, Bergman A & Helander (2000a) Nestling blood of the white-tailed sea eagle (*Haliaeetus albicilla*) as indicator of territorial exposure to organohalogen compounds—an evaluation. *Environ Sci Technol*, 34:2733-2740.
- Olsson A, Valters K & Bureau S (2000b) Concentration dynamics of organochlorine substances in relation to fish size and trophic position—A study on perch (*Perca fluviatilis* L.). *Environ Sci Technol*, 34:4878-4886.
- Olsson M, Bignert A, Eckhäll J & Jonsson P (2000c) Comparison of temporal trends (1940s-1990s) of DDT and PCB in Baltic sediment

- and biota in relation to eutrophication. *Ambio*, 29:195-201.
- Omnell M, Sim F, Keeler RF, Harne L & Brown KS (1990) Expression of *Veratrum* teratogenicity in the mouse. *Teratology*, 42:105-119.
- Oppenheimer JH, Schwartz HL & Strait KA (1995) An integrated view of thyroid hormone actions *in vivo*. In: Weintraub BD, ed. *Molecular Endocrinology: Basic Concepts and Clinical Interpretations*. New York: Raven Press, pp. 246-268.
- Orn U & Klasson Wehler E (1998) Metabolism of 2,2,4,4-tetrabromodiphenyl ether in rat and mouse. *Xenobiotica*, 28:199-211.
- Osegbe DN, Amaku EO & Nnatu SN (1986) Are changing semen parameters a universal phenomenon? *Eur Urol*, 12:164-168.
- Ostby J, Kelce WR, Lambright C, Wolf CJ, Mann P & Gray LE (1999) The fungicide procymidone alters sexual differentiation in the male rat by acting as an androgen-receptor antagonist *in vivo* and *in vitro*. *Toxicol Ind Health*, 15:80-93.
- Ouellet M, Bonin J, Rodrique J, DesGranges J & Lair L (1997) Hindlimb deformities (ectromelia, ectrodactyly) in free-living anurans from agricultural habitats. *J Wildlife Dis*, 33:95-104.
- Pal-de Bruin KM, Verlooove-Vanhorick SP & Roeleveld N (1997) Change in male:female ratio among newborn babies in Netherlands. *Lancet*, 349:62.
- Palmer B & Palmer S (1995) Vitellogenin induction by xenobiotic estrogens in the red-eared turtle and African clawed frog. *Environ Health Perspect*, 103(Suppl 4):19-25.
- Palmer BD & Guillette LJ Jr (1988) Histology and functional morphology of the female reproductive tract of the tortoise *Gopherus polyphemus*. *Am J Anat*, 183(3):200-211.
- Palmer BD & Guillette LJ Jr (1990) Morphological changes in the oviductal endometrium during the reproductive cycle of the tortoise, *Gopherus polyphemus*. *J Morphol*, 204:323-333.
- Palmer BD & Guillette LJ Jr (1992) Alligators provide evidence for the evolution of an archosaurian mode of oviparity. *Biol Reprod*, 46(1):39-47.
- Palmer BD, Perkins MJ, Massie K, Simon MS & Uribe UCA (1997) Reproductive anatomy and physiology of reptiles: evolutionary and ecological perspectives. In: Ackerman L, ed. *The Biology, Husbandry and Health Care of Reptiles and Amphibians*, Vol. III. T.F.H. Publications, pp.54-87. Neptune City, NJ.
- Palmer JR, Rosenberg L, Clarke EA, Stolley PD, Warshauer ME, Zuber AG & Shapiro S (1991) Breast cancer and cigarette smoking: A hypothesis. *Am J Epidemiol*, 134:1-13.
- Panter GH, Thompson RS, Beresford N & Sumpter JP (1999) Transformation of a non-oestrogenic steroid metabolite to an oestrogenically active substance by minimal bacterial activity. *Chemosphere*, 38:3579-3596.
- Paolucci M, Custodia N & Callard IP (1998) Progesterone effects and receptors, subavian species. In: Knobil E & Neill JD, ed. *Encyclopedia of Reproduction*, Vol. 4, pp. 16-22.
- Papadimas J (1997) Adrenarche. *Ann N Y Acad Sci*, 816:57-59.
- Papalopulu N, Clarke J, Bradley L, Wilkinson D, Krumlauf R & Holder N (1991) Retinoic acid causes abnormal development and segmental patterning of the anteriod hindbrain in *Xenopus* embryos. *Development*, 113:1145-1148.
- Päpke O (1998) PCDD/PCDF: Human background data for Germany, a 10-year experience. *Environ Health Perspect*, 106:723-731.
- Päpke O (2000) Lesson learned on performing more than 15,000 dioxin analysis. *Organohalogen Compounds*, 48:115-118.
- Päpke O, Bathe L, Bergman Å, Fürst P, Meironyté Guvenius D, Herrmann T & Norén K (2001) Determination of PBDEs in human milk from the United States—comparison of results from three laboratories, *Organohalogen Compounds*, 52:197-200.
- Parker KL, Ikeda Y & Luo X (1996) The roles of steroidogenic factor-1 in reproductive function. *Steroids*, 61:161-165.
- Parker SL, Tong T, Bolden S & Wingo RJ (1997) Cancer statistics, 1997. *CA-Cancer J Clin*, 47:5-27.
- Parks LG, Ostby JS, Lambright CR, Abbott BD, Klinefelter GR, Barlow NJ & Gray LE (2000) The plasticizer diethylhexyl phthalate induces malformations by decreasing fetal testosterone synthesis during sexual differentiation in the male rat. *Toxicol Sci*, 58:339-349.
- Parks LG, Lambright CS, Orland EF, Guillette LJ Jr, Ankley GT, Gray LE Jr (2001) Masculinization of female mosquito fish in Kraft mill effluent-contaminated Fenolloway River water is associated with androgen receptor agonist activity. *Toxicol. Sci*, 62(2):257-267.
- Parma P, Pailhoux E, Puissant C & Cotinot C (1997) Porcine DAX-1 gene: Isolation and expression during gonadal development. *Mol Cell Endocrinol*, 135:49-58.
- Patandin S, Lanting CI, Mulder PGH, Boersma ER, Sauer PJ & Weisglas-Kuperus N (1999) Effects of environmental exposure to polychlorinated biphenyls and dioxins on cognitive abilities in Dutch children at 42 months of age. *J Pediatr*, 134:33-41.
- Patyna P, Thomas P & Cooper K (1999) Multigenerational reproductive effects of DBP in Japanese medaka (*Oryzias latipes*). *Toxicologist*, 48(Suppl 1-S): A1236, p. 262.
- Paulozzi LJ (1999) International trends in rates of hypospadias and cryptorchidism. *Environ Health Perspect*, 107:297-302.
- Paulozzi LJ, Erickson D & Jackson RJ (1997) Hypospadias trends in two US surveillance systems. *Pediatrics*, 100:831-834.
- Paulsen CA, Berman NG & Wang C (1996) Data from men in greater Seattle area reveals a downward trend in semen quality: Further evidence that deterioration of semen quality is not geographically uniform. *Fertil Steril*, 65:1015-1020.
- Paulson KE, Darnell J Jr & Rushmore T (1990) Analysis of the upstream elements of the xenobiotic compound-inducible and positionally regulated glutathione S-transferase Ya gene. *Mol Cell Biol*, 10:1841-1852.
- Paustenbach DJ (2000) The practice of exposure assessment: A state-of-the-art review. *J Toxicol Environ Health, Part B* 3:179-291.
- Pauwels AC, Peter HS & Paul JC (2000) Comparison of chemically activated luciferase gene expression bioassay and gas chromatography for PCB determination in human serum and follicular fluid. *Environ Health Perspect*, 108:552-557.
- Peakall DB (1970a) Pesticides and the reproduction of birds. *Sci Am*, 222:72-78.
- Peakall DB (1970b) *p,p'*-DDT: Effect on calcium metabolism and concentration of estradiol in the blood. *Science*, 168:592-594.
- Peakall DB (1986) Accumulation and effects on birds. In: Waid JS, ed. *PCBs in the Environment*, Vol. II. Boca Raton, FL: CRC Press, pp. 31-47.
- Peakall DB (1988) Known effects of pollutants on fish-eating birds in the Great Lakes of North America. In: Schmidtke NW, ed.

- Toxic Contamination in Large Lakes, Vol. II. Chronic Effects of Toxic Contaminants in Large Lakes. Chelsea, MI: Lewis Publishers, pp. 39-54.
- Peakall DB & Peakall ML. (1973) Effect of a polychlorinated biphenyl on the reproduction of artificially and naturally incubated dove eggs. *J Appl Ecol*, 10:863-868.
- Peakall DB, Miller DS & Kinter WB (1975) Blood calcium levels and the mechanism of DDE-induced eggshell thinning. *Environ. Pollut.*, 9:289-294.
- Pechmann JHK & Wilbur HM (1994) Putting amphibian declines into perspective: Natural fluctuations and human impacts. *Herpetologica*, 50:65-84.
- Pechmann JHK, Scott DE, Semlitsch RD, Caldwell JP, Vitt LJ & Gibbons JW (1991) Declining amphibian populations: The problem of separating human impacts from natural fluctuations. *Science*, 253:892-895.
- Pederson JF (1980) Ultrasound evidence of sexual difference in fetal size in first trimester. *Brit Med J* 281:1253.
- Pekarik C & Weseloh DV (1998) Organochlorine contaminants in herring gull eggs from the Great Lakes, 1974-1995: Change point regression analysis and short-term regression. *Environ Monit Assess*, 53:77-115.
- Pelissero C, Bennetau B, Babin P, Le Menn F & Dunogues L (1991a) The estrogenic activity of certain phytoestrogens in the Siberian sturgeon, *Acipenser baeri*. *J Steroid Biochem Molec Biol*, 38(3):293-299.
- Pelissero C, Le Menn F & Kaushick S (1991b) Estrogenic effect of dietary soya bean meal on vitellogenesis in cultured Siberian sturgeon *Acipenser baeri*. *Gen Comp Endocrinol*, 83:447-457.
- Pellegrini M, Pantano S, Lucchini F, Fumi M & Forabosco A (1997) Emx2 developmental expression in the primordia of the reproductive and excretory systems. *Anal Embryol*, (Berlin) 196:427-433.
- Pepper G, Brenner S & Gabrilove J (1990) Ketoconazole use in the treatment of ovarian hyperandrogenism. *Fertil Steril*, 54:38-44.
- Pergament E, Fidler M, Cho N, Johnson D & Holmgren WJ (1994) Sexual differentiation and preimplantation cell growth. *Hum Reprod*, 9:1730-1732.
- Perttilä M, Stenman O, Pyysalo H & Wickstrom K (1986) Heavy metals and organochlorine compounds in seals in the Gulf of Finland. *Mar Environ Res*, 18:43-59.
- Petersen, GI, Gerup J, Nilsson L, Larsen JR & Schneider R (1997) Body burdens of lipophilic xenobiotics and reproductive success in Baltic cod (*Gadus morhua* L.). International Council for the Exploration of the Sea, Copenhagen, ICES CM 1997/U:10, 22 pp.
- Peterson RE, Theobald HM & Kimmel GL (1993) Developmental and reproductive toxicity of dioxins and related compounds: Crossspecies comparisons. *Crit Rev Toxicol*, 23(3):283-335.
- Petrakis NL, Barnes S, King EB, Lowenstein J, Wiencke J, Lee MM, Miike R, Kirk M & Coward L (1996) Stimulatory influence of soy protein isolate on breast secretion in pre- and postmenopausal women. *Cancer Epidemiol Biomark Prev*, 5:785-794.
- Philips DIW, Barker DJP, Fall CHD, Seckl JR, Whorwood CB & Wood PJ (1998) Elevated plasma cortisol concentrations: an expression for the relationship between low birth weight and adult cardiovascular risk factors. *J Clin Endocrinol Metab*, 83:757-760.
- Phipps WR, Martini MC, Lampe JW, Slavin JL & Kurzer MS (1993) Effect of flaxseed ingestion on the menstrual cycle. *J Clin Endocrinol Metab*, 77:1215-1219.
- Pickford D & Morris I (1999) Effects of endocrine-disrupting chemicals on amphibian oogenesis: methoxychlor inhibits progesterone-induced maturation of *Xenopus laevis* oocytes *in vitro*. *Environ Health Perspect*, 107:285-292.
- Pierotti R (1981) Male and female parental roles in the Western Gull under different environmental conditions. *Auk*, 98:532-549.
- Piferrer F, Baker IJ & Donaldson EM (1993) Effects of natural, synthetic, aromatizable and non-aromatizable androgens in inducing male sex differentiation in genotypic female Chinook salmon (*Oncorhynchus tshawytscha*). *Gen Comp Endocrinol*, 91:59-65.
- Piferrer F, Zanuy S, Carrillo M, Solar II, Devlin RH & Donaldson EM (1994) Brief treatment with an aromatase inhibitor during sex differentiation causes chromosomally female salmon to develop as normal, functional males. *J Exp Zool*, 270:255-262.
- Pike MC, Spicer DV, Dalmouth L & Press MF (1993) Estrogens, progestins, normal breast cells, and breast cancer risk. *Epidemiol Rev*, 15:17-35.
- Pinter J & Thomas P (1997) The ovarian pregestogen receptor in the spotted seatrout, *Cynoscion nebulosus*, demonstrates steroid specificity intermediate between progesterone and glucocorticoid receptors in other vertebrates. *Journal of Steroid Biochemistry and Molecular Biology* 60(1-2):113-119.
- Plosker GL & Brogden RN (1996) Serenoa repens (Permixon). A review of its pharmacology and therapeutic efficacy in benign prostatic hyperplasia. *Drugs Aging*, 9(5):379-395.
- Pluim HJ, de Vijlder JJM, Olie K, Kok JH, Vulsma T, van Tijn DA, van Slikke JW & Koppe JG (1993) Effects of pre- and postnatal exposure to chlorinated dioxins and furans on human neonatal thyroid hormone concentrations. *Environ Health Perspect*, 101:504-508.
- Pockier Y, Beug WM & Ainardi VR (1971) Carbonic anhydrase interaction with DDT, DDE and dieldrin. *Science*, 174:1336-1339.
- Poellinger L (2000) Mechanistic aspects—the dioxin (aryl hydrocarbon) receptor. *Food Addit Contam*, 17:261-266.
- Poland A & Glover E (1977) Stereospecific, high affinity binding of 2,3,7,8-tetrachlorodibenzo-p-dioxin by hepatic cytosol. Evidence that the binding species is a reporter for induction of aryl hydrocarbon hydroxylase. *J Biol Chem* 254(16):4936-4946.
- Pollard M, Wolter W, Sun L (2000) Prevention of induced prostate-related cancer by soy protein isolate/isoflavone-supplemented diet in Lobund-Wistar rats. *In Vivo*, 14(3):389-392.
- Polson DW, Adams J, Wadsworth J & Franks S (1988) Polycystic ovaries—a common finding in normal women. *Lancet*, 1(8590):870-872.
- Pomerantz SM, Roy MM, Thorton JE & Goy RW (1985) Expression of adult female patterns of sexual behavior by male, female, and pseudohermaphroditic female rhesus monkeys. *Biology of Reproduction* 33(4):878-889.
- Pomeroy SE & Barrett GW (1975) Dynamics of enclosed small mammal populations in relation to an experimental pesticide application. *Am Mid Naturalist*, 93:91-106.
- Porterfield SP (1994) Vulnerability of the developing brain to thyroid abnormalities: environmental insults to the thyroid system. *Environ Health Perspect*, 102:125-130.
- Porterfield SP & Hendry LB (1998) Impact of PCBs on thyroid hormone directed brain development. *Toxicol Ind Health*, 14:103-120.

- Potashnik G, Goldsmith J & Insler V (1984) Dibromochloropropane-induced reduction of the sex ratio in man. *Andrologica*, 16:213-218.
- Potischman N, Hoover RN, Brinton LA, Sitteri P, Dorgan JF, Swanson CA, Berman ML, Mortel R, Twiggs LB, Barrett RJ, Wilbanks GD, Persky V & Lurain JR (1996) Case-control study of endogenous steroid hormones and endometrial cancer. *J Natl Cancer Inst*, 88:1127-1135.
- Prahala S, Tarantal AF, Harris GS, Ellsworth KP, Clarke AP, Skiles GL, MacKenzie KI, Kruk LF, Ablin DS, Cukierski MA, Peter CP, van Zwieten MJ & Hendrickx AG (1997) Effects of finasteride, a type 2,5-alpha reductase inhibitor, on fetal development in the rhesus monkey (*Macaca mulatta*). *Teratology*, 55:119-131.
- Price D & Williams-Ashman HG (1961) The accessory reproductive glands of mammals. In: Young WC, ed. *Accessory Mammalian Reproductive Glands in Sex and Internal Secretions*, Vol. 1. Baltimore, MD: Williams and Wilkins Co., pp. 366-448.
- Price IM & Weseloh DV (1986) Increased numbers and productivity of double-crested cormorants (*Phalacrocorax auritus*) on Lake Ontario. *Canad Field Natural*, 100:474-482.
- Price LJ & Depledge MH (1998) Effects of the xenoestrogen nonylphenol on the polychaete *Dinophilus gyrociliatus* [Abstract]. Abstracts of the 8th Annual meeting of SETAC Europe, 3h/P008.
- Prins GS (1987) Prolactin influence on cytosol and nuclear androgen receptors in the ventral, dorsal, and lateral lobes of the rat prostate. *Endocrinol*, 120:1457-1464.
- Prins GS (1997) Developmental estrogenization of the prostate gland. In: Naz RK, ed. *Prostate: Basic and Clinical Aspects*. Boca Raton, FL: CRC Press.
- Prins GS & Lee C (1983) Biphasic response of the rat lateral prostate to increasing levels of serum prolactin. *Biol Reprod*, 29:938-945.
- Probst MR, Reisz-Porszasz S, Agbunag RV, Ong MS & Hankinson O (1993) Role of the aryl hydrocarbon receptor nuclear translocator protein in aryl hydrocarbon (dioxin) receptor action. *Mol Pharmacol*, 44:511-518.
- Purdom CE, Hardiman PA, Bye VJ, Eno NC, Tyler CR & Sumpter JP (1994) Estrogenic effects of effluents from sewage treatment works. *Chem Ecol*, 8:275-285.
- Quattrochi LC & Tukey RH (1989) The human cytochrome Cypl A2 gene contains regulatory elements responsive to 3-methylcholanthrene. *Mol Pharmacol*, 36:66-71.
- Quigley CA, De Bellis A, Marschke KB, el-Awady MK, Wilson EM & French FS (1995) Androgen receptor defects: historical, clinical, and molecular perspectives. *Endocrinol Rev*, 16:271-321.
- Rajfer J & Coffey DS (1978) Sex steroid imprinting prostate. Long term effects. *Invest Urol*, 16:186-190.
- Rajfer J & Coffey DS (1979) Effects of neonatal steroids on male sex tissues. *Invest Urol*, 17:3-8.
- Raman-Wilms L, Lin-in-Tseng A, Wighardt S, Einarsen TR & Koren G (1995) Fetal genital effects of first trimester sex hormone exposure: A meta-analysis. *Obstet Gynecol*, 85:141-149.
- Rasmussen PE, Erb K, Westergaard LG & Laursen SB (1997) No evidence of decreasing semen quality in four birth cohorts of 1055 Danish men born between 1950 and 1970. *Fertil Steril*, 68:1059-1064.
- Reed L & Pangaro LN (1995) Physiology of the thyroid gland. I: Synthesis and release, iodine metabolism and binding and transport. In: Becker KL, ed. *Principles and Practice of Endocrinology* and Metabolism, Second Edition. Philadelphia, PA: Lippincott, pp. 285-291.
- Reggiani G (1978) Medical problems raised by the TCDD contamination in Seveso, Italy. *Arch Toxicol*, 40:161-168.
- Rehan NE, Sobrero AJ & Fertig JW (1975) The semen of fertile men: statistical analysis of 1300 men. *Fertil Steril*, 26:492-502.
- Reichman ME, Judd JT & Longcope C (1993) Effect of alcohol consumption on plasma and urinary hormone concentrations in premenopausal women. *J Natl Cancer Inst*, 85:722-727.
- Reijnders PJH (1980) Organochlorine and heavy metal residues in harbour seals from the Wadden Sea and their possible effects on reproduction. *Neth J Sea Res*, 14:30-65.
- Reijnders PJH (1986) Reproductive failure in common seals feeding on fish from polluted coastal waters. *Nature*, 324:456-457.
- Reijnders PJH (1990) Progesterone and oestradiol-17 $\beta$  concentration profiles throughout the reproductive cycle in harbour seals (*Phoca vitulina*). *J Reprod Fert*, 90:403-409.
- Reijnders PJH (1999) Reproductive and developmental effects of endocrine disrupting chemicals on marine mammals. In: O'Shea TJ, Reeves RR & Long KA, eds. *Marine mammals and Persistent Ocean Contaminants: Proceedings of the Marine Mammal Commission Workshop*. Keystone, Colorado, 12-15 October 1998, pp. 139-143.
- Reijnders PJH & Brasseur SMJM (1992) Xenobiotic induced hormonal and associated developmental disorders in marine organisms and related effects in humans. In: Colborn T & Clement C, eds. *Chemically Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co., pp. 131-146.
- Reijo R, Lee TY, Salo P, Alagappan R, Brown LG, Rosenberg M, Rozen S, Jaffe T, Straus D, Hovatta O, de la Chapell A, Silber S & Page DC (1995) Diverse spermatogenic defects in humans caused by Y chromosome deletions encompassing a novel RNA-binding protein gene. *Nat Genet*, 10:383-393.
- Reiter LW, DeRosa C, Kavlock RJ, Lucier G, Mac MJ, Melillo J, Melnick RL, Sinks T & Walton B (1998) The US federal framework for research on endocrine disruptors and an analysis of research programs supported during fiscal year 1996. *Environ Health Perspect*, 106:105-113.
- Ren XQ, Su XD, Huang AJ, Sun YL & Sun ZP (2000) Selectivity difference between carboxyethyl-beta-cyclodextrin and carboxymethyl-beta-cyclodextrin in enantioseparations of drugs by capillary electrophoresis. *Chromatographia*, 51:634-637.
- Restrepo M, Munoz N, Day N, Parra JE, Hernandez C, Blettner M & Giraldo A (1990) Birth defects among children born to a population occupationally exposed to pesticides in Columbia. *Scand J Work Environ Health*, 16:239-246.
- Reuber MD (1979) Carcinogenicity of lindane. *Environ Res*, 19:460-481.
- Reuber MD (1980) Carcinogenicity and toxicity of methoxychlor. *Environ Health Perspect*, 36:205-219.
- Revelli A, Massobrio M & Tesarik J (1998) Nongenomic actions of steroid hormones in reproductive tissue. *Endocrine Reviews*, 19:3-17.
- Rhen T & Lang JW (1994) Temperature-dependent sex determination in the snapping turtle: manipulation of the embryonic sex steroid environment. *Gen Comp Endocrinol*, 96(2):243-254.
- Richard-Mercier N, Dorizzi M, Desvages G, Pieau, GM and C (1995) Endocrine sex reversal of gonads by the aromatase inhibitor