

- Bureau, S., Zebühr, Y., Ishaq, R. and Broman D., 2000. Comparison of biomagnification of PBDEs in food chains from the Baltic Sea and the Northern Atlantic Sea. *Organohalogen Compounds* 47: 253-255.
- Bureau, S., Zebühr, Y., Broman, D. and Ishaq, R. 2004. Biomagnification of polychlorinated biphenyls (PCBs) and polybrominated diphenyl ethers (PBDEs) studies in pike (*Esox lucius*), perch (*Perca fluviatilis*) and roach (*Rutilus rutilus*) from the Baltic Sea. *Chemosphere* 55: 1043-1052.
- Butt, C.M., Diamond, M.L., Truong, J., Ikonomou, M.G. and ter Schure, A. 2004. A Spatial Distribution of Polybrominated Diphenyl Ethers in Southern Ontario as Measured in Indoor and Outdoor Window Organic Films. *Environ. Sci. Technol.* 38: 724-731.
- Carlson, G.P. 1980. Induction of xenobiotic metabolism in rats by brominated diphenyl ethers administered for 90 days. *Toxicol. Lett.* 6:207-12.
- Christensen, J.H., Glasius, M., Pécseli, M., Platz, J. and Pritzl, G. 2002. Polybrominated diphenyl ethers (PBDEs) in marine fish and blue mussels from southern Greenland. *Chemosphere* 47: 631-638.
- CITI. 2000. The bioaccumulation of compound S512 by carp. Chemical Biostesting Center, Chemicals Inspection and Testing Institute, Tokyo. As cited in: Risk Assessment of Diphenyl Ether, Pentabromoderivative, Commission of the European Communities, 2000.
- Committee on toxicity of chemicals in food consumer products and the environment. COT statement on brominated flame retardants in fish from Skerne-Tees rivers system. 2004. <http://www.food.gov.k/multimedia/pdfs/bfrstatement.pdf>
- Covaci, A., Gheorghe, A., Steen Redeker, E., Blust, R. and Schepens, P. 2002a. Distribution of organochlorine and organobromine pollutants in two sediment cores from the Scheldt estuary (Belgium). *Organohalogen Compounds* 57: 239-242.
- Covaci, A., Van de Vijver, K., DeCoen, W., Das, K., Bouqueugneau, J.M., Blust, R. and Schepens, P. 2002b. Determination of organohalogenated contaminants in liver of harbour porpoises (*Phocoena phocoena*) stranded on the Belgian North Sea coast. *Mar. Pollut. Bull.* 44: 1157-1165.
- Danish EPA. 1999. Brominated flame retardants. Substance flow analysis and assessment of alternatives.
- Darnerud, P.O. 2003. Toxic effects of brominated flame retardants in man and wildlife. *Environ. Int.* 29: 841-853.
- Darnerud, P.O., Aune, M., Atuma, S., Becker, W., Bjerselius, R., Cnattingius, S. and Glynn, A. 2002. Time trend of polybrominated diphenyl ether (PBDE) levels in breast milk from Uppsala, Sweden, 1996-2001. *Organohalogen Compd.* 58: 233-236.
- de Wit, C., Alaee, M. and Muir, D. 2004. Brominated flame retardants in the Arctic – an overview of spatial and temporal trends. *Organohalogen Compounds* 66: 3764-3769.
- D'Silva, K., Thompson, H., Fernandes, A. and Duff, M. 2004. PBDEs in Heron Adipose Tissue and Eggs from the United Kingdom. Abstract. BFR 2004.

Ebert, J. and Bahadir, M. 2003. Formation of PBDD/F from flame retarded plastic materials under thermal stress. Environ. Int. 29: 711-716.

EMEP. 2004. New substances: Model assessment of potential for long-range transboundary atmospheric transport and persistence of PentaBDE. EMEP contribution to the preparatory work for the review of the CLRTAP protocol on POPs. Information note 10/2004.

Environment Canada. 2006. Ecological Screening Assessment Report on Polybrominated Diphenyl Ethers (PBDEs). January 2006.

Eriksson, P., Jakobsson, E. and Fredriksson, A. 2001. Brominated flame retardants: a novel class of developmental neurotoxicants in our environment? Environmental Health Perspectives 109: 903-8.

EU. 2000. Risk Assessment of Diphenyl Ether, Pentabromoderivative (Pentabromodiphenyl Ether). CAS Number: 32534-81-9, EINECS Number: 251-084-2. Final Report of August 2000, Commission of the European Communities. Rapporteur: United Kingdom.

Fabrelas, B., Larrazabal, D., Martinez, M.A., Eljarrat, E. and Barceló, D. 2004. Presence of polybrominated diphenyl ethers in Spanish sewage sludges: important contribution of deca-BDE. Organohalogen Compounds. 66: 3755-3760.

Fängström, B., Strid, A., Athanassiadis, I., Grandjean, P., Wiehe, P. and Bergman Å. 2004. A retrospective study of PBDEs in human milk from the Faroe Islands. The third international workshop on brominated flame retardants, BFR 2004.

Fängström, B., Strid, A. and Bergman, Å. 2005. Rapport til Naturvårdsverket för prosjektet "Analys av polybromerade difenylestrar (PBDE) och hexabromcyklokkodekan (HBCDD) i human mjölk från Stockholm – en tidstrend studie. (Dnr 721-2653-05Mm) Stockholm 2005-11-23.

Fjeld E., Mariussen, M., Strand-Andersen, M., Hjerpet, M. og Schlabach M. 2003. Bioakkumulering og fordeling av polybromerte difenylesterer i norske innsjøer. NFRs program for forurensninger: kilder, spredning, effekter og tiltak (ProFO). Foredrag, forskerseminar 15. okt. 2003, Olavsgård hotell.

Fjeld, E., Schlabach, M., Berge, J.A., Eggen, T., Snilsberg, P., Källberg, G., Rognerud, S., Enge, E.K., Borgen, A. and Gundersen, H. 2004. Kartlegging av utvalgte nye organiske miljøgifter – bromerte flammehemmere, klorerte parafiner, bisfenol A og triclosan (Screening of selected new organic contaminants – brominated flame retardants, chlorinated paraffins, bisphenol-A and triclosan). NIVA-rapport 4809-2004, Oslo. (SFT: TA-2006). 106 sider.

Fjeld, E. et al. 2005. Screening of selected new organic contaminants 2004. Brominated flame retardants, perflourated alkylated substances, irgarol, diuron, BHT and dicofol. NIVA-report 5011-2005, Oslo, pp. 97.

Fredonia Group. 2005. Specialty Plastic Additives to 2009. Study # 1961. Available for a fee from [www.fredonia.ecnext.com](http://www.fredonia.ecnext.com) (accessed July 2006).

Gabrielsen, G.W., Knudsen, L.B., Verreault, J., Push, K., Muir, D.C. and Letcher, J. 2004. Halogenated organic contaminants and metabolites in blood and adipose tissues of polar bears (*Ursus maritimus*) from Svalbard. SFT-report 915/2004. [www.sft.no](http://www.sft.no)

- Geyer, H. J., Schramm, K.W., Darnerud, P.O., Aune, M., Henkelmann, B., Lenoir, D., Schmid, P. and McDonald, T.A., 2004. Terminal elimination half-lives of the brominated flame retardants TBBPA, HBCD and lower brominated PBDEs in humans. *Organohalogen compounds* 66:3820-3825.
- Gouin, T., Thomas, G.O., Cousins, I., Barber, J., Mackay, D. and Jones, K.C. 2002. Air-Surface Exchange of Polybrominated Diphenyl Ethers and Polychlorobiphenyls. *Environ. Sci. Technol.* 36: 1426-1434.
- Gouin, T. and Harner, T. 2003. Modelling the Environmental Fate of the PBDEs. *Environment International*. 29:717-724.
- Great Lakes Chemical Corporation (1984). 90-day dietary study in rats with pentabromodiphenyl oxide (DE-71). Final report. 1984. Report No.: Project No. WIL-12011, WIL Research Laboratories, Inc.
- Hale, R.C., La Guardia, M.J., Harvey, E.P. and Mainor, M. 2002. Potential role of fireretardant-treated polyurethane foam as a source of brominated diphenyl ethers to the US environment. *Chemosphere*. 46: 729-735.
- Hall, A.J., Kalantzi, O.I. and Thomas, G.O. 2003. Polybrominated diphenyl ethers (PBDEs) in grey seals during their first year of life – are they thyroid hormone endocrine disrupters ? *Environmental Pollution* 126: 29-37.
- Harden, F.A, Toms, L.M.L, Ryan, J.J. and Mueller, J. F. 2004. Determination of the levels of polybrominated diphenylethers (PBDEs) in pooled blood sera obtained from Australians aged 31-45 years. In: Proceedings of the Third International Workshop on Brominated Flame Retardants, June 6-9 2004, Toronto, Canada: 59-62
- Harden, F., Müller, J. and Toms, L. 2005, Organochlorine Pesticides (OCPs) and Polybrominated Diphenyl Ethers (PBDEs) in the Australian Population: Levels in Human Milk, Environment Protection and Heritage Council of Australia and New Zealand  
[http://www.ephc.gov.au/pdf/EPHC/OCP\\_PBDE\\_human\\_milk\\_jan%202005.pdf](http://www.ephc.gov.au/pdf/EPHC/OCP_PBDE_human_milk_jan%202005.pdf)
- Harner, T., Ikonomou, M., Shoeib, M., Stern, G. and Diamond, M. 2002. Passive air sampling results for polybrominated diphenyl ethers along an urban-rural transect. 4<sup>th</sup> Annual Workshop on Brominated Flame Retardants in the Environment, June 17-18, Canada centre for Inland Waters, Burlington, Ontario, pp. 51-54.
- Harrad, S. and Hunter, S. 2004. Spatial Variation in Atmospheric Levels of PBDEs in Passive Air Samples on an Urban-Rural Transect. *Organohalogen Compounds*. 66: 3786-3792.
- Harrad, S., Wijesekara, R., Hunter, S., Halliwell, C. and Baker, R. 2004. Preliminary Assessment of UK Human Dietary and Inhalation Exposure to Polybrominated Diphenyl Ethers. *Environ. Sci. Technol.* 38: 2345-2350.
- Hassanin, A., Breivik, K., Meijer, S.N., Steinnes, E., Thomas, G.O. and Jones, K.C. 2004. PBDEs in European Background Soils: Levels and Factors Controlling Their Distribution. *Environ. Sci. Technol.* 38: 738-745.

Hayakawa K, Takatsuki H, Watanabe I, and Sakai S. 2004. Polybrominated diphenyl ethers (PBDEs), polybrominated dibenzo-p-dioxins/dibenzofurans (PBDD/Fs) and monobromo-polychlorinated dibenzofurans (MoBPXDD/Fs) in the atmosphere and bulk deposition in Kyoto, Japan. Chemosphere 57: 343-356.

He, J., Robrock, K.R. and Alvarez-Cohen, L. 2006. Microbial Reductive Debromination of Polybrominated Diphenyl Ethers (PBDEs). Environ. Sci. Technol. 40: 4429-4434.

Herzke, D., Gabrielsen, G.W., Evensen, A. and Burkow, I.C. 2003. Polychlorinated camphenes (toxaphenes), polybrominated diphenylethers and other halogenated organic pollutants in Glaucous Gull (*Ularus hyperboreus*) from Svalbard and Bjørnøya (Bear Island). Environmental Pollution 121: 293-300.

Herzke, D., Berger, U., Kallenborn, R., Nygård, T. and Vetter, W. 2005. Brominated flame retardants and other organobromines in Norwegian predatory bird eggs. Chemosphere 61: 441-449.

Hites, R.A. 2004. Polybrominated Diphenyl Ethers in the Environment and in People: A Meta-Analysis of Concentrations. Environ. Sci. Technol. 38: 945-956.

Hoh, E. and Hites, R.A. 2005. Brominated Flame Retardants in the Atmosphere of the East-Central United States. Environ. Sci. Technol. 39: 7794-7802.

Huwe, J.K. and Larsen, G.L. 2005. Polychlorinated Dioxins, Furans, and Biphenyls, and Polybrominated Diphenyl Ethers in a U.S. Meat Market Basket and Estimates of Dietary Intake. Environ. Sci. Technol. 39: 5606-5611.

Ikonomou, M.G., Raine, S. and Adisson, R.F. 2002. Exponential Increases of the Brominated Flame Retardants Polybrominated Diphenyl Ethers, in the Canadian Arctic From 1981-2000. Environ. Sci. Technol. 36: 1886-1892.

International Environment Reporter. 2006. Material available for a fee – see [www.bna.com](http://www.bna.com).

Jacobsson, K., Thuresson, K., Rylander, L., Sjödin, A., Hagnar, L. and Bergman, A. 2002. Exposure to polybrominated diphenyl ethers and tetrabromobisphenol A among computer technicians. Chemosphere 46: 709-716.

Jaspers, V., Covaci, A., Maervoet, J., Dauwe, T., Schepens, P. and, M. 2004. Brominated flame retardants in Belgian little owl (*Athene noctua*) eggs. Organohalogen Compounds 66: 3856-3860.

Jaward, F.M., Farrar, N.J., Harner, T., Sweetman, A.J. and Jones, K.C. 2004. Passive Air Sampling of PCBs, PBDEs, and Organochlorine Pesticides Across Europe. Environ. Sci. Technol. 38: 34-41.

Johnson-Restrepo, B., Kannan, K., Rapaport, D.P., and Rodan, B.D. 2005. Polybrominated Diphenyl Ethers and Polychlorinated Biphenyls in Human Adipose Tissue from New York. Environ. Sci. Technol. 39: 5177-5182.

Kajiwara, N., Ueno, D., Takahashi, A., Baba, N. and Tanabe, S. 2004. Polybrominated Diphenyl Ethers and Organochlorines in Archived Northern Fur Seals Samples From The Pacific Coast of Japan, 1972-1998. Environ. Sci. Technol. 38: 3804-3809.

Kannan, K., Ramu, K., Kajiwara, N., Sinha, R.K. and Tanabe, S. 2005. Organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in Irrawaddy dolphins from India. Arch. Environ. Contamination 49: 415-420.

Källqvist, T., Grung, M. and Tollefsen, K-E. Chronic toxicity of 2,4,2',4'-tetrabromodiphenyl ether (BDE-47) on the marine alga *Skeletonema costatum* and the crustacean *Daphnia magna*. Environmental Toxicology and Chemistry (accepted for publication).

Kierkegaard, A., Bignert, A., Sellström, U., Olsson, M., Asplund, L., Jansson, B. and de Wit, C.A. 2004a. Polybrominated diphenyl ethers (PBDEs) and their methoxylated derivatives in pike from Swedish waters with emphasis on temporal trends, 1967-2000. Environmental Pollution 130: 187-198.

Knudsen, L. B., Gabrielse, G. W., Verreault, J., Barrett, R., Skåre, J.U., Polder, A. and Lie, E. 2005. Temporal trends of brominated flame retardants, cyclododeca-1,5,9-triene and mercury in eggs of four seabird species from Northern Norway and Svalbard. SFT-report 942/2005.

Koizumi, A., Yoshinaga, T., Harada, K., Inoue, K., Morikawa, A., Muroi, J., Inoue, S., Eslami, B., Fujii, S., Fujimine, Y., Hachiya, N., Koda, S., Kusaka, Y., Murata, K., Nakatsuka, N., Omae, K., Saito, N., Shimbo, S., Takenaka, K., Takeshita, T., Todoriki, H., Wada, Y., Watanabe, T. and Ikeda, M. 2006. Assessment of human exposure to polychlorinated biphenyls and polybrominated diphenyl ethers in Japan using archived samples from the early 1980s and mid-1990s. Environmental Res. Accepted for publication December 2004, still 'in press' when accessed at [www.elsevier.com/locate/envres](http://www.elsevier.com/locate/envres) in June 2006.

Kuriyama, S.N., Talsness, C.E., Grote, K. and Chahoud, I. 2005. Developmental exposure to low dose PBDE-99: effects on male fertility and neurobehavior in rat offspring. Environmental Health Perspectives 113(2): 149-54.

Law, R. J., Alaee, M., Allchin, C.R., Boon, J.P., Lebeuf, M., Lepom, P. and Stern, G.A. 2003. Levels and trends of polybrominated diphenylethers and brominated flame retardants in wildlife. Environment International 29: 757-770.

Law, R.J., Allchin, C.R., de Boer, J., Covaci, A., Herzke, D., Lepom, P., Morris, S., Tronczynski, J. and de Wit, C.A. 2005. Levels and Trends of Brominated Flame Retardants in European and Greenland Environments. Chemosphere 64: 187-208.

Lee, R.G.M., Thomas, G.O. and Jones, K.C. 2004. PBDEs in the Atmosphere of Western Europe. Environ. Sci. Technol. 38: 699-706.

Lindberg, P., Sellström, U., Häggberg, L. and de Wit, C.A. 2004. Higher Brominated Diphenyl Ethers and Hexabromocyclododecane Found in Eggs of Peregrine Falcons (*Falco peregrinus*) Breeding in Sweden. Environ. Sci. Technol. 38: 93-96.

Lithner, G., Holm, K. and Ekström, C. 2003. Metaller och organiska miljögifter i vattenlevande organismer och deras miljö i Stockholm 2001. ITM Rapport 108, 87 pp., Institute of Applied Environmental Research (ITM), Stockholm University, Stockholm, Sweden, ISBN 91-631-3758-5 (in Swedish).

López, D., Athanasiadou, M. and Athanassiadis, I. 2004. A preliminary study on PBDEs and HBCD in blood and milk from Mexican women. The third international workshop on brominated flame retardants, BFR 2004.

Magnusson, K., Agrenius, S. and Ekelund, R. 2003. Distribution of a tetrabrominated diphenyl ether and its metabolites in soft-bottom sediment and macrofauna species. Mar. Ecol. Prog. Ser. 255: 155-170.

Marsch, G., Athanasiadou, M., Bergman, Å. and Asplund, L. 2004. Identification of Hydroxylated and Methoxylated Polybrominated Diphenyl Ethers in Baltic Sea salmon (*Salmo salar*) Blood. Environ. Sci. Technol. 38: 10-18.

Matcheko, N., Tysklind, M., de Wit, C., Bergek, S., Andersson, R. and Sellström, U. 2002. Application of sewage sludge to arable land – soil concentrations of polybrominated diphenyl ethers and polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls, and their accumulation in earth worms. Environ. Toxicol. Chem. 21: 2515-2525.

Meerts, I.A., Letcher, R.J., Hoving, S., Marsh, G., Bergman, A., Lemmen, J.G., van der Burg, B. and Brouwer, A. 2001. *In vitro* estrogenicity of polybrominated diphenyl ethers, hydroxylated PBDEs, and polybrominated bisphenol A compounds. Environ. Health Perspect. 109(4): 399-407.

Moche, W. and Thanner, G. 2004. Levels of PBDE in effluents and sludge from sewage treatment plants in Austria. Proceedings of the Third International Workshop on Brominated Flame Retardants BFR2004, Toronto, Canada, June 6-9 2004. pp. 167-170.

Morf, L.S., Tremp, J., Huber, Y., Stengele, M. and Zenegg, M. 2005. Brominated flame retardants in waste electrical and electronic equipment: substance flow in a recycling plant. Environ. Sci. Technol. 39: 8691-8699.

Muir, D.C.G., Backus, S., Derocher, A.E., Dietz, R., Evans, T.J., Gabrielsen, G.W., Nagy, J., Norström, R.J., Sonne, C., Stirling, I., Taylor, M.K. and Letcher, R. J. 2006. Brominated flame retardants in polar bears (*Ursus maritimus*) from Alaska, the Canadian Arctic, East Greenland, and Svalbard. Environ. Sci. Technol. 40: 449-455.

Norström, R.J., Simon, M., Moisey, J., Wakeford, B. and Weseloh, D.V.C. 2002. Geographical Distribution (2000) and Temporal Trends (1981-2000) of Brominated Diphenyl Ethers and Hexabromocyclododecane in Guillemot Eggs from Baltic Sea. Environ. Sci. Technol. 37: 5496-5501.

Nylund, K., Asplund, L., Jansson, B., Jonsson, P., Litzén, K. and Sellström, U. 1992. Analysis of some polyhalogenated organic pollutants in sediments and sewage sludge. Chemosphere, 24: 1721-1730.

Päpke, O., Bergman, Å., Fürst, P., Meironyté, G.D., and Herrmann, T. 2001. Determination of PBDEs in human milk from the United States - comparison of results from three laboratories. Organohalogen Compounds. 52: 197-200.

Palm, A. 2001. The Environmental Fate of Polybrominated Diphenyl Ethers in the centre of Stockholm – Assessment of Using a Multimedia Fugacity Model. Master of Science Thesis, Umeå Universitat.

Palm, A., Cousins, I.T., Mackay, D., Tysklind, M., Metcalf, C. and Alaee, M. 2002. Assessing the Environmental Fate of Chemicals of Emerging Concern: A Case Study of the PBDEs. Environ. Poll. 117: 195-213.

Peltola, J. and Yla-Mononen, L. 2001. Pentabromodiphenyl ether as a global POP. TemaNord 2001, vol. 579. Copenhagen: Nordic Council of Ministers; ISBN 92-893-0690-4: 78 pp.

Prevedouros, K., Jones, K.C. and Sweetman, A.J. 2004a. European-Scale Modelling of Concentrations and Distribution of Polybrominated Diphenyl Ethers in the Pentabromodiphenyl Ether Product. Environ. Sci. Technol. 38: 5993-6001.

Prevedouros, K., Jones, K.C. and Sweetman, A.J. 2004b. Estimation of the Production, Consumption, and Atmospheric Emissions of Pentabrominated Diphenyl Ethers in Europe Between 1970 and 2000. Environ. Sci. Technol. 38: 3224-3231.

Ramu, K., Kajiwara, N., Tanabe, S., Lam, P.K.S. and Jefferson, T.A. 2005. Polybrominated diphenyl ethers (PBDEs) and organochlorines in small cetaceans from Hong Kong waters: Levels, profiles and distribution. Marine Poll. Bull. 51: 669-676.

Reistad, T., Mariussen, E. and Fonnum, F. 2002. The effects of polybrominated flame retardants on cell death and free radical formation in cerebellar granule cells. Organohalogen Compd 57: 391-394.

Reistad, T. and Mariussen, E. 2005. A commercial mixture of the brominated flame retardant pentabrominated diphenyl ether (DE-71) induces respiratory burst in human neutrophil granulocytes *in vitro*. Toxicol. Sci. 87: 57-65.

Ryan, J.J., Patry, B., Mills, P. and Beaudoin G. 2002. Recent trends in levels of brominated diphenyl ethers (BDEs) in human milks from Canada. Organohalogen Compounds. 58: 173-176.

Ryan, J.J. 2004. Polybrominated diphenyl ethers (PBDEs) in human milk; occurrence worldwide. The third international workshop on brominated flame retardants, BFR 2004.

Sand, S., von Rosen, D., Eriksson, P., Fredriksson, A., Viberg, H., Victorin, K. and Filipsson, A.F. 2004. Dose-response modeling and benchmark calculations from spontaneous behaviour data on mice neonatally exposed to 2,2',4,4',5-pentabromodiphenyl ether. Toxicol. Sci. 81: 491-501.

Schecter, A., Päpke, O., Tung, K-C., Staskal, D. and Birnbaum, L. 2004. Polybrominated Diphenyl Ethers Contamination of United States Food. Environ. Sci. Technol. 38: 5306-5311.

Schecter, A., Päpke, O., Harris, T.R., Tung, K-C., Musumba, A., Olson, J. and Birnbaum, L. 2006. Polybrominated Diphenyl Ether (PBDE) Levels in an Expanded market basket Survey of United States (US) Food and Estimated PBDE Intake by Age and Gender. Environ. Health. Perspectives. Doi:10.1289/ehp.9121 (prepublication viewed online 13 July 2006).

ter Schure, A.F.H. and Larsson, P. 2002. Polybrominated diphenyl ethers in precipitation in Southern Sweden (Skåne, Lund). Atmos. Environ. 36: 4015-4022.

ter Schure, A.F.H., Larsson, P., Agrell, C., and Boon, J.P. 2004a. Atmospheric Transport of Polybrominated Diphenyl Ethers and Polychlorinated Biphenyls to the Baltic Sea. Environ. Sci. Technol. 38: 1282-1287.

ter Schure, A.F.H., Agrell, C., Bokenstrand, A., Sveder, J., Larsson, P. and Zegers, B.N. 2004b. Polybrominated diphenyl ethers at a solid waste incineration plant. II: atmospheric deposition. Atmos. Environ. 38: 5149-5155.

Sellström, U. 1996. PBDEs in the Swedish environment. Licentiate Thesis, Institute of Applied Research, Stockholm University.

Sellström, U., Bignert, A., Kierkegaard, A., Häggberg, L., de Wit, C.A., Olsson, M. and Jansson, B. 2003. Temporal Trend Studies on Tetra- and Pentabrominated Diphenyl Ethers and Hexabromocyclododecane in Guillemot Eggs From the Baltic Sea. Environ. Sci. Technol. 37: 5496-5501.

Shoeib, M., Harner, T., Ikonomou, M. and Kannan, K. 2004. Indoor and Outdoor Concentrations and Phase Partitioning of Perfluoroalkyl Sulfonamides and Polybrominated Diphenyl Ethers. Environ. Sci. Technol. 38: 1313-1320.

Siddiqi, M.A., Laessig, R.H. and Reed, K.D. 2003. Polybrominated diphenyl ethers (PBDEs): new pollutants – old diseases. Clin Med Res. 1(4):281-90.

Sinkkonen, S., Rantalainen, A.-L., Paasivirta, J. and Lahtiperä, M. 2004. Polybrominated methoxy diphenyl ethers (MeO-PBDEs) in fish and guillemot of Baltic, Atlantic and Arctic environments. Chemosphere 56: 767-775.

Sjödin, A., Patterson, D.G. and Bergman Å. 2003. A review on human exposure to brominated flame retardants – particularly polybrominated diphenyl ethers. Environ. Int. 29: 829-839.

Sjödin, A., Hagmar, L., Klasson-Wehler, E., Kronholm-Diab, K., Jakobsson, E. and Bergman, A. 1999. Flame retardant exposure: polybrominated diphenyl ethers in blood from Swedish workers. Environ. Health perspectives 107: 643-648.

Stapleton, H.M., Letcher, R.J. and Baker, J.E. 2004. Debrominated Diphenyl Ether Congeners BDE 99 and BDE 183 in the Intestinal Tract of the Common Carp (*Cyprinus carpio*). Environ. Sci. Technol. 38: 1054-1061.

Stapleton, H.M., Dodder, N.G., Offenberg, J.H., Schantz, M.M. and Wise, S.A. 2005. Polybrominated Diphenyl Ethers in House Dust and Clothes Dryer Lint. Environ. Sci. Technol. 39: 925-931.

Stoker, T.E., Laws, S.C., Crofton, K.M., Hedge, J.M., Ferrell, J.M. and Cooper, R.L. 2004. Assessment of DE-71, a commercial polybrominated diphenyl ether (PBDE) mixture, in the EDSP male and female pubertal protocols. Toxicol Sci. 78(1): 144-55.

Stoker, T.E., Cooper, R.L., Lambright, C.S., Wilson, V.S., Furr, J. and Gray, L.E. 2005. *In vivo* and *in vitro* anti-androgenic effects of DE-71, a commercial polybrominated diphenyl ether (PBDE) mixture. Toxicol. Appl. Pharmacol. 207(1): 78-88.

Strandberg, B., Dodder, N.G., Basu, I. and Hites, R.A. 2001. Concentrations and Spatial Variations of Polybrominated Diphenyl Ethers and Other Organohalogen Compounds in Great Lakes Air. Environ. Sci. Technol. 35: 1078-1083.

Swiss Agency for the Environment. 2002. Environmentally hazardous substances: Selected polybrominated flame retardants, PBDE and TBBPA – Substance flow analysis. Environmental series No. 338.

Sørmo, E.G., Salmer, M.P., Jenssen, B.M., Hop, H., Bæk, K., Kovacs, K.M., Lydersen, C., Falk-Pettersen, S., Gabrielsen, G.W., Lie, E. and Skaare, J.U. 2006. Biomagnification of brominated flame retardants in the polar bear food chain in Svalbard, Norway. Accepted for publication in Environmental Toxicology and Chemistry.

Talsness, C.E., Shakibaei, M., Kuriyama, S.N., Grande, S.W., Sterner-Kock, A., Schnitker, P., de Souza, C., Grote, K. and Chahoud, I. 2005. Ultrastructural changes observed in rat ovaries following *in utero* and lactational exposure to low doses of a polybrominated flame retardant. *Toxicol. Lett.* 157(3):189-202.

Thomas, G.O., Moss, S.E.W., Asplund, L. and Hall, A.J. 2005. Absorption of decabromodiphenyl ether and other organohalogen chemicals by grey seals (*Halichoerus grypus*). *Environ. Pollut.* 133: 581-6.

Thomsen, C., Frøshaug, M., Becher, G., Kvalem, H.E., Knutsen, H., Alexander, J., Bergsten, C. and Meltzer, H.M. 2004. PBDEs in serum from persons with varying consumption of fish and game. The third international workshop on brominated flame retardants, BFR 2004.

Thomsen, C., Liane, V., Frøshaug, M. and Becher, G. 2005a. Levels of brominated flame retardants in human samples from Norway through three decades. *Organohalogen Compounds*. 67: 658-661.

Thomsen, C., Frøshaug, M., Broadwell, S.L., Becher, G. and Eggesbø, M. 2005b. Levels of brominated flame retardants in milk from the Norwegian Human Milk Study: HUMIS. *Organohalogen Compounds*. 67: 509-512.

Thron, K.U., Bruhn, R. and McLachlan, M.S. 2004. The influence of age, sex, body-condition, and region on the levels of PBDEs and toxaphene in harbour porpoises from European waters. *Fresenius Environ. Bull.* 13: 146-155.

Timme-Laragy, A.R., Levin, E.D. and Di Giulio, R.T. 2006. Developmental and behavioural effects of embryonic exposure to the polybrominated diphenyl ether mixture DE-71 in the killfish (*Fundulus heteroclitus*). *Chemosphere* 62: 1097-1104.

Ueno, D., Kajiwara, N., Tanaka, H., Subramanian, A., Fillmann, G., Lam, P.K.S., Zheng, G.J., Muchitar, M., Razak, H., Prudente, M., Chung, K. and Tanabe, S. 2004. Global Pollution Monitoring of Polybrominated Diphenyl Ethers Using Skipjack Tuna as a Bioindicator. *Environ. Sci. Technol.* 38: 2312-2316.

Van der Goon, D., van het Bolscher, M., Visschedijk, A.J.H. and Zandveld, P.Y.J. 2005. Study to the effectiveness of the UNECE persistent organic pollutants protocol and cost of possible additional measures. Phase I: Estimation of emission reduction resulting from the implementation of the POP protocol. TNO-report 2005/194.

VCCEP. 2003. US Voluntary Children's Chemical Evaluation Program. 2003. Tier 1 Assessment of the Potential Health Risks to Children Associated With Exposure to the Commercial Pentabromodiphenyl Ether Product, prepared for Great Lakes Chemical Corporation.

VCCEP. 2005. US Voluntary Children's Chemical Evaluation Program (VCCEP), Summary of Tier 1 Hazard Assessment, document 25 August 2005, accessed July 2006.  
<http://www.epa.gov.chemrtk/vccep/pubs/finalpenoct.pdf>.

Verreault, J., Gabrielsen, G.W., Letcher, R.I., Muir, D.C.G., and Chu, S. 2004. New and established organohalogen contaminants and their metabolites in plasma and eggs of glaucous gulls from Bear Island. SPFO-Report: 914/2004.

Verreault, J., Gabrielsen, G.W., Chu, S., Muir, D.C.G., Andersen, M., Hamaed, A. and Letcher, R.I. 2005. Flame Retardants and Methoxylated and Hydroxylated Polybrominated Diphenyl Ethers in Two Norwegian Arctic Top Predators: Glaucous Gulls and Polar Bears. Environ. Sci. Technol. 39: 6021-6028.

Viberg, H., Fredriksson, A. and Eriksson, P. 2002. Neonatal exposure to the brominated flame retardant 2,2',4,4',5-pentabromodiphenyl ether causes altered susceptibility in the cholinergic transmitter system in the adult mouse. Toxicol. Sci. 67: 104-7

Viberg, H., Fredriksson, A. and Eriksson, P. 2004. Investigation of strain and/or gender differences in developmental neurotoxic effects of polybrominated diphenyl ethers in mice. Toxicol. Sci. 81: 344-53.

VKM 2005. Vitenskapskomiteen for mattrygghet (Norwegian Scientific Committee for food safety.) Utalelse fra faggruppen for forurensninger, naturlige toksiner og medisinrester i matkjeden. Risikovurdering av PBDE. 04/504.

Vives, I., Grimalt, J.O., Lacorte, S., Guillamón, M., Barceló, D. and Rosseland, B.O. 2004. Polybromodiphenyl Ether Flame Retardants in Fish from Lakes in European High Mountains and Greenland. Environ. Sci. Technol. 38: 2338-2344.

Voorspoels, S., Covaci, A. and Schepens, P. 2003. Polybrominated Diphenyl Ethers in Marine Species from the Belgian North Sea and the Western Scheldt Estuary: Levels, Profiles and Distribution. Environ. Sci. Technol. 37: 4348-4357.

Vorkamp, K., Christensen, J.H., Glasius, M. and Riget, F.R. 2004a. Persistent halogenated compounds in black guillemots (*Cephus grylle*) from Greenland – levels, compound patterns and spatial trends. Mar. Pollut. Bull. 48: 111-121.

Vorkamp, K., Christensen, J.H. and Riget, F.R. 2004b. Polybrominated diphenyl ethers and organochlorine compounds in biota from the marine environment of East Greenland. Sci. Total Environ. 331: 143-155.

Vorkamp, K., Thomsen, M., Falk, K., Leslie, H., Møller, S. and Sørensen, P.B. 2005. Temporal Development of Brominated Flame Retardants in Peregrine Falcon (*Falco peregrinus*) Eggs from South Greenland (1986-2003). Environ. Sci. Technol. 39: 8199-8206.

Vulykh, N., Dutchak, S., Mantseva, E. and Shatalov, V. 2004. EMEP contribution to the preparatory work for the review of the CLRTAP protocol on persistent organic pollutants. New Substances: Model assessment of potential for long-range transboundary atmospheric transport and persistence of PentaBDE. EMEP MSC-E Information Note 10/2004. Metrological Synthesizing Centre-East.

Wang, D., Cai, Z., Jiang, G., Leung, A., Wong, M.H. and Wong, W.K. 2005. Determination of polybrominated diphenylethers in soil and sediment from an electronic waste recycling facility. Chemosphere 60: 810-816.

Washington State Polybrominated Diphenyl Ether (PBDE) Chemical Action Plan: Draft Final Plan, December 1, 2005.

Weber, R. and Kuch, B. 2003. relevance of BFRs and thermal conditions on the formation pathways of brominated and brominated-chlorinated dibenzodioxins and dibenzofurans. Environ. Int. 29: 699-710.

Weiss, J., Meijer, L., Sauer, P., Lindeholm, L., Athanasiadis, I. and Bergman, Å. 2004. PBDE and HBCDD levels in blood from Dutch mothers and infants. The third international workshop on brominated flame retardants, BFR 2004.

Wilford, B.H., Shoeib, M., Harner, T., Zhu, J. and Jones, K.C. 2005. Polybrominated Diphenyl Ethers in Indoor Dust in Ottawa, Canada: Implications for Sources and Exposure. Environ. Sci. Technol. 39(18): 7027-7035.

Wolkers, H., van Bavel, B., Derocher, A.E., Wiig, Ø., Kovacs, K.M., Lydersen, C. and Lindström, G. 2004. Congener-Specific Accumulation and Food Chain Transfer of Polybrominated Diphenyl Ethers in Two Arctic Food Chains. Environ. Sci. Technol. 38: 1667-1674.

Xin-Ming Wang, Ding, X., Mai, B-X., Xie, Z-Q., Xiang, C-H., Sun, L-G., Sheng, G-Y., Fu, J-M. and Zeng, E.Y. 2005. Polybrominated Diphenyl Ethers in Airborne Particulates Collected During a Research Expedition from the Bohair Sea to the Arctic. Environ. Sci. Technol. 39: 7803-7809.

Zegers, B.N., Lewis, W.E. and Boon, J.P. 2000. Levels of Some Polybrominated Diphenyl Ether (PBDE) Flame Retardants in Dated Sediment Cores. Organohalogen Compounds, 47: 229-232.

Zegers, B.N., Lewis, W.A., Booij, K., Smittenberg, R.H., Boer, W., de Boer, J. and Boon, J.P. 2003. Levels of polybrominated diphenyl ether flame retardants in sediment cores from Western Europe. Environ. Sci. Technol. 37: 3803-3807.

Zennegg, M., Kohler, M., Gerecke, A.C. and Schmid, P. 2003. Polybrominated diphenyl ethers in whitefish from Swiss lakes and farmed rainbow trout. Chemosphere 51: 545-553.

Zhou, T., Ross, D.G., DeVito, M.J. and Crofton, K.M. 2001. Effects of short-term in vivo exposure to polybrominated diphenyl ethers on thyroid hormones and hepatic enzyme activities in weanling rats. Toxicol. Sci. 61: 76-82.

Zhou, T., Taylor, M.M., De Vito, M.J. and Crofton, K.M. 2002. Developmental exposure to brominated diphenyl ethers results in thyroid hormone disruption. Toxicol. Sci. 66: 105-116.